

Lõimiseanalüüside tulemused proovides ja kaalutud keskmisena Kärde II uuringuruumis, 4. plakis

Kaevandi nr	Ka 12	Ka 13	Ka 14	Ka 15	Ka 16	Ka 16	Ka 17	Ka 17	Ka 18	Ka 18	Ka 19	Ka 20	Ka 21	Ka 22	Ka 23	Ka 24	Ka 25	Ka 26	Ka 27	Ka 27	Ka 28
Proovi number	12-1	13-1	14-1	15-1	16-1	16-2	17-1	17-2	18-1	18-2	19-1	20-1	21-1	22-1	23-1	24-1	25-1	26-1	27-1	27-2	28-1
Proovimise intervall, m	0,6-1,5	0,8-1,3	0,7-2,8	1,1-1,9	0,6-2,2	2,2-5,5	0,7-2,2	2,2-6,0	0,8-3,0	3,0-6,0	1,2-5,4	1,6-3,7	1,6-3,3	1,6-6,0	1,5-5,0	1,1-5,6	1,6-5,0	1,1-4,5	0,7-3,2	3,2-6,0	0,5-2,8
Intervalli pikkus, m	0,9	0,5	2,1	0,8	1,6	3,3	1,5	3,8	2,2	3,0	4,2	2,1	1,7	4,4	3,5	4,5	3,4	3,4	2,5	2,8	2,3
Fraktsioonid, mm	Fraktsioonide sisaldus, %																				
<0,063 mm	2,3	2,9	3,9	1,2	3,5	3,4	2,5	14,4	8,9	14,7	3,0	2,8	1,3	3,8	4,2	3,2	0,8	3,5	1,6	3,0	6,8
0,063-0,125 mm	0,7	1,1	1,1	2,8	2,5	1,6	1,5	10,6	2,1	7,3	2,0	1,2	0,7	2,2	0,8	1,8	0,2	1,5	0,4	2,0	2,2
0,125-0,25 mm	1,0	3,0	1,0	4,0	3,0	3,0	1,0	26,0	4,0	16,0	5,0	2,0	0,0	3,0	3,0	4,0	1,0	2,0	2,0	6,0	3,0
0,25-0,5 mm	2,0	3,0	3,0	3,0	4,0	4,0	3,0	32,0	7,0	15,0	4,0	2,0	1,0	5,0	2,0	5,0	2,0	3,0	1,0	9,0	6,0
0,5-1 mm	3,0	2,0	3,0	3,0	4,0	4,0	7,0	4,0	4,0	13,0	3,0	1,0	3,0	5,0	3,0	3,0	4,0	4,0	3,0	5,0	4,0
1-2 mm	9,0	3,0	4,0	1,0	4,0	4,0	3,0	2,0	4,0	8,0	3,0	2,0	5,0	3,0	4,0	3,0	7,0	4,0	3,0	3,0	4,0
2-4 mm	9,0	3,0	4,0	1,0	4,0	3,0	4,0	1,0	3,0	6,0	3,0	2,0	5,0	4,0	4,0	2,0	5,0	4,0	3,0	3,0	4,0
4-6,3 mm	5,0	3,0	2,0	1,0	4,0	1,0	5,0	1,0	3,0	3,0	2,0	3,0	5,0	3,0	3,0	2,0	4,0	3,0	3,0	2,0	4,0
6,3-8 mm	3,0	1,0	1,0	1,0	1,0	3,0	3,0	0,0	2,0	2,0	2,0	1,0	3,0	2,0	2,0	2,0	2,0	2,0	1,0	1,0	1,0
8-12,5 mm	5,0	4,0	3,0	2,0	4,0	2,0	9,0	1,0	5,0	4,0	5,0	6,0	7,0	4,0	4,0	2,0	7,0	4,0	4,0	2,0	4,0
12,5-16 mm	4,0	3,0	2,0	2,0	2,0	3,0	7,0	1,0	4,0	2,0	3,0	4,0	3,0	3,0	3,0	1,0	4,0	3,0	2,0	2,0	3,0
16-20 mm	3,0	4,0	1,0	0,0	1,0	2,0	7,0	0,0	6,0	3,0	2,0	6,0	4,0	3,0	5,0	1,0	5,0	4,0	2,0	3,0	3,0
20-31,5 mm	5,0	5,0	2,0	1,0	5,0	3,0	11,0	1,0	12,0	6,0	6,0	17,0	11,0	9,0	9,0	2,0	8,0	10,0	6,0	10,0	10,0
31,5-40 mm	5,0	4,0	3,0	3,0	6,0	3,0	15,0	0,0	13,0	0,0	6,0	16,0	8,0	5,0	6,0	1,0	7,0	9,0	10,0	7,0	11,0
40-63 mm	15,0	26,0	18,0	11,0	12,0	8,0	7,0	6,0	19,0	0,0	30,0	13,0	26,0	17,0	23,0	22,0	12,0	20,0	43,0	18,0	15,0
63-80 mm	21,0	24,0	27,0	18,0	18,0	0,0	14,0	0,0	3,0	0,0	21,0	21,0	0,0	21,0	24,0	7,0	3,0	5,0	4,0	5,0	5,0
>80 mm	7,0	8,0	21,0	45,0	22,0	52,0	0,0	0,0	0,0	0,0	0,0	0,0	17,0	7,0	0,0	38,0	28,0	18,0	11,0	19,0	14,0
Sõela ava, mm	Sõela läbinud, %																				
0,063	2,3	2,9	3,9	1,2	3,5	3,4	2,5	14,4	8,9	14,7	3,0	2,8	1,3	3,8	4,2	3,2	0,8	3,5	1,6	3,0	6,8
0,125	3,0	4,0	5,0	4,0	6,0	5,0	4,0	25,0	11,0	22,0	5,0	4,0	2,0	6,0	5,0	5,0	1,0	5,0	2,0	5,0	9,0
0,25	4,0	7,0	6,0	8,0	9,0	8,0	5,0	51,0	15,0	38,0	10,0	6,0	2,0	9,0	8,0	9,0	2,0	7,0	4,0	11,0	12,0
0,5	6,0	10,0	9,0	11,0	13,0	12,0	8,0	83,0	22,0	53,0	14,0	8,0	3,0	14,0	10,0	14,0	4,0	10,0	5,0	20,0	18,0
1	9,0	12,0	12,0	14,0	17,0	16,0	15,0	87,0	26,0	66,0	17,0	9,0	6,0	19,0	13,0	17,0	8,0	14,0	8,0	25,0	22,0
2	18,0	15,0	16,0	15,0	21,0	20,0	18,0	89,0	30,0	74,0	20,0	11,0	11,0	22,0	17,0	20,0	15,0	18,0	11,0	28,0	26,0
4	27,0	18,0	20,0	16,0	25,0	23,0	22,0	90,0	33,0	80,0	23,0	13,0	16,0	26,0	21,0	22,0	20,0	22,0	14,0	31,0	30,0
6,3	32,0	21,0	22,0	17,0	29,0	24,0	27,0	91,0	36,0	83,0	25,0	16,0	21,0	29,0	24,0	24,0	24,0	25,0	17,0	33,0	34,0
8	35,0	22,0	23,0	18,0	30,0	27,0	30,0	91,0	38,0	85,0	27,0	17,0	24,0	31,0	26,0	26,0	26,0	27,0	18,0	34,0	35,0
12,5	40,0	26,0	26,0	20,0	34,0	29,0	39,0	92,0	43,0	89,0	32,0	23,0	31,0	35,0	30,0	28,0	33,0	31,0	22,0	36,0	39,0
16	44,0	29,0	28,0	22,0	36,0	32,0	46,0	93,0	47,0	91,0	35,0	27,0	34,0	38,0	33,0	29,0	37,0	34,0	24,0	38,0	42,0
20	47,0	33,0	29,0	22,0	37,0	34,0	53,0	93,0	53,0	94,0	37,0	33,0	38,0	41,0	38,0	30,0	42,0	38,0	26,0	41,0	45,0
31,5	52,0	38,0	31,0	23,0	42,0	37,0	64,0	94,0	65,0	100,0	43,0	50,0	49,0	50,0	47,0	32,0	50,0	48,0	32,0	51,0	55,0
40	57,0	42,0	34,0	26,0	48,0	40,0	79,0	94,0	78,0	100,0	49,0	66,0	57,0	55,0	53,0	33,0	57,0	57,0	42,0	58,0	66,0
63	72,0	68,0	52,0	37,0	60,0	48,0	86,0	100,0	97,0	100,0	79,0	79,0	83,0	72,0	76,0	55,0	69,0	77,0	85,0	76,0	81,0
80	93,0	92,0	79,0	55,0	78,0	48,0	100,0	100,0	100,0	100,0	100,0	100,0	83,0	93,0	100,0	62,0	72,0	82,0	89,0	81,0	86,0
125	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
KESKMINE:																					
Savi ja tolmu sisaldus (<0,063 mm)	2,3	2,9	3,9	1,2	3,5	3,4	2,5	14,4	8,9	14,7	3,0	2,8	1,3	3,8	4,2	3,2	0,8	3,5	1,6	3,0	6,8
Liiva sisaldus (0,063-2,0 mm)	15,7	12,1	12,1	13,8	17,5	16,6	15,5	74,6	21,1	59,3	17,0	8,2	9,7	18,2	12,8	16,8	14,2	14,5	9,4	25,0	19,2
Kruusa sisaldus (2,0-20 mm)	29,0	18,0	13,0	7,0	16,0	14,0	35,0	4,0	23,0	20,0	17,0	22,0	27,0	19,0	21,0	10,0	27,0	20,0	15,0	13,0	19,0
>20 mm sisaldus	53,0	67,0	71,0	78,0	63,0	66,0	47,0	7,0	47,0	6,0	63,0	67,0	62,0	59,0	62,0	70,0	58,0	62,0	74,0	59,0	55,0
>31,5 mm sisaldus	48,0	62,0	69,0	77,0	58,0	63,0	36,0	6,0	35,0	0,0	57,0	50,0	51,0	50,0	53,0	68,0	50,0	52,0	68,0	49,0	45,0

Katsetused teostas: AS TREV-2 Grupp labor, katseprotokoll nr 2026/983

Koostas: Anne Rooma, Maavarauuringud OÜ

Märkus: kaevandite koordinaadid lisas nr 2

Lõimiseanalüüside tulemused proovides ja kaalutud keskmisena Kärde II uuringuruumis, 4. plakis

Kaevandi nr	Ka 29	Ka 29	Ka 30	Ka 31	Ka 31	Ka 32	Ka 32	Ka 33	Ka 34	Ka 34	Ka 35	Ka 35	Ka 36	Ka 36	Ka 37	Ka 37	Ka 38	Ka 39	Ka 40	Ka 40	Ka 41	Kaalutud keskmine
Proovi number	29-1	29-2	30-1	31-1	31-2	32-1	32-2	33-1	34-1	34-2	35-1	35-2	36-1	36-2	37-1	37-2	38-1	39-1	40-1	40-2	41-1	
Proovimise intervall, m	0,8-3,2	3,2-6,4	1,2-2,3	0,7-3,5	3,5-6,4	0,7-3,5	3,5-6,4	1,0-3,0	0,5-3,5	3,5-6,0	0,7-3,5	3,5-6,0	0,6-3,5	3,5-6,0	0,5-3,5	3,5-6,0	0,9-4,3	1,1-3,8	1,4-2,8	2,8-6,0	0,6-3,4	
Intervalli pikkus, m	2,4	3,2	1,1	2,8	2,9	2,8	2,9	2,0	3,0	2,5	2,8	2,5	2,9	2,5	3,0	2,5	3,4	2,7	1,4	3,2	2,8	109,8
Fraktsioonid, mm	Fraktsioonide sisaldus, %																					
<0,063 mm	4,4	4,3	10,7	1,9	8,4	3,1	2,5	6,8	4,0	3,3	4,2	5,6	2,0	5,4	2,9	4,2	11,7	3,2	10,4	11,8	2,3	5,0
0,063-0,125 mm	1,6	1,7	10,3	0,1	1,6	0,9	0,5	2,2	1,0	1,7	0,8	2,4	1,0	2,6	1,1	0,8	7,3	0,8	3,6	10,2	1,7	2,4
0,125-0,25 mm	1,0	1,0	26,0	1,0	1,0	2,0	2,0	3,0	2,0	1,0	2,0	4,0	1,0	4,0	1,0	2,0	14,0	2,0	5,0	23,0	3,0	4,8
0,25-0,5 mm	1,0	2,0	36,0	1,0	1,0	2,0	1,0	3,0	4,0	3,0	3,0	4,0	2,0	2,0	2,0	4,0	15,0	3,0	5,0	16,0	2,0	5,5
0,5-1 mm	3,0	3,0	4,0	2,0	2,0	3,0	4,0	3,0	4,0	3,0	5,0	2,0	5,0	3,0	3,0	4,0	11,0	4,0	7,0	1,0	4,0	4,0
1-2 mm	3,0	2,0	1,0	4,0	1,0	5,0	4,0	4,0	5,0	4,0	5,0	2,0	6,0	2,0	2,0	5,0	7,0	5,0	5,0	1,0	4,0	3,8
2-4 mm	4,0	3,0	1,0	4,0	3,0	6,0	3,0	3,0	4,0	3,0	4,0	2,0	5,0	2,0	3,0	4,0	6,0	5,0	3,0	0,0	3,0	3,5
4-6,3 mm	2,0	2,0	0,0	2,0	4,0	4,0	3,0	2,0	4,0	2,0	3,0	2,0	3,0	2,0	2,0	2,0	4,0	4,0	1,0	0,0	3,0	2,7
6,3-8 mm	1,0	1,0	1,0	1,0	2,0	2,0	1,0	1,0	1,0	2,0	2,0	1,0	2,0	1,0	1,0	2,0	3,0	3,0	1,0	0,0	1,0	1,6
8-12,5 mm	3,0	2,0	0,0	3,0	8,0	6,0	3,0	3,0	4,0	3,0	5,0	4,0	4,0	1,0	3,0	4,0	4,0	4,0	2,0	1,0	3,0	3,7
12,5-16 mm	1,0	1,0	1,0	3,0	7,0	2,0	2,0	2,0	2,0	1,0	3,0	3,0	3,0	1,0	2,0	2,0	4,0	4,0	2,0	0,0	2,0	2,5
16-20 mm	1,0	1,0	1,0	3,0	6,0	5,0	1,0	3,0	3,0	2,0	3,0	3,0	2,0	2,0	2,0	1,0	3,0	3,0	0,0	2,0	2,0	2,7
20-31,5 mm	4,0	2,0	3,0	8,0	15,0	10,0	5,0	6,0	5,0	7,0	8,0	10,0	7,0	3,0	5,0	6,0	8,0	10,0	2,0	5,0	5,0	6,8
31,5-40 mm	5,0	2,0	0,0	8,0	9,0	7,0	7,0	8,0	1,0	16,0	5,0	4,0	6,0	2,0	6,0	5,0	2,0	9,0	5,0	8,0	5,0	5,9
40-63 mm	32,0	19,0	5,0	28,0	22,0	23,0	26,0	44,0	34,0	25,0	19,0	30,0	27,0	34,0	19,0	23,0	0,0	28,0	35,0	11,0	30,0	20,7
63-80 mm	14,0	11,0	0,0	22,0	9,0	13,0	23,0	6,0	17,0	16,0	9,0	21,0	18,0	15,0	31,0	23,0	0,0	12,0	13,0	10,0	12,0	12,0
>80 mm	19,0	42,0	0,0	8,0	0,0	6,0	12,0	0,0	5,0	7,0	19,0	0,0	6,0	18,0	14,0	8,0	0,0	0,0	0,0	0,0	17,0	11,9
Sõela ava, mm	Sõela läbinud, %																					
0,063	4,4	4,3	10,7	1,9	8,4	3,1	2,5	6,8	4,0	3,3	4,2	5,6	2,0	5,4	2,9	4,2	11,7	3,2	10,4	11,8	2,3	5,0
0,125	6,0	6,0	21,0	2,0	10,0	4,0	3,0	9,0	5,0	5,0	5,0	8,0	3,0	8,0	4,0	5,0	19,0	4,0	14,0	22,0	4,0	7,4
0,25	7,0	7,0	47,0	3,0	11,0	6,0	5,0	12,0	7,0	6,0	7,0	12,0	4,0	12,0	5,0	7,0	33,0	6,0	19,0	45,0	7,0	12,3
0,5	8,0	9,0	83,0	4,0	12,0	8,0	6,0	15,0	11,0	9,0	10,0	16,0	6,0	14,0	7,0	11,0	48,0	9,0	24,0	61,0	9,0	17,8
1	11,0	12,0	87,0	6,0	14,0	11,0	10,0	18,0	15,0	12,0	15,0	18,0	11,0	17,0	10,0	15,0	59,0	13,0	31,0	62,0	13,0	21,8
2	14,0	14,0	88,0	10,0	15,0	16,0	14,0	22,0	20,0	16,0	20,0	20,0	17,0	19,0	12,0	20,0	66,0	18,0	36,0	63,0	17,0	25,6
4	18,0	17,0	89,0	14,0	18,0	22,0	17,0	25,0	24,0	19,0	24,0	22,0	22,0	21,0	15,0	24,0	72,0	23,0	39,0	63,0	20,0	29,1
6,3	20,0	19,0	89,0	16,0	22,0	26,0	20,0	27,0	28,0	21,0	27,0	24,0	25,0	23,0	17,0	26,0	76,0	27,0	40,0	63,0	23,0	31,7
8	21,0	20,0	90,0	17,0	24,0	28,0	21,0	28,0	29,0	23,0	29,0	25,0	27,0	24,0	18,0	28,0	79,0	30,0	41,0	63,0	24,0	33,3
12,5	24,0	22,0	90,0	20,0	32,0	34,0	24,0	31,0	33,0	26,0	34,0	29,0	31,0	25,0	21,0	32,0	83,0	34,0	43,0	64,0	27,0	37,0
16	25,0	23,0	91,0	23,0	39,0	36,0	26,0	33,0	35,0	27,0	37,0	32,0	34,0	26,0	23,0	34,0	87,0	38,0	45,0	64,0	29,0	39,6
20	26,0	24,0	92,0	26,0	45,0	41,0	27,0	36,0	38,0	29,0	40,0	35,0	36,0	28,0	25,0	35,0	90,0	41,0	45,0	66,0	31,0	42,3
31,5	30,0	26,0	95,0	34,0	60,0	51,0	32,0	42,0	43,0	36,0	48,0	45,0	43,0	31,0	30,0	41,0	98,0	51,0	47,0	71,0	36,0	49,1
40	35,0	28,0	95,0	42,0	69,0	58,0	39,0	50,0	44,0	52,0	53,0	49,0	49,0	33,0	36,0	46,0	100,0	60,0	52,0	79,0	41,0	55,0
63	67,0	47,0	100,0	70,0	91,0	81,0	65,0	94,0	78,0	77,0	72,0	79,0	76,0	67,0	55,0	69,0	100,0	88,0	87,0	90,0	71,0	75,7
80	81,0	58,0	100,0	92,0	100,0	94,0	88,0	100,0	95,0	93,0	81,0	100,0	94,0	82,0	86,0	92,0	100,0	100,0	100,0	100,0	83,0	88,1
125	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
KESKMINE:																						
Savi ja tolmu sisaldus (<0,063 mm)	4,4	4,3	10,7	1,9	8,4	3,1	2,5	6,8	4,0	3,3	4,2	5,6	2,0	5,4	2,9	4,2	11,7	3,2	10,4	11,8	2,3	5,0
Liiva sisaldus (0,063-2,0 mm)	9,6	9,7	77,3	8,1	6,6	12,9	11,5	15,2	16,0	12,7	15,8	14,4	15,0	13,6	9,1	15,8	54,3	14,8	25,6	51,2	14,7	20,6
Kruusa sisaldus (2,0-20 mm)	12,0	10,0	4,0	16,0	30,0	25,0	13,0	14,0	18,0	13,0	20,0	15,0	19,0	9,0	13,0	15,0	24,0	23,0	9,0	3,0	14,0	16,7
>20 mm sisaldus	74,0	76,0	8,0	74,0	55,0	59,0	73,0	64,0	62,0	71,0	60,0	65,0	64,0	72,0	75,0	65,0	10,0	59,0	55,0	34,0	69,0	57,7
>31,5 mm sisaldus	70,0	74,0	5,0	66,0	40,0	49,0	68,0	58,0	57,0	64,0	52,0	55,0	57,0	69,0	70,0	59,0	2,0	49,0	53,0	29,0	64,0	50,9

Katsetused teostas: AS TREV-2 Grupp labor, katseprotokoll nr 2026/983

Koostas: Anne Rooma, Maavarauuringud OÜ

Märkus: kaevandite koordinaadid lisas nr 2