

LOODUSLIKUST MATERJALIST VÄLJA SÕELUTUD LIIVA OMADUSED

Jrk nr	Kaeve nr	Proovi nr	Proovitud intervall, m		Proovi pikkus, m	Kruus, %	Liiv koos savi ja tolmuaga, %	Täisjäägid sõeltel (mm), % kogu proovist												Kokku, %	Savi- ja tolmusisaldus (<0.063 mm), %				
			Alates	Kuni				Osajäägid sõeltel (mm), % kogu proovist																	
								20	16	12.5	8	6.3	4	2	1	0.5	0.25	0.125	0.063	<0,063					
1	K01	K01-01	0.55	1.30	0.75	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.49	1.00	7.72	40.49	87.00	97.44	100.00	100.0	2.6			
								0.00	0.00	0.00	0.00	0.00	0.00	0.49	0.51	6.72	32.78	46.51	10.44	2.56					
2	K01	K01-02	1.30	1.70	0.40	11.2	88.8	15.51	21.81	30.16	36.29	38.79	42.65	46.85	50.95	55.59	61.59	67.99	74.02	100.00	100.0	26.0			
								15.51	6.30	8.36	6.13	2.50	3.86	4.20	4.10	4.64	6.00	6.40	6.03	25.98					
2	K01	K01-02	1.70	3.10	1.40	11.2	88.8	15.51	21.81	30.16	36.29	38.79	42.65	46.85	50.95	55.59	61.59	67.99	74.02	100.00	100.0	26.0			
								15.51	6.30	8.36	6.13	2.50	3.86	4.20	4.10	4.64	6.00	6.40	6.03	25.98					
3	K02	K02-01	0.55	1.50	0.95	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.43	2.35	6.12	13.01	32.85	91.19	100.00	100.0	8.8			
								0.00	0.00	0.00	0.00	0.00	0.00	0.43	1.92	3.77	6.89	19.83	58.35	8.81					
4	K02	K02-02	1.50	2.13	0.63	6.5	93.5	13.87	18.82	25.15	32.85	36.14	42.41	50.53	59.68	70.27	80.44	86.29	96.42	100.00	100.0	3.6			
								13.87	4.94	6.33	7.70	3.29	6.27	8.12	9.15	10.59	10.17	5.85	10.13	3.58					
4	K02	K02-02	2.13	3.00	0.87	6.5	93.5	13.87	18.82	25.15	32.85	36.14	42.41	50.53	59.68	70.27	80.44	86.29	96.42	100.00	100.0	3.6			
								13.87	4.94	6.33	7.70	3.29	6.27	8.12	9.15	10.59	10.17	5.85	10.13	3.58					
5	K04	K04-01	0.65	1.84	1.19	15.1	84.9	6.22	8.89	11.60	17.36	19.53	23.59	28.44	33.60	39.21	45.99	52.86	60.47	100.00	100.0	39.5			
								6.22	2.67	2.71	5.77	2.17	4.06	4.85	5.16	5.61	6.78	6.87	7.61	39.53					
5	K04	K04-01	1.84	2.90	1.06	15.1	84.9	6.22	8.89	11.60	17.36	19.53	23.59	28.44	33.60	39.21	45.99	52.86	60.47	100.00	100.0	39.5			
								6.22	2.67	2.71	5.77	2.17	4.06	4.85	5.16	5.61	6.78	6.87	7.61	39.53					
6	K05	K05-01	0.40	1.30	0.90	0.00	100.00	0.68	2.33	5.12	8.44	9.80	11.87	14.37	19.25	34.21	65.58	93.22	98.01	100.00	100.0	2.0			
								0.68	1.66	2.78	3.33	1.36	2.07	2.50	4.88	14.96	31.37	27.65	4.79	1.99					
7	K06	K06-01	0.15	1.00	0.85	0.0	100.0	1.27	1.27	1.35	1.88	2.36	3.39	5.31	7.99	14.12	41.56	87.82	98.43	100.00	100.0	1.6			
								1.27	0.00	0.08	0.52	0.48	1.04	1.92	2.68	6.14	27.44	46.26	10.61	1.57					
8	K06	K06-02	1.00	2.01	1.01	10.0	90.0	7.91	12.22	17.44	22.75	25.58	29.16	33.60	38.54	44.18	51.06	58.13	65.27	100.00	100.0	34.7			
								7.91	4.32	5.22	5.30	2.83	3.58	4.44	4.94	5.64	6.87	7.08	7.14	34.73					
8	K06	K06-02	2.01	3.50	1.49	10.0	90.0	7.91	12.22	17.44	22.75	25.58	29.16	33.60	38.54	44.18	51.06	58.13	65.27	100.00	100.0	34.7			
								7.91	4.32	5.22	5.30	2.83	3.58	4.44	4.94	5.64	6.87	7.08	7.14	34.73					
9	K08	K08-01	0.50	1.97	1.47	12.66	87.34	8.41	11.85	13.96	18.88	21.16	24.67	29.76	35.88	43.61	51.15	58.49	65.85	100.00	100.0	34.1			
								8.41	3.44	2.10	4.93	2.27	3.51	5.09	6.12	7.74	7.54	7.34	7.36	34.15					
9	K08	K08-01	1.97	2.00	0.03	12.66	87.34	8.41	11.85	13.96	18.88	21.16	24.67	29.76	35.88	43.61	51.15	58.49	65.85	100.00	100.0	34.1			
								8.41	3.44	2.10	4.93	2.27	3.51	5.09	6.12	7.74	7.54	7.34	7.36	34.15					
10	K09	K09-01*	0.45	1.00	0.55	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.46	0.82	1.00	3.25	9.97	45.05	95.46	100.00	100.0	4.5			
								0.00	0.00	0.00	0.00	0.00	0.46	0.36	0.18	2.25	6.72	35.08	50.41	4.54					
11	K09	K09-02*	1.00	1.07	0.07	5.9	94.1	1.82	3.24	5.70	9.50	11.24	14.40	18.80	23.85	29.51	36.65	44.36	52.71	100.00	100.0	47.3			
								1.82	1.42	2.46	3.80	1.74	3.16	4.41	5.05	5.66	7.13	7.71	8.35	47.29					
11	K09	K09-02*	1.07	2.70	1.63	5.9	94.1	1.82	3.24	5.70	9.50	11.24	14.40	18.80	23.85	29.51	36.65	44.36	52.71	100.00	100.0	47.3			
								1.82	1.42	2.46	3.80	1.74	3.16	4.41	5.05	5.66	7.13	7.71	8.35	47.29					
12	K10	K10-01*	0.40	0.74	0.34	7.1	92.9	7.07	10.06	14.16	20.97	24.29	29.98	35.42	43.36	55.58	82.18	94.81	96.24	100.00	100.0	3.8			
								7.07	2.98	4.11	6.81	3.32	5.69	5.44	7.94	12.22	26.60	12.63	1.43	3.76					
12	K10	K10-01*	0.74	0.90	0.16	7.1	92.9	7.07	10.06	14.16	20.97	24.29	29.98	35.42	43.36	55.58	82.18	94.81	96.24	100.00	100.0	3.8			
								7.07	2.98	4.11	6.81	3.32	5.69	5.44	7.94	12.22	26.60	12.63	1.43	3.76					
13	K10	K10-02*	0.90	2.20	1.30	10.6	89.4	7.42	11.27	15.16	20.48	23.26	27.92	33.51	39.24	45.17	52.57	59.80	66.76	100.00	100.0	33.2			
								7.42	3.84	3.89	5.33	2.78	4.66	5.59	5.73	5.93	7.40	7.23	6.96	33.24					
14	K11	K11-01*	0.70	1.15	0.45	13.1	86.9	9.45	12.99	17.00	22.52	25.30	29.52	34.86	40.06	44.97	49.39	55.20	61.51	100.00	100.0	38.5			
								9.45	3.54	4.01	5.52	2.78	4.23	5.34	5.19	4.91	4.42	5.81	6.31	38.49					
14	K11	K11-01*	1.15	3.30	2.15	13.1	86.9	9.45	12.99	17.00	22.52	25.30	29.52	34.86	40.06	44.97	49.39	55.20	61.51	100.00	100.0	38.5			
								9.45	3.54	4.01	5.52	2.78	4.23	5.34	5.19	4.91	4.42	5.81	6.31	38.49					

Jrk nr	Kaeve nr	Proovi nr	Proovitud intervall, m		Proovi pikkus, m	Kruus, %	Liiv koos savi ja tolmuaga, %	Täisjäägid sõltel (mm), % kogu proovist												Kokku, %	Savi- ja tolmusisaldus (<0.063 mm), %				
			Alates	Kuni				Osajäägid sõltel (mm), % kogu proovist																	
								20	16	12.5	8	6.3	4	2	1	0.5	0.25	0.125	0.063	<0,063					
17	K14	K14-01	0.40	2.00	1.60	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.49	2.38	13.13	36.09	95.91	100.00	100.0	4.1			
								0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.49	1.89	10.75	22.96	59.82	4.09					
18	K14	K14-02	2.00	2.53	0.53	0.0	100.0	0.00	0.41	0.64	1.04	1.24	1.70	2.18	3.38	4.77	8.08	19.01	94.69	100.00	100.0	5.3			
								0.00	0.41	0.23	0.40	0.20	0.46	0.48	1.21	1.39	3.31	10.93	75.68	5.31					
18	K14	K14-02	2.53	3.60	1.07	0.0	100.0	0.00	0.41	0.64	1.04	1.24	1.70	2.18	3.38	4.77	8.08	19.01	94.69	100.00	100.0	5.3			
								0.00	0.41	0.23	0.40	0.20	0.46	0.48	1.21	1.39	3.31	10.93	75.68	5.31					
19	K15	K15-01	0.50	1.95	1.45	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	1.60	29.86	91.69	100.00	100.0	8.3			
								0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	1.18	28.26	61.84	8.31					
19	K15	K15-01	1.95	2.70	0.75	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	1.60	29.86	91.69	100.00	100.0	8.3			
								0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	1.18	28.26	61.84	8.31					
20	K16	K16-01	0.60	1.10	0.50	0.0	100.0	0.00	0.00	0.00	0.00	0.35	0.77	2.31	7.96	25.17	52.99	80.00	87.85	100.00	100.0	12.2			
								0.00	0.00	0.00	0.00	0.35	0.42	1.54	5.65	17.21	27.82	27.01	7.85	12.15					
21	K16	K16-02	1.10	2.20	1.10	1.2	98.8	3.61	5.33	6.07	7.55	8.02	8.93	11.45	14.26	18.91	26.40	41.64	60.78	100.00	100.0	39.2			
								3.61	1.71	0.75	1.48	0.46	0.92	2.51	2.82	4.64	7.49	15.24	19.14	39.22					
22	K17	K17-01	0.20	0.85	0.65	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.38	1.48	11.01	50.86	93.39	97.48	100.00	100.0	2.5			
								0.00	0.00	0.00	0.00	0.00	0.00	0.38	1.11	9.53	39.85	42.53	4.09	2.52					
23	K17	K17-02	0.85	1.50	0.65	4.5	95.5	5.25	9.33	12.82	17.68	19.40	23.94	29.74	37.05	47.09	59.36	67.84	76.54	100.00	100.0	23.5			
								5.25	4.09	3.49	4.86	1.72	4.54	5.80	7.31	10.04	12.27	8.48	8.70	23.46					
24	K18	K18-01	0.50	2.12	1.62	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	1.91	34.49	97.47	100.00	100.0	2.5			
								0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	1.50	32.59	62.97	2.53					
24	K18	K18-01	2.12	2.20	0.08	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	1.91	34.49	97.47	100.00	100.0	2.5			
								0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	1.50	32.59	62.97	2.53					
25	K18	K18-02	2.20	3.00	0.80	0.0	100.0	2.99	6.89	12.18	20.01	23.80	30.21	36.00	44.04	57.66	67.93	77.06	96.42	100.00	100.0	3.6			
								2.99	3.90	5.30	7.83	3.79	6.41	5.79	8.04	13.62	10.27	9.14	19.35	3.58					
26	K19	K19-01	0.50	1.45	0.95	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.08	1.04	5.48	20.00	73.85	99.11	100.00	100.0	0.9			
								0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.97	4.44	14.52	53.85	25.27	0.89					
27	K19	K19-02	1.45	2.20	0.75	14.8	85.2	11.15	16.43	21.13	29.81	33.10	37.91	43.78	49.30	54.69	65.61	77.35	81.46	100.00	100.0	18.5			
								11.15	5.28	4.69	8.69	3.29	4.81	5.87	5.52	5.40	10.92	11.74	4.11	18.54					
28	K20	K21-01	0.50	2.70	2.20	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.88	10.97	45.23	86.17	97.59	100.00	100.0	2.4			
								0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.86	10.09	34.26	40.94	11.43	2.41					
29	K21	K21-01	0.50	3.00	2.50	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	2.00	9.46	70.40	98.23	100.00	100.0	1.8			
								0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	1.59	7.46	60.93	27.83	1.77					
30	K22	K22-01	0.35	1.40	1.05	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.69	1.35	2.81	15.00	94.11	100.00	100.0	5.9			
								0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.41	0.67	1.46	12.19	79.11	5.89					
30	K22	K22-01	1.40	1.60	0.20	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.69	1.35	2.81	15.00	94.11	100.00	100.0	5.9			
								0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.41	0.67	1.46	12.19	79.11	5.89					
31	K23	K23-01	0.40	0.80	0.40	0.0	100.0	0.59	0.81	1.23	1.59	1.78	2.27	3.40	6.93	16.06	34.67	64.30	81.27	100.00	100.0	18.7			
								0.59	0.22	0.42	0.35	0.19	0.49	1.13	3.53	9.13	18.61	29.63	16.97	18.73					
32	K23	K23-02	0.80	1.40	0.60	6.7	93.3	5.36	7.11	9.29	13.40	15.71	19.88	25.84	34.59	45.34	55.78	65.74	75.94	100.00	100.0	24.1			
								5.36	1.75	2.18	4.11	2.31	4.18	5.96	8.75	10.75	10.44	9.96	10.21	24.06					
33	K24	K24-01	0.40	1.40	1.00	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	2.19	20.00	80.16	98.43	100.00	100.0	1.6			
								0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	1.91	17.81	60.16	18.27	1.57					
34	K26	K26-01	0.60	1.43	0.83	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47	1.41	8.15	66.22	98.32	100.00	100.0	1.7			
								0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.95	6.74	58.07	32.10	1.68					
34	K26	K26-01	1.43	1.50	0.07	0.0	100.0	0.00	0.00	0.00															

Jrk nr	Kaeve nr	Proovi nr	Proovitud intervall, m		Proovi pikkus, m	Kruus, %	Liiv koos savi ja tolmu ga , %	Täisjäägid sõeltel (mm), % kogu proovist												Kokku, %	Savi- ja tolmu sis aldus (<0.063 mm), %	
								Osajäägid sõeltel (mm), % kogu proovist														
			Alates	Kuni				20	16	12.5	8	6.3	4	2	1	0.5	0.25	0.125	0.063			<0,063
37	K28	K28-01	0.30	1.80	1.50	0.0	100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.57	27.18	85.65	98.56	100.00	100.0	1.4
								0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.57	23.61	58.47		

Kogu uuringuruumi liivaosise kaalutud keskmised omadused	47.60	4.9	95.1	4.2	6.2	8.4	11.3	12.6	14.8	17.6	20.9	26.2	37.0	59.6	84.0	100.0	100.0	16.0
				4.2	2.0	2.2	2.9	1.3	2.2	2.7	3.4	5.2	10.8	22.7	24.4	16.0		

Ploki 10 (veepealne varu) liivaosise kaalutud keskmised omadused	30.67	2.9	97.1	2.6	3.9	5.1	7.0	7.7	9.0	10.8	13.2	18.2	31.3	61.2	89.6	100.0	100.0	10.4
				2.6	1.3	1.2	1.8	0.8	1.3	1.7	2.5	5.0	13.0	29.9	28.4	10.4		
Ploki 11 (veealune varu) liivaosise kaalutud keskmised omadused	8.48	7.0	93.0	7.4	10.8	15.0	19.9	22.0	25.5	29.4	34.0	39.6	45.8	55.9	81.0	100.0	100.0	19.0
				7.4	3.4	4.2	4.9	2.1	3.4	4.0	4.6	5.6	6.2	10.2	25.1	19.0		

Halliga tähistatud proovid esindavad veealuste osade intervalle (keskmine veetase 61.73 abs m).

Tärniga (*) tähistatud proove ei kasutatud plokkide kaalutud keskmiste arvutamisel.