Standardi nimetus	Tähistus standardis
Non-text content	9.1.1.1
Audio control	9.1.4.2
Timing adjustable	9.2.2.1
Page titled	9.2.4.2
Error Identification	9.3.3.1
Contrast (Minimum)	9.1.4.3
Text spacing	9.1.4.12
Resize text	9.1.4.4
Orientation	9.1.3.4
Identify Input Purpose	9.1.3.5
Language of page	9.3.1.1
, , , ,	
Language of parts	9.3.1.2
Keyboard	9.2.1.1
Bypass blocks	9.2.4.1
Focus Visible	9.2.4.7
Info and relationships	9.1.3.1
Link purpose (in context)	9.2.4.4
Name, Role, Value	9.4.1.2
Label in Name	9.2.5.3
Name, Role, Value	9.4.1.2

QualWebi testid
QW-ACT-R17 - Image has non-empty accessible name
QW-ACT-R21 - SVG element with explicit role has non-empty accessible name
QW-ACT-R42 - Object element rendering non-text content has non-empty
accessible name
QW-ACT-R6 - Image button has non-empty accessible name
QW-ACT-R15 - Audio or video element avoids automatically playing audio
QW-ACT-R4 - Meta element has no refresh delay
QW-ACT-R1 - HTML page has non-empty title
QW-ACT-R41 - Error message describes invalid form field value
QW-ACT-R37 - Text has minimum contrast
QW-ACT-R67 - Letter spacing in style attributes is not !important
QW-ACT-R68 - Line height in style attributes is not !important
QW-ACT-R69 - Word spacing in style attributes is not !important
QW-ACT-R14 - Meta viewport allows for zoom
QW-ACT-R40 - Zoomed text node is not clipped with CSS overflow
QW-ACT-R7 - Orientation of the page is not restricted using CSS transform property
QW-ACT-R24 - autocomplete attribute has valid value
QW-ACT-R2 - HTML page has lang attribute
QW-ACT-R3 - HTML page lang and xml:lang attributes have matching values
QW-ACT-R5 - HTML page lang attribute has valid language tag
QW-ACT-R22 - Element with lang attribute has valid language tag
QW-ACT-R43 - Scrollable element is keyboard accessible
QW-ACT-R70 - Iframe with interactive elements is not excluded from tab-order
QW-ACT-R75 - Bypass Blocks of Repeated Content
QW-ACT-R62 - Element in sequential focus order has visible focus
QW-ACT-R20 - Role attribute has valid value
QW-ACT-R33 - ARIA required context role
QW-ACT-R35 - Heading has non-empty accessible name
QW-ACT-R36 - Headers attribute specified on a cell refers to cells in the same table
element
QW-ACT-R38 - ARIA required owned elements
QW-ACT-R39 - Table header cell has assigned cells
QW-ACT-R44 - Links with identical accessible names and same context serve
equivalent purpose
QW-ACT-R12 - Link has non-empty accessible name
QW-ACT-R30 - Visible label is part of accessible name
QW-ACT-R28 - Element with role attribute has required states and properties
QW-ACT-R10 - Iframe elements with identical accessible names have equivalent purpose

QW-ACT-R11 - Button has non-empty accessible name

QW-ACT-R13 - Element with aria-hidden has no content in sequential focus navigation

QW-ACT-R16 - Form field has non-empty accessible name

QW-ACT-R19 - Iframe element has non-empty accessible name

QW-ACT-R65 - Element with presentational children has no focusable content

QW-ACT-R66 - Menuitem has non-empty accessible name