

LOODUSLIKU MATERJALI TERASTIKULINE KOOSTIS																												
Jrk nr	Kaeve nr	Proovi nr	Proovitud intervall, m		Proovi pikkus, m	Kruus, %	Liiv koos savi ja tolmuaga, %	Täisjäägid sõeltel (mm), % kogu proovist															Kokku, %	Peenosis (<0.063 mm), %	Maavara liik*			
			Alates	Kuni				Osajäägid sõeltel (mm), % kogu proovist																				
								125	80	63	40	31.5	20	16	12.5	8	6.3	4	2	1	0.5	0.25				0.125	0.063	<0.063
1	K01	K01-01	1.50	2.18	0.68	0.0	100.0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	99.60	65.41	11.30	6.74	100.00	6.7	TL	
								0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.40	34.19	54.11	4.56	6.74				
1	K01	K01-01	2.18	3.00	0.82	0.0	100.0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	99.60	65.41	11.30	6.74	100.00	6.7	TL	
								0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.40	34.19	54.11	4.56	6.74					
2	K02	K02-01	0.55	2.50	1.95	39.3	60.7	100.00	95.00	95.00	90.03	69.91	60.73	50.07	45.94	41.54	35.50	33.25	29.59	25.23	21.23	17.57	12.48	8.92	6.21	100.00	6.2	EK
								5.00	0.00	4.97	20.12	9.18	10.66	4.13	4.41	6.04	2.25	3.66	4.36	4.00	3.66	5.10	3.56	2.71	6.21			
3	K02	K02-02	2.50	4.00	1.50	0.0	100.0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	99.81	98.55	19.08	3.16	100.00	3.2	EL	
								0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	1.26	79.47	15.92	3.16				
4	K02	K02-03	4.00	4.32	0.32	2.9	97.1	100.00	100.00	100.00	100.00	100.00	97.13	94.83	94.56	94.46	93.93	93.57	93.20	92.45	91.38	90.24	86.41	17.21	3.49	100.00	3.5	EL
								0.00	0.00	0.00	0.00	2.87	2.30	0.27	0.10	0.53	0.36	0.37	0.74	1.07	1.14	3.83	69.20	13.71	3.49			
4	K02	K02-03	4.32	5.30	0.98	2.9	97.1	100.00	100.00	100.00	100.00	100.00	97.13	94.83	94.56	94.46	93.93	93.57	93.20	92.45	91.38	90.24	86.41	17.21	3.49	100.00	3.5	EL
								0.00	0.00	0.00	0.00	2.87	2.30	0.27	0.10	0.53	0.36	0.37	0.74	1.07	1.14	3.83	69.20	13.71	3.49			
5	K03	K03-01	0.20	3.10	2.90	60.0	40.0	100.00	90.00	75.91	61.50	45.38	40.04	33.29	30.91	28.49	24.99	23.37	20.46	16.61	11.98	7.37	4.48	3.21	2.31	100.00	2.3	EK
								10.00	14.09	14.41	16.13	5.34	6.76	2.38	2.41	3.50	1.62	2.91	3.85	4.64	4.60	2.89	1.28	0.90	2.31			
6	K03	K03-02	3.10	5.80	2.70	11.2	88.8	100.00	90.00	90.00	90.00	90.00	88.84	87.73	86.70	84.77	82.78	81.84	80.56	78.37	74.90	68.49	60.12	52.04	37.68	100.00	37.7	TL
								10.00	0.00	0.00	0.00	1.16	1.11	1.04	1.93	1.98	0.94	1.28	2.19	3.47	6.40	8.38	8.07	14.36	37.68			
7	K04	K04-01	0.40	1.59	1.19	9.6	90.4	100.00	95.00	95.00	95.00	93.09	90.36	83.18	78.88	75.69	69.80	67.29	63.47	57.88	42.05	22.91	17.41	14.94	11.67	100.00	11.7	TL
								5.00	0.00	0.00	1.91	2.73	7.19	4.30	3.19	5.89	2.51	3.83	5.58	15.83	19.14	5.50	2.47	3.28	11.67			
7	K04	K04-01	1.59	2.00	0.41	9.6	90.4	100.00	95.00	95.00	95.00	93.09	90.36	83.18	78.88	75.69	69.80	67.29	63.47	57.88	42.05	22.91	17.41	14.94	11.67	100.00	11.7	TL
								5.00	0.00	0.00	1.91	2.73	7.19	4.30	3.19	5.89	2.51	3.83	5.58	15.83	19.14	5.50	2.47	3.28	11.67			
8	K05	K05-01	0.60	2.20	1.60	12.1	87.9	100.00	100.00	100.00	100.00	88.83	87.93	83.67	80.37	77.88	72.69	70.89	67.28	60.54	49.01	39.01	33.64	28.18	22.54	100.00	22.5	TL
								0.00	0.00	0.00	11.18	0.90	4.26	3.30	2.49	5.19	1.80	3.62	6.74	11.53	10.00	5.37	5.46	5.64	22.54			
9	K05	K05-02	2.20	2.94	0.74	11.7	88.3	100.00	90.00	90.00	90.00	88.90	88.29	85.87	84.49	83.21	80.89	79.52	76.82	71.85	64.85	58.58	50.39	32.68	16.33	100.00	16.3	TL
								10.00	0.00	0.00	1.10	0.61	2.42	1.37	1.29	2.32	1.37	2.70	4.97	7.00	6.27	8.18	17.72	16.35	16.33			
9	K05	K05-02	2.94	3.80	0.86	11.7	88.3	100.00	90.00	90.00	90.00	88.90	88.29	85.87	84.49	83.21	80.89	79.52	76.82	71.85	64.85	58.58	50.39	32.68	16.33	100.00	16.3	TL
								10.00	0.00	0.00	1.10	0.61	2.42	1.37	1.29	2.32	1.37	2.70	4.97	7.00	6.27	8.18	17.72	16.35	16.33			
10	K06	K06-01	0.50	0.69	0.19	38.7	61.3	100.00	80.00	80.00	80.00	66.27	61.33	53.88	50.72	47.84	43.18	41.21	37.78	32.50	25.82	21.63	18.38	13.11	8.12	100.00	8.1	EK
								20.00	0.00	0.00	13.73	4.94	7.45	3.16	2.88	4.66	1.96	3.43	5.28	6.68	4.20	3.25	5.27	4.99	8.12			
10	K06	K06-01	0.69	3.20	2.51	38.7	61.3	100.00	80.00	80.00	80.00	66.27	61.33	53.88	50.72	47.84	43.18	41.21	37.78	32.50	25.82	21.63	18.38	13.11	8.12	100.00	8.1	EK
								20.00	0.00	0.00	13.73	4.94	7.45	3.16	2.88	4.66	1.96	3.43	5.28	6.68	4.20	3.25	5.27	4.99	8.12			
11	K07	K07-01	0.60	2.60	2.00	0.0	100.0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	99.55	96.14	85.19	65.98	42.14	15.93	100.00	15.9	TL
								0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.45	3.41	10.95	19.20	23.84	26.21	15.93				
12	K07	K07-02	2.60	3.10	0.50	1.4	98.6	100.00	100.00	100.00	100.00	100.00	98.58	95.83	93.55	91.83	87.44	85.36	81.38	74.43	65.73	56.67	44.90	31.49	17.63	100.00	17.6	TL
								0.00	0.00	0.00	0.00	1.42	2.75	2.28	1.72	4.39	2.08	3.98	6.94	8.70	9.07	11.77	13.41	13.86	17.63			
13	K08	K08-01	0.70	3.00	2.30	12.9	87.1	100.00	100.00	100.00	100.00	89.17	87.07	79.28	72.72	65.57	57.53	54.94	49.42	40.71	25.32	15.38	11.82	9.26	5.48	100.00	5.5	TL
								0.00	0.00	0.00	10.83	2.10	7.7															

Jrk nr	Kaeve nr	Proovi nr	Proovitud intervall, m		Proovi pikkus, m	Kruus, %	Liiv koos savi ja tolмага, %	Täisjäägid sõeltel (mm), % kogu proovist															Kokku, %	Peenosis (<0.063 mm), %	Maavara liik*				
			Alates	Kuni				Osajäägid sõeltel (mm), % kogu proovist																					
								125	80	63	40	31.5	20	16	12.5	8	6.3	4	2	1	0.5	0.25				0.125	0.063	<0.063	
24	K16	K16-02	3.00	3.15	0.15	25.6	74.4	100.00	95.00	95.00	95.00	82.29	74.35	64.92	60.66	56.75	51.12	48.83	44.77	36.91	19.80	6.24	3.03	2.32	1.86	100.00	1.9	EL	
								5.00	0.00	0.00	0.00	12.71	7.94	9.43	4.26	3.91	5.63	2.29	4.06	7.87	17.11	13.57	3.20	0.71	0.46	1.86			
24	K16	K16-02	3.15	4.50	1.35	25.6	74.4	100.00	95.00	95.00	95.00	82.29	74.35	64.92	60.66	56.75	51.12	48.83	44.77	36.91	19.80	6.24	3.03	2.32	1.86	100.00	1.9	EL	
								5.00	0.00	0.00	0.00	12.71	7.94	9.43	4.26	3.91	5.63	2.29	4.06	7.87	17.11	13.57	3.20	0.71	0.46	1.86			
25	K19	K19-01	0.30	1.90	1.60	3.2	96.8	100.00	100.00	100.00	100.00	100.00	96.77	89.00	86.24	83.67	80.00	78.67	77.06	74.69	71.05	66.42	60.20	46.77	26.20	100.00	26.2	TL	
								0.00	0.00	0.00	0.00	3.23	7.77	2.76	2.57	3.68	1.32	1.61	2.37	3.64	4.63	6.23	13.43	20.57	26.20				
26	K20	K20-01	0.30	2.20	2.40	0.0	100.0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	99.78	99.16	98.13	97.73	96.84	94.42	89.99	83.14	71.30	52.87	24.83	100.00	24.8	TL	
								0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.63	1.03	0.40	0.89	2.43	4.42	6.85	11.85	18.43	28.03	24.83				
27	K20	K20-02	2.20	3.35	1.15	1.9	98.1	100.00	100.00	100.00	100.00	100.00	98.09	98.09	97.25	97.15	96.63	96.10	94.86	91.35	84.61	73.14	53.15	34.45	17.07	100.00	17.1	TL	
								0.00	0.00	0.00	0.00	1.91	0.00	0.84	0.10	0.52	0.53	1.24	3.51	6.74	11.47	19.99	18.70	17.38	17.07				
27	K20	K20-02	3.35	3.50	0.15	1.9	98.1	100.00	100.00	100.00	100.00	100.00	98.09	98.09	97.25	97.15	96.63	96.10	94.86	91.35	84.61	73.14	53.15	34.45	17.07	100.00	17.1	TL	
								0.00	0.00	0.00	0.00	1.91	0.00	0.84	0.10	0.52	0.53	1.24	3.51	6.74	11.47	19.99	18.70	17.38	17.07				

Kogu uuringuruumi kaalutud keskmised omadused	50.35	14.3	85.7	3.4	4.3	5.7	11.4	14.3	19.4	21.7	24.2	27.8	29.4	32.1	36.7	45.2	54.6	63.7	77.2	85.8	98.2	100.0	13.0	TL
				3.4	0.8	1.5	5.6	2.9	5.1	2.4	2.4	3.7	1.6	2.7	4.5	8.5	9.5	9.1	13.4	8.7	12.4			
Ploki 10 (veepealne varu) kaalutud keskmised omadused	28.34	13.9	86.1	3.0	4.4	6.7	11.6	13.9	17.9	19.7	21.6	24.5	25.8	28.0	31.9	40.7	51.2	59.5	73.7	84.7	100.0	100.0	15.3	TL
				3.0	1.4	2.3	5.0	2.3	4.0	1.8	1.9	2.9	1.3	2.2	3.9	8.9	10.4	8.4	14.2	11.1	15.3			
Ploki 11 (veealune varu) kaalutud keskmised omadused	22.01	14.8	85.2	4.1	4.1	4.6	11.1	14.8	21.4	24.6	27.7	32.5	34.4	38.0	43.5	51.7	60.1	70.6	83.5	89.8	100.0	100.0	10.2	TL
				4.1	0.0	0.5	6.5	3.7	6.7	3.1	3.1	4.7	2.0	3.5	5.5	8.2	8.4	10.5	12.9	6.3	10.2			

Halliga tähistatud proovid esindavad veealuste osade intervalle (keskmine veetase 67.84 abs m).

- Maavara liik
- TL

EL

EK

TK
- Täiteliiv

Ehitusliiv

Ehituskruus

Täitekruus