





MÄRKUSED:
1. +0.000 vastab absoluutne kõrgusmärk +29.400
2. Teraskonstruktsioonide teostusklass EXC2
3. Keevisõmbluste kõrguseks võtta keevitatavate elementide minimaalne paksus, kui joonisel ei ole näidatud teisiti
4. Elektroodide mark valida vastavalt põhimaterjalile ja keevitustehnoloogiale
5. Teraskonstruktsioonide puhastamine ja värvimine vastavalt standardile EVS-EN ISO12944-4, puhastusaste Sa2 1/2
Korrosioonikaitse vastavalt keskkonna saasteklassile C3 ja vastupidavusklassile H
6. Kinnitusvahendid:
- viimistlus: kuumtsingitud
- poldigrupid koostada vastavalt standardile EVS-EN 15048-1
- poldid vastavalt standardile ISO4014/4017, tugevusklass 8.8, 10.9
- mutrid vastavalt standardile ISO4032, tugevusklass 10
- seibid vastavalt standardile ISO7091, tugevusklass HV100

Vers.	Modif.	Date	Description

Client: YIT Eesti AS
Project: Enefit 280-2
Drawing
Date of project: 18.11.2021
Scale(s): 1:100 1:50 1:20
Project no. Phase Group no. Vers.
Tugijalad KV1-KV3 14936 TP EKT-6-19 01

Address: Auvere küla, Ida Virumaa, 40107
Designer I. Tirmaste
J. Jõgisoo
www.vmtehitus.ee
projekt@vmt.ee
+372 434 9745
VMT EHITUS
EHITUS JA PROJEKTEERIMINE

The use of this drawing in part or in whole is not permitted without the permission of VMT Ehitus AS

ENEFIT POWER AS
Enefit Power
Narva-Jõesuu linn, Auvere küla, 40107 Ida-Virumaa, ESTONIA
Tel +372 466 7222
Reg.code 10579981
info@enefitpower.ee
www.enefitpower.ee

PROJECT NAME	ENEFIT280-2 SHALE OIL PLANT
SUB-PROJECT NAME	Fuel Handling System
DOCUMENT TITLE	Tugijalad KV1-KV3

PROJECT CODE	PLANT/PROJECT AREA CODE	PLANT SYSTEM CODE	DOCUMENT TYPE CODE	ORGANISATION CODE	RUNNING NUMBER	SHEET	REVISION
AT1	F	CD01		ES			00