



Kontrolli aruanne

Kuupäev: 20.11.2025

Digiligipääsetavuse kontrolli aruanne

Kontrollitud teenus: <https://rmk.ee/>, 20.11.2025 14:36

Testis kasutatud vaatepordi suurus: 1920px X 1080px

Veebilehekülje ligipääsetavuse kontroll on teostatud Salvia digiligipääsetavuse hindamistööriistaga (<https://github.com/accessibility-fi/salvia>), mis põhineb QualWebi avatud lähtekoodiga tarkvaral (<https://github.com/qualweb/core>). Veebilehekülje ligipääsetavuse testimine teostati automaatsete ACT-testimise reeglite alusel, mis on seotud WCAG 2.1 A- ja AA-taseme suuniste vastavusnõuetega (<https://github.com/qualweb/act-rules>).

Tulemuste Kokkuvõte

Kontrollitud Veebileheküljed

Kontrolliks valitud veebileheküljed (20):

- <https://rmk.ee/meist/>
- <https://rmk.ee/raagi-kaasa/>
- <https://rmk.ee/metsaandmed/looduskaitsetood/>
- <https://rmk.ee/>
- <https://rmk.ee/meist/kkk/>
- <https://rmk.ee/uudised/>
- <https://rmk.ee/uudised/blogi/tanase-paeva-puhendame-meestele-kulastariigimetsa-mehiseid-paiku/>
- <https://rmk.ee/kaardid/rmk-kaardirakendus/>
- <https://rmk.ee/kontaktid/>
- <https://rmk.ee/looduses-liikumine/kuhu-minna/>
- <https://rmk.ee/looduses-liikumine/sundmuste-kalender/>
- <https://rmk.ee/looduses-liikumine/sundmuste-kalender/sundmus/2026>
- <https://rmk.ee/rmk-ligipaasetavuse-teatis/>
- <https://rmk.ee/looduses-liikumine/kuhu-minna/ilumetsa-metsamaja>
- <https://rmk.ee/looduses-liikumine/broneeri-maja/>
- <https://rmk.ee/spetsialist/ulevaated-ja-kavad/>
- <https://rmk.ee/loodusope/konkursid-ja-viktoriinid/>
- <https://rmk.ee/sagadi-mois/galerii/>
- <https://rmk.ee/loodusope/loodusoppematerjalid/>
- <https://rmk.ee/looduskaitse/looduskaitsetood/>

Leitud mittevastavused

QW-ACT-R18 – `id` attribute value is unique (6230)

This rule checks that all id attribute values on a single page are unique.

- <https://act-rules.github.io/rules/3ea0c8>
- WCAG 2.1, Level A: 4.1.1 (<https://www.w3.org/TR/WCAG21/#parsing>)

Veebilehekülg: <https://rmk.ee/meist/>

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/raagi-kaasa/>

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/metsaandmed/looduskaitsetood/>

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/>

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/meist/kkk/>

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/uudised/>

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/uudised/blogi/tanase-paeva-puhendame-meestele-kulasta-riigimetsa-mehiseid-paiku/>

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/kaardid/rmk-kaadirakendus/>

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/kontaktid/>

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/looduses-liikumine/kuhu-minna/>

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html:nth-of-type(1) > body > div:nth-of-type(5) > div:nth-of-type(2) > div:nth-of-type(1) > article:nth-of-type(1) > div:nth-of-type(1) > section:nth-of-type(1) > h4:nth-of-type(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html:nth-of-type(1) > body > div:nth-of-type(5) > div:nth-of-type(2) > div:nth-of-type(1) > article:nth-of-type(2) > div:nth-of-type(1) > section:nth-of-type(1) > h4:nth-of-type(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html:nth-of-type(1) > body > div:nth-of-type(5) > div:nth-of-type(2) > div:nth-of-type(1) > article:nth-of-type(3) > div:nth-of-type(1) > section:nth-of-type(1) > h4:nth-of-type(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html:nth-of-type(1) > body > div:nth-of-type(5) > div:nth-of-type(2) > div:nth-of-type(1) > article:nth-of-type(4) > div:nth-of-type(1) > section:nth-of-type(1) > h4:nth-of-type(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html:nth-of-type(1) > body > div:nth-of-type(5) > div:nth-of-type(2) > div:nth-of-type(1) > article:nth-of-type(5) > div:nth-of-type(1) > section:nth-of-type(1) > h4:nth-of-type(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html:nth-of-type(1) > body > div:nth-of-type(5) > div:nth-of-type(2) > div:nth-of-type(1) > article:nth-of-type(6) > div:nth-of-type(1) > section:nth-of-type(1) > h4:nth-of-type(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/looduses-liikumine/sundmuste-kalender/>

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/looduses-liikumine/sundmuste-kalender/sundmus/2026>

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/rmk-ligipaasetavuse-teatis/>

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/looduses-liikumine/kuhu-minna/ilumetsa-metsamaja>

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/looduses-liikumine/broneeri-maja/>

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(5) > section:nth-child(1) > h4:nth-child(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(2) > div:nth-child(2) > div:nth-child(5) > section:nth-child(1) > h4:nth-child(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4) > div:nth-child(2) > div:nth-child(3) > div:nth-child(2) > div:nth-child(5) > section:nth-child(1) > h4:nth-child(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(4) > div:nth-child(2) > div:nth-child(5) > section:nth-child(1) > h4:nth-child(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(5) > div:nth-child(2) > div:nth-child(5) > section:nth-child(1) > h4:nth-child(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(6) > div:nth-child(2) > div:nth-child(5) > section:nth-child(1) > h4:nth-child(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(7) > div:nth-child(2) > div:nth-child(5) > section:nth-child(1) > h4:nth-child(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(8) > div:nth-child(2) > div:nth-child(5) > section:nth-child(1) > h4:nth-child(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(9) > div:nth-child(2) > div:nth-child(5) > section:nth-child(1) > h4:nth-child(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

```
html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(10) > div:nth-child(2) > div:nth-child(5) >
section:nth-child(1) > h4:nth-child(1)
```

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

```
html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(11) > div:nth-child(2) > div:nth-child(5) >
section:nth-child(1) > h4:nth-child(1)
```

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

```
html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(12) > div:nth-child(2) > div:nth-child(5) >
section:nth-child(1) > h4:nth-child(1)
```

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

```
html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(13) > div:nth-child(2) > div:nth-child(5) >
section:nth-child(1) > h4:nth-child(1)
```

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

```
html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(14) > div:nth-child(2) > div:nth-child(5) >
section:nth-child(1) > h4:nth-child(1)
```

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(15) > div:nth-child(2) > div:nth-child(5) >
section:nth-child(1) > h4:nth-child(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(16) > div:nth-child(2) > div:nth-child(5) >
section:nth-child(1) > h4:nth-child(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(17) > div:nth-child(2) > div:nth-child(5) >
section:nth-child(1) > h4:nth-child(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(18) > div:nth-child(2) > div:nth-child(5) >
section:nth-child(1) > h4:nth-child(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(19) > div:nth-child(2) > div:nth-child(5) >
section:nth-child(1) > h4:nth-child(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(4)
> div:nth-child(2) > div:nth-child(20) > div:nth-child(2) > div:nth-child(5) >
section:nth-child(1) > h4:nth-child(1)

```
<h4 id="amenities-heading" class="sr-only">Võimalused</h4>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/spetsialist/ulevaated-ja-kavad/>

ELEMENT:

```
html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) >
div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2)
> ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)
```

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

```
html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) >
div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) >
li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)
```

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

```
html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) >
div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2)
> ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)
```

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

```
html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) >
div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) >
li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)
```

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/loodusope/konkursid-ja-viktoriinid/>

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(6) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

Veebilehekülg: <https://rmk.ee/looduskaitse/looduskaitsetood/>

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31879" class="sub-menu-parent-title">Tähtsad dokumendid</li>
```

Tulemus: Several elements have the same `id` attribute.

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > div:nth-child(1) > div:nth-child(2) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

ELEMENT:

html > body:nth-child(2) > header:nth-child(2) > nav:nth-child(2) > div:nth-child(1) > div:nth-child(3) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > ul:nth-child(2) > li:nth-child(2)

```
<li id="parent-31859" class="sub-menu-parent-title">Tule tööle!</li>
```

Tulemus: Several elements have the same `id` attribute.

QW-ACT-R12 – Link has accessible name (1860)

This rule checks that each link has an accessible name.

- <https://act-rules.github.io/rules/c487ae>
-

WCAG 2.1, Level A: 2.4.4 (<https://www.w3.org/TR/WCAG21/#link-purpose-in-context>)

- WCAG 2.1, Level AAA: 2.4.9 (<https://www.w3.org/TR/WCAG21/#link-purpose-link-only>)
- WCAG 2.1, Level A: 4.1.2 (<https://www.w3.org/TR/WCAG21/#name-role-value>)

Veebilehekülg: <https://rmk.ee/raagi-kaasa/>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > main:nth-child(1) > div:nth-child(17) > div:nth-child(3) > figure:nth-child(1) > a:nth-child(1)

```
<a href="https://rmk.ee/looduskaitse/raagi-kaasa/"></a>
```

Tulemus: The test target doesn't have an accessible name, or it's empty ('').

QW-ACT-R17 – Image has accessible name (1613)

This rule checks that each image that is not marked as decorative, has an accessible name.

- <https://act-rules.github.io/rules/23a2a8>
- WCAG 2.1, Level A: 1.1.1 (<https://www.w3.org/TR/WCAG21/#non-text-content>)

Veebilehekülg: <https://rmk.ee/>

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > div:nth-child(1) > section:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > a:nth-child(1) > picture:nth-child(1) > img:nth-child(1)

```

```

Tulemus: The test target doesn't have an accessible name.

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > div:nth-child(1) > section:nth-child(1) > div:nth-child(2) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > a:nth-child(1) > picture:nth-child(1) > img:nth-child(2)

```

```

Tulemus: The test target doesn't have an accessible name.

QW-ACT-R19 – iframe element has accessible name (152)

This rule checks that each iframe element has an accessible name.

- <https://act-rules.github.io/rules/cae760>
- WCAG 2.1, Level A: 4.1.2 (<https://www.w3.org/TR/WCAG21/#name-role-value>)

Veebilehekülg: <https://rmk.ee/kaardid/rmk-kaadirakendus/>

ELEMENT:

html > body:nth-child(2) > div:nth-child(7) > main:nth-child(1) > iframe:nth-child(9)

```
<iframe height="600" width="100%" allow="geolocation" src="https://rmk-loodusegakoos-veebikaart.rmk.ee/" class="iframe-visible"></iframe>
```

Tulemus: The test target accessible name doesn't exist or it's empty ('').

QW-ACT-R37 – Text has minimum contrast (3315)

This rule checks that the highest possible contrast of every text character with its background meets the minimal contrast requirement.

- <https://act-rules.github.io/rules/afw4f7>
-

WCAG 2.1, Level A: 1.4.3 (<https://www.w3.org/TR/WCAG21/#contrast-minimum>)

- WCAG 2.1, Level AA: 1.4.6 (<https://www.w3.org/TR/WCAG21/#contrast-enhanced>)

Veebilehekülg: <https://rmk.ee/looduses-liikumine/kuhu-minna/>

ELEMENT:

html > body:nth-child(2) > div:nth-child(3) > div:nth-child(1) > div:nth-child(1) > div:nth-child(1) > ul:nth-child(1) > li:nth-child(5) > strong:nth-child(1)

```
<strong class="bread-current bread-25343"> Kuhu minna </strong>
```

Tulemus: Element has contrast ratio lower than minimum.

Veebilehekülg: <https://rmk.ee/looduses-liikumine/sundmuste-kalender/>

ELEMENT:

html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3) > div:nth-child(1) > fieldset:nth-child(1) > ul:nth-child(3) > li:nth-child(1) > label:nth-child(1)

```
<label> Vali kõik </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3) > div:nth-child(1) > fieldset:nth-child(1) > ul:nth-child(3) > li:nth-child(2) > label:nth-child(1)

```
<label> Sündmus </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > fieldset:nth-child(1) > ul:nth-child(3) > li:nth-child(3) > label:nth-child(1)

<label> Näitus </label>

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > fieldset:nth-child(1) > ul:nth-child(3) > li:nth-child(4) > label:nth-child(1)

<label> Konkurss </label>

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(1) > label:nth-child(1)

<label> Vali kõik </label>

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(2) > label:nth-child(1)

```
<label> Harjumaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

```
html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3) > div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(3) > label:nth-child(1)
```

```
<label> Hiiumaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

```
html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3) > div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(4) > label:nth-child(1)
```

```
<label> Ida-Virumaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

```
html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3) > div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(5) > label:nth-child(1)
```

```
<label> Järvamaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(6) > label:nth-child(1)

<label> Jõgevamaa </label>

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(7) > label:nth-child(1)

<label> Läänemaa </label>

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(8) > label:nth-child(1)

<label> Lääne-Virumaa </label>

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(9) > label:nth-child(1)

```
<label> Pärnumaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

```
html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(10) > label:nth-
child(1)
```

```
<label> Põlvamaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

```
html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(11) > label:nth-
child(1)
```

```
<label> Raplamaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

```
html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(12) > label:nth-
child(1)
```

```
<label> Saaremaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(13) > label:nth-child(1)

<label> Tartumaa </label>

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(14) > label:nth-child(1)

<label> Valgamaa </label>

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(15) > label:nth-child(1)

<label> Viljandimaa </label>

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(3) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > fieldset:nth-child(3) > ul:nth-child(3) > li:nth-child(16) > label:nth-child(1)

```
<label> Võrumaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

Veebilehekülg: <https://rmk.ee/looduses-liikumine/sundmuste-kalender/sundmus/2026>

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(2)
> section:nth-child(1) > footer:nth-child(2) > div:nth-child(3)

```
<div class="location">Harjumaa, Aegviidu külastuskeskus</div>
```

Tulemus: Element has contrast ratio lower than minimum.

Veebilehekülg: <https://rmk.ee/looduses-liikumine/broneeri-maja/>

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(1) > label:nth-child(1)

```
<label> Vali kõik </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(2) > label:nth-child(1)

```
<label> Harjumaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(3) > label:nth-child(1)

```
<label> Hiiumaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(4) > label:nth-child(1)

```
<label> Ida-Virumaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(5) > label:nth-child(1)

```
<label> Järvamaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(6) > label:nth-child(1)

<label> Jõgevamaa </label>

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(7) > label:nth-child(1)

<label> Läänemaa </label>

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(8) > label:nth-child(1)

<label> Lääne-Virumaa </label>

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(9) > label:nth-child(1)

```
<label> Pärnumaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

```
html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(10) > label:nth-child(1)
```

```
<label> Põlvamaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

```
html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(11) > label:nth-child(1)
```

```
<label> Raplamaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

```
html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3) > div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(12) > label:nth-child(1)
```

```
<label> Saaremaa </label>
```

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(13) > label:nth-child(1)

<label> Tartumaa </label>

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(14) > label:nth-child(1)

<label> Valgamaa </label>

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(15) > label:nth-child(1)

<label> Viljandimaa </label>

Tulemus: Element has contrast ratio lower than minimum.

ELEMENT:

html > body:nth-child(2) > main:nth-child(7) > section:nth-child(1) > div:nth-child(3)
> div:nth-child(1) > div:nth-child(1) > div:nth-child(2) > ul:nth-child(2) > li:nth-child(16) > label:nth-child(1)

<label> Võrumaa </label>

Tulemus: Element has contrast ratio lower than minimum.

Teostatud Testid

Järgmistes testides leiti ligipääsetavusnõuetele mittevastavust (5):

- QW-ACT-R18, `id` attribute value is unique (<https://act-rules.github.io/rules/3ea0c8>)
- QW-ACT-R12, Link has accessible name (<https://act-rules.github.io/rules/c487ae>)
- QW-ACT-R17, Image has accessible name (<https://act-rules.github.io/rules/23a2a8>)
- QW-ACT-R19, iframe element has accessible name (<https://act-rules.github.io/rules/cae760>)
- QW-ACT-R37, Text has minimum contrast (<https://act-rules.github.io/rules/afw4f7>)

Veebi ligipääsetavuse suunistele vastavust või mittevastavust ei saanud järgmiste automaattestidega kindlaks teha (10):

- QW-ACT-R63, Document has a landmark with non-repeated content (<https://act-rules.github.io/rules/b40fd1>)
- QW-ACT-R64, Document has heading for non-repeated content (<https://act-rules.github.io/rules/047fe0>)
- QW-ACT-R73, Block of repeated content is collapsible (<https://act-rules.github.io/rules/3e12e1>)
- QW-ACT-R74, Document has an instrument to move focus to non-repeated content (<https://act-rules.github.io/rules/ye5d6e>)
- QW-ACT-R62, Element in sequential focus order has visible focus (<https://act-rules.github.io/rules/oj04fd>)
- QW-ACT-R44, Links with identical accessible names and context serve equivalent purpose (<https://act-rules.github.io/rules/fd3a94>)
- QW-ACT-R41, Error message describes invalid form field value (<https://act-rules.github.io/rules/36b590>)
- QW-ACT-R37, Text has minimum contrast (<https://act-rules.github.io/rules/afw4f7>)

- QW-ACT-R75, Bypass Blocks of Repeated Content (<https://act-rules.github.io/rules/cf77f2>)
- QW-ACT-R40, Zoomed text node is not clipped with CSS overflow (<https://act-rules.github.io/rules/59br37>)

Järgmistes testides ei leitud nõuetele mittevastavust (23):

- QW-ACT-R1, HTML Page has a title (<https://act-rules.github.io/rules/2779a5>)
- QW-ACT-R2, HTML has lang attribute (<https://act-rules.github.io/rules/b5c3f8>)
- QW-ACT-R5, Validity of HTML Lang attribute (<https://act-rules.github.io/rules/bf051a>)
- QW-ACT-R11, Button has accessible name (<https://act-rules.github.io/rules/97a4e1>)
- QW-ACT-R12, Link has accessible name (<https://act-rules.github.io/rules/c487ae>)
- QW-ACT-R13, Element with `aria-hidden` has no focusable content (<https://act-rules.github.io/rules/6cfa84>)
- QW-ACT-R14, meta viewport does not prevent zoom (<https://act-rules.github.io/rules/b4f0c3>)
- QW-ACT-R28, Element with role attribute has required states and properties (<https://act-rules.github.io/rules/4e8ab6>)
- QW-ACT-R20, role attribute has valid value (<https://act-rules.github.io/rules/674b10>)
- QW-ACT-R17, Image has accessible name (<https://act-rules.github.io/rules/23a2a8>)
- QW-ACT-R30, Visible label is part of accessible name (<https://act-rules.github.io/rules/2ee8b8>)
- QW-ACT-R35, Heading has accessible name (<https://act-rules.github.io/rules/ffd0e9>)
- QW-ACT-R65, Element with presentational children has no focusable content (<https://act-rules.github.io/rules/307n5z>)

- QW-ACT-R44, Links with identical accessible names and context serve equivalent purpose (<https://act-rules.github.io/rules/fd3a94>)
- QW-ACT-R37, Text has minimum contrast (<https://act-rules.github.io/rules/afw4f7>)
- QW-ACT-R38, ARIA required owned elements (<https://act-rules.github.io/rules/bc4a75>)
- QW-ACT-R33, ARIA required context role (<https://act-rules.github.io/rules/ff89c9>)
- QW-ACT-R68, Line height in style attributes is not !important (<https://act-rules.github.io/rules/78fd32>)
- QW-ACT-R16, Form control has accessible name (<https://act-rules.github.io/rules/e086e5>)
- QW-ACT-R39, All table header cells have assigned data cells (<https://act-rules.github.io/rules/d0f69e>)
- QW-ACT-R67, Letter spacing in style attributes is not !important (<https://act-rules.github.io/rules/24afc2>)
- QW-ACT-R69, Word spacing in style attributes is not !important (<https://act-rules.github.io/rules/9e45ec>)
- QW-ACT-R22, Element within body has valid lang attribute (<https://act-rules.github.io/rules/de46e4>)

Testid, mis ei olnud kohaldatavad lehekülgedelt leitava sisu suhtes (45):

- QW-ACT-R4, Meta-refresh no delay (<https://act-rules.github.io/rules/bc659a>)
- QW-ACT-R43, Scrollable element is keyboard accessible (<https://act-rules.github.io/rules/0ssw9k>)
- QW-ACT-R3, HTML lang and xml:lang match (<https://act-rules.github.io/rules/5b7ae0>)
- QW-ACT-R6, Image button has accessible name (<https://act-rules.github.io/rules/59796f>)
- QW-ACT-R21, svg element with explicit role has accessible name (<https://act-rules.github.io/rules/7d6734>)

- QW-ACT-R22, Element within body has valid lang attribute (<https://act-rules.github.io/rules/de46e4>)
- QW-ACT-R38, ARIA required owned elements (<https://act-rules.github.io/rules/bc4a75>)
- QW-ACT-R10, `iframe` elements with identical accessible names have equivalent purpose (<https://act-rules.github.io/rules/4b1c6c>)
- QW-ACT-R16, Form control has accessible name (<https://act-rules.github.io/rules/e086e5>)
- QW-ACT-R33, ARIA required context role (<https://act-rules.github.io/rules/ff89c9>)
- QW-ACT-R19, iframe element has accessible name (<https://act-rules.github.io/rules/cae760>)
- QW-ACT-R58, audio element content has transcript (<https://act-rules.github.io/rules/2eb176>)
- QW-ACT-R59, audio element content is media alternative for text (<https://act-rules.github.io/rules/afb423>)
- QW-ACT-R51, video element visual-only content is media alternative for text (<https://act-rules.github.io/rules/fd26cf>)
- QW-ACT-R52, video element visual-only content has description track (<https://act-rules.github.io/rules/ac7dc6>)
- QW-ACT-R53, video element visual-only content has transcript (<https://act-rules.github.io/rules/ee13b5>)
- QW-ACT-R54, video element visual-only content has audio track alternative (<https://act-rules.github.io/rules/d7ba54>)
- QW-ACT-R55, video element visual content has audio description (<https://act-rules.github.io/rules/1ea59c>)
- QW-ACT-R56, video element content is media alternative for text (<https://act-rules.github.io/rules/ab4d13>)
- QW-ACT-R57, video element visual content has description track (<https://act-rules.github.io/rules/f196ce>)
- QW-ACT-R60, video element auditory content has captions (<https://act-rules.github.io/rules/f51b46>)
- QW-ACT-R61, Audio and visuals of video element have transcript (<https://act-rules.github.io/rules/1a02b0>)

- QW-ACT-R49, Audio or video that plays automatically has no audio that lasts more than 3 seconds (<https://act-rules.github.io/rules/aaa1bf>)
- QW-ACT-R50, audio or video that plays automatically has a control mechanism (<https://act-rules.github.io/rules/4c31df>)
- QW-ACT-R24, autocomplete attribute has valid value (<https://act-rules.github.io/rules/73f2c2>)
- QW-ACT-R36, Headers attribute specified on a cell refers to cells in the same table element (<https://act-rules.github.io/rules/a25f45>)
- QW-ACT-R39, All table header cells have assigned data cells (<https://act-rules.github.io/rules/d0f69e>)
- QW-ACT-R42, Object element has non-empty accessible name (<https://act-rules.github.io/rules/8fc3b6>)
- QW-ACT-R67, Letter spacing in style attributes is not !important (<https://act-rules.github.io/rules/24afc2>)
- QW-ACT-R68, Line height in style attributes is not !important (<https://act-rules.github.io/rules/78fd32>)
- QW-ACT-R69, Word spacing in style attributes is not !important (<https://act-rules.github.io/rules/9e45ec>)
- QW-ACT-R66, MenuItem has non-empty accessible name (<https://act-rules.github.io/rules/m6b1q3>)
- QW-ACT-R7, Orientation of the page is not restricted using CSS transform property (<https://act-rules.github.io/rules/b33eff>)
- QW-ACT-R70, iframe with negative tabindex has no interactive elements (<https://act-rules.github.io/rules/akn7bn>)
- QW-ACT-R15, audio or video has no audio that plays automatically (<https://act-rules.github.io/rules/80f0bf>)
- QW-ACT-R23, video element visual content has accessible alternative (<https://act-rules.github.io/rules/c5a4ea>)
- QW-ACT-R26, video element auditory content has accessible alternative (<https://act-rules.github.io/rules/eac66b>)
- QW-ACT-R29, Audio element content has text alternative (<https://act-rules.github.io/rules/e7aa44>)
- QW-ACT-R31, Video element visual-only content has accessible alternative (<https://act-rules.github.io/rules/c3232f>)

- QW-ACT-R32, video element visual content has strict accessible alternative (<https://act-rules.github.io/rules/1ec09b>)
- QW-ACT-R40, Zoomed text node is not clipped with CSS overflow (<https://act-rules.github.io/rules/59br37>)
- QW-ACT-R13, Element with `aria-hidden` has no focusable content (<https://act-rules.github.io/rules/6cfa84>)
- QW-ACT-R28, Element with role attribute has required states and properties (<https://act-rules.github.io/rules/4e8ab6>)
- QW-ACT-R30, Visible label is part of accessible name (<https://act-rules.github.io/rules/2ee8b8>)
- QW-ACT-R20, role attribute has valid value (<https://act-rules.github.io/rules/674b10>)