



The easy way to ledify your road lighting – UniStreet gen2

UniStreet gen2

Designed for large-scale ledification projects, the UniStreet gen2 is the ideal 1:1 luminaire replacement for municipalities. Thanks to its high efficiency and low initial cost, the UniStreet gen2 luminaire enables a fast payback and significant savings in terms of energy consumption within a short period of time. The ease of installation and maintenance is enabled by the Philips Service tag and the Philips SR (System Ready) socket makes it future-ready and you can pair this luminaire with lighting control and software applications such as Interact City. Available with a number of different optics and lumen packages that can even be tuned further to fit exact project requirements, UniStreet gen2 is a true point-to-point replacement solution for conventional light sources. The compact luminaire, using high-quality materials is also easy to dismantle and recycle at the end of its lifetime.

Benefits

- 1 to 1 replacement for conventional luminaires
- Offers high efficiency and energy savings
- Made of high-quality materials for longer lifetime and minimized maintenance

Features

- Good application coverage thanks to wide range of optics, tunable flux and tiltable spigot
- Easy luminaire identification due to the Philips Service tag
- Future-ready thanks to the SR (System Ready) socket
- Luminaire is also equipped with dedicated light recipes that help with: 1) maintaining an optimal ecosystems for bats or 2) preserving a dark night sky and reduce light pollution
- Increased shock resistance with optional IK09 glass cover

Application


- Roads and streets
- Residential streets

Versions









UniStreet LumiStreet gen2 Nano
with Zhaga sockets




Dimensional drawing




Product details

	UniStreet LumiStreet gen2 Nano top side view with Zhaga sockets		UniStreet_LumiStreet_gen2
	UniStreet_LumiStreet_gen2		UniStreet LumiStreet gen2 Nano profile view
	UniStreet gen2 spigot regulation		UniStreet_LumiStreet_gen2
	UniStreet_LumiStreet_gen2		UniStreet LumiStreet gen2 Nano gear compartment


Product details




UniStreet_LumiStreet_gen2




UniStreet_LumiStreet_gen2




UniStreet_LumiStreet_gen2



UniStreet_LumiStreet_gen2




UniStreet LumiStreet gen2 Nano
spigot view



Bottom view for spigot regulation
and screw




UniStreet LumiStreet gen2 Nano
spigot view



UniStreet LumiStreet gen2 Nano
profile view with Zhaga sockets

Product details




UniStreet_LumiStreet_gen2



UniStreet LumiStreet gen2 Nano
top view




UniStreet LumiStreet gen2 Nano
bottom view



UniStreet_LumiStreet_gen2




UniStreet LumiStreet gen2 Nano
bottom view with louvre



UniStreet LumiStreet gen2 Nano
gear compartment




UniStreet LumiStreet gen2 Nano
gear compartment



UniStreet_LumiStreet_gen2

Product details



UniStreet_LumiStreet_gen2

General Information

CE mark	Yes
Driver included	Yes
Flammability mark	For mounting on normally flammable surfaces
Light source replaceable	Yes

Light Technical

Optical cover type	Flat glass
Standard tilt angle side entry	0°
Standard tilt angle posttop	0°
Upward light output ratio	0

Mechanical and Housing

Housing Color	Gray
---------------	------

Approval and Application

Mech. impact protection code	IK08
Ingress protection code	IP66

General Information

Order Code	Full Product Name	Lamp family code	Number of gear units	Product family code	Service tag
910925868720	BGP280 LED50-1F/740 I DM10 48/60S	LED50	1 unit	BGP280	-
910925868723	BGP280 LED50-1F/740 II DM10 48/60S	LED50	1 unit	BGP280	-
910925865664	BGP282 LED100-4S/740 II DM10 CLO- DDF2 D1	LED100	1 unit	BGP282	Yes
910925865676	BGP282 LED120-4S/740 II DM10 CLO- DDF2 D1	LED120	1 unit	BGP282	Yes
910925865678	BGP282 LED70-4S/740 II DM10 CLO- DDF2 D18	LED70	1 unit	BGP282	Yes
910925866439	BGP282 LED120-4S/740 I DM11 48/60S	LED120	1 unit	BGP282	Yes
910925866609	BGP282 LED59-4S/740 II DM50 D9 48/60S	LED59	1 unit	BGP282	Yes
910925866677	BGP282 LED60-4S/740 I DM50 D948/60S	LED60	1 unit	BGP282	Yes
910925866678	BGP282 LED120-4S/740 I DM50 D9 48/60S	LED120	1 unit	BGP282	Yes
910925866691	BGP282 LED70-4S/740 I DM11 D948/60S	LED70	1 unit	BGP282	Yes
910925866692	BGP282 LED80-4S/740 I DM11 D948/60S	LED80	1 unit	BGP282	Yes
910925866693	BGP282 LED90-4S/740 I DM11 D948/60S	LED90	1 unit	BGP282	Yes
910925866701	BGP282 LED80-4S/740 II DM10 CLO- DDF2 D18	LED80	1 unit	BGP282	Yes
910925866706	BGP282 LED60-4S/740 II DM10 CLO- DDF2 D18	LED60	1 unit	BGP282	Yes
910925866710	BGP282 LED70-4S/740 I DM50 D948/60S	LED70	1 unit	BGP282	Yes
910925866741	BGP282 LED54-4S/740 I DN10 DDF2 D18 SRG1	LED54	1 unit	BGP282	Yes
910925866752	BGP282 LED80-4S/740 I DM11 D948/60S	LED80	1 unit	BGP282	Yes

Order Code	Full Product Name	Lamp family code	Number of gear units	Product family code	Service tag
910925866754	BGP282 LED70-4S/740 I DN10 48/60S	LED70	1 unit	BGP282	Yes
910925866764	BGP282 LED69-4S/830 II DN10 DDF2 D18 SRG	LED69	1 unit	BGP282	Yes
910925866770	BGP282 LED120-4S/740 I DM11 D9 48/60S	LED120	1 unit	BGP282	Yes
910925866790	BGP282 LED30-4S/740 I DW10 48/60S	LED30	1 unit	BGP282	Yes
910925866794	BGP282 LED70-4S/830 II DM11 SRG10 48/60S	LED70	1 unit	BGP282	Yes
910925866803	BGP282 LED70-4S/740 I DM50 D948/60S	LED70	1 unit	BGP282	Yes
910925866806	BGP282 LED100-4S/740 I DM50 48/60S	LED100	1 unit	BGP282	Yes
910925866811	BGP282 LED64-4S/740 I DW10 DDF2 D18 SRG1	LED64	1 unit	BGP282	Yes
910925866812	BGP282 LED74-4S/830 II DM11 DDF2 D18 SRG	LED74	1 unit	BGP282	Yes
910925866816	BGP282 LED100-4S/740 I DM11 DDF3 D18 48/	LED100	1 unit	BGP282	Yes
910925867830	BGP282 LED69-4S/830 I DM11 DDF27 D18 SRG	LED69	1 unit	BGP282	Yes
910925868082	BGP292 LED35-4S/740 II DM11 CLO-DDF1 D18	LED35	1 unit	BGP292	Yes
910925868083	BGP292 LED35-4S/830 II DM11 CLO-DDF1 D18	LED35	1 unit	BGP292	Yes
910925868084	BGP292 LED45-4S/740 II DM11 CLO-DDF1 D18	LED45	1 unit	BGP292	Yes
910925868085	BGP292 LED45-4S/830 II DM11 CLO-DDF1 D18	LED45	1 unit	BGP292	Yes
910925868086	BGP292 LED54-4S/740 II DM11 CLO-DDF1 D18	LED54	1 unit	BGP292	Yes
910925868087	BGP292 LED64-4S/740 II DM11 CLO-DDF1 D18	LED64	1 unit	BGP292	Yes
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	LED100	1 unit	BGP292	Yes
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	LED100	1 unit	BGP292	Yes
910925865682	BGP283 LED149-4S/740 II DM10 CLO-DDF2 D1	LED149	1 unit	BGP283	Yes
910925866440	BGP283 LED240-4S/740 I DM11 48/60S	LED240	1 unit	BGP283	Yes
910925866452	BGP283 LED240-4S/740 I DM11 SRT SRB SRG1	LED240	1 unit	BGP283	Yes
910925866680	BGP283 LED70-4S/740 II DM50 D9 48/60S	LED70	1 unit	BGP283	Yes
910925866681	BGP283 LED80-4S/740 II DM50 D9 48/60S	LED80	1 unit	BGP283	Yes
910925866682	BGP283 LED90-4S/740 II DM50 D9 48/60S	LED90	1 unit	BGP283	Yes

Order Code	Full Product Name	Lamp family code	Number of gear units	Product family code	Service tag
910925866683	BGP283 LED100-4S/740 II DM50 D9 48/60S	LED100	1 unit	BGP283	Yes
910925866684	BGP283 LED120-4S/740 II DM50 D9 48/60S	LED120	1 unit	BGP283	Yes
910925866685	BGP283 LED139-4S/740 II DM50 D9 48/60S	LED139	1 unit	BGP283	Yes
910925866686	BGP283 LED149-4S/740 II DM50 D9 48/60S	LED149	1 unit	BGP283	Yes
910925866695	BGP283 LED160-4S/740 I DM11 D9 48/60S	LED160	1 unit	BGP283	Yes
910925866732	BGP283 LED149-4S/740 II DM50 D9 48/60S	LED149	1 unit	BGP283	Yes
910925866745	BGP283 LED149-4S/740 I DM50 D9 48/60S	LED149	1 unit	BGP283	Yes
910925866746	BGP283 LED139-4S/740 I DM50 D9 48/60S	LED139	1 unit	BGP283	Yes
910925866769	BGP283 LED139-4S/740 I DM12 DDF2 D18 SRG	LED139	1 unit	BGP283	Yes
910925866774	BGP283 LED200-4S/740 I DX10 ALU 48/60S	LED200	1 unit	BGP283	Yes
910925866775	BGP283 LED100-4S/740 I DM50 D9 48/60S	LED100	1 unit	BGP283	Yes
910925866776	BGP283 LED100-4S/830 II DN10 DDF2 D18 SR	LED100	1 unit	BGP283	Yes
910925866788	BGP283 LED120-4S/740 I DM50 D9 48/60S	LED120	1 unit	BGP283	Yes
910925866807	BGP283 LED120-4S/740 II DM50 D9 48/60S	LED120	1 unit	BGP283	Yes
910925867831	BGP283 LED190-4S/830 I DM11 DDF27 D18 SR	LED190	1 unit	BGP283	Yes
910925868089	BGP293 LED80-4S/740 II DM11 CLO-DDF1 D18	LED80	1 unit	BGP293	Yes
910925868090	BGP293 LED100-4S/740 II DM11 CLO-DDF1 D1	LED100	1 unit	BGP293	Yes
910925868091	BGP293 LED120-4S/740 II DM11 CLO-DDF1 D1	LED120	1 unit	BGP293	Yes
910925868726	BGP280 LED50-1F/740 I DM10 SRG10 SRT SRB	LED50	1 unit	BGP280	-
910925866669	BGP284 LED180-4S/740 II DM11 D9 48/60S P	LED180	2 units	BGP284	Yes
910925866670	BGP284 LED240-4S/740 II DM11 D9 48/60S P	LED240	2 units	BGP284	Yes
910925866671	BGP284 LED280-4S/740 II DM11 D9 48/60S P	LED280	2 units	BGP284	Yes
910925866672	BGP284 LED340-4S/740 II DM11 D9 48/60S P	LED340	2 units	BGP284	Yes
910925867832	BGP284 LED320-4S/830 I DM11 DDF27 D18 SR	LED320	2 units	BGP284	Yes
910925868071	BGP294 LED150-4S/740 II DM11 CLO S05ZIZ1	LED150	2 units	BGP294	Yes

Order Code	Full Product Name	Lamp family code	Number of gear units	Product family code	Service tag
910925868072	BGP294 LED300-4S/740 II DM11 CLO S05ZIZ1	LED300	2 units	BGP294	Yes
910925868073	BGP294 LED400-4S/740 II DM11 CLO S05ZIZ1	LED400	2 units	BGP294	Yes
910925868092	BGP294 LED150-4S/740 II DM11 CLO- DDF1 D1	LED150	2 units	BGP294	Yes
910925868093	BGP294 LED300-4S/740 II DM11 CLO- DDF1 D1	LED300	2 units	BGP294	Yes
910925868094	BGP294 LED400-4S/740 II DM11 CLO- DDF1 D1	LED400	2 units	BGP294	Yes
910925865663	BGP281 LED25-4S/740 I DN10 DDF2 D18 SRG1	LED25	1 unit	BGP281	Yes
910925865665	BGP281 LED40-4S/740 II DM10 CLO- DDF2 D18	LED40	1 unit	BGP281	Yes
910925865666	BGP281 LED50-4S/740 II DM10 CLO- DDF2 D18	LED50	1 unit	BGP281	Yes
910925865667	BGP281 LED25-4S/740 I DN10 SRG10 48/60S	LED25	1 unit	BGP281	Yes
910925865669	BGP281 LED60-4S/740 II DM10 CLO- DDF2 D18	LED60	1 unit	BGP281	Yes
910925865674	BGP281 LED25-4S/740 I DN10 DDF2 D18 SRG1	LED25	1 unit	BGP281	Yes
910925865675	BGP281 LED45-4S/740 I DM12 D9SRG10 48/60	LED45	1 unit	BGP281	Yes
910925865687	BGP281 LED35-4S/740 I DM11 DDF2 D18 48/6	LED35	1 unit	BGP281	Yes
910925865688	BGP281 LED40-4S/740 II DN10 DDF2 D18 SRG	LED40	1 unit	BGP281	Yes
910925866438	BGP281 LED50-4S/740 I DM11 48/60S	LED50	1 unit	BGP281	Yes
910925866450	BGP281 LED50-4S/740 I DM11 SRT SRB SRG10	LED50	1 unit	BGP281	Yes
910925866673	BGP281 LED16-4S/740 I DM10 DDF27 D18 48/	LED16	1 unit	BGP281	Yes
910925866674	BGP281 LED20-4S/740 I DM10 DDF27 D18 48/	LED20	1 unit	BGP281	Yes
910925866675	BGP281 LED25-4S/740 I DM10 DDF27 D18 48/	LED25	1 unit	BGP281	Yes
910925866676	BGP281 LED54-4S/740 I DM10 DDF27 D18 48/	LED54	1 unit	BGP281	Yes
910925866687	BGP281 LED20-4S/740 I DM11 D948/60S	LED20	1 unit	BGP281	Yes
910925866688	BGP281 LED30-4S/740 I DM11 D948/60S	LED30	1 unit	BGP281	Yes
910925866689	BGP281 LED40-4S/740 I DM11 D948/60S	LED40	1 unit	BGP281	Yes
910925866690	BGP281 LED60-4S/740 I DM11 D948/60S	LED60	1 unit	BGP281	Yes
910925866708	BGP281 LED40-4S/830 II DN10 DDF2 D18 SRG	LED40	1 unit	BGP281	Yes

Order Code	Full Product Name	Lamp family code	Number of gear units	Product family code	Service tag
910925866709	BGP281 LED40-4S/740 I DM11 CLO-DDF2 D184	LED40	1 unit	BGP281	Yes
910925866713	BGP281 LED20-4S/740 I DN10 SRG10 48/60S	LED20	1 unit	BGP281	Yes
910925866714	BGP281 LED45-4S/830 II DN10 DDF2 D18 SRG	LED45	1 unit	BGP281	Yes
910925866719	BGP281 LED45-4S/830 II DN10 DDF2 D18 SRG	LED45	1 unit	BGP281	Yes
910925866725	BGP281 LED30-4S/830 II DM10 DDF2 D18 SRG	LED30	1 unit	BGP281	Yes
910925866736	BGP281 LED60-4S/740 I DM11 DDF3 D18 48/6	LED60	1 unit	BGP281	Yes
910925866737	BGP281 LED54-4S/740 I DN10 DDF2 D18 SRG1	LED54	1 unit	BGP281	Yes
910925866740	BGP281 LED20-4S/740 II DM10 CLO-DDF2 D18	LED20	1 unit	BGP281	Yes
910925866743	BGP281 LED35-4S/740 I DN10 DDF2 D18 SRG1	LED35	1 unit	BGP281	Yes
910925866744	BGP281 LED50-4S/830 II DN10 D9 SRG10 48/	LED50	1 unit	BGP281	Yes
910925866750	BGP281 LED40-4S/830 II DM11 D9 SRG10 48/	LED40	1 unit	BGP281	Yes
910925866763	BGP281 LED20-4S/740 I DM11 CLO D9 48/60S	LED20	1 unit	BGP281	Yes
910925866768	BGP281 LED45-4S/740 I DN10 48/60S	LED45	1 unit	BGP281	Yes
910925866782	BGP281 LED45-4S/740 I DM10 DDF2 D18 48/6	LED45	1 unit	BGP281	Yes
910925866784	BGP281 LED60-4S/740 I DM11 CLO-DDF2 D184	LED60	1 unit	BGP281	Yes
910925866785	BGP281 LED40-4S/740 I DN10 DDF2 D18 SRG1	LED40	1 unit	BGP281	Yes
910925866815	BGP281 LED16-4S/740 I DM11 DDF2 D18 48/6	LED16	1 unit	BGP281	Yes
910925866916	BGP291 LED22-4S/740 II DM10 MSP CLO SRTH	LED22	1 unit	BGP291	Yes
910925867829	BGP281 LED50-4S/830 I DM11 DDF27 D18 SRG	LED50	1 unit	BGP281	Yes
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	LED20	1 unit	BGP291	Yes
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	LED20	1 unit	BGP291	Yes
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	LED25	1 unit	BGP291	Yes
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	LED25	1 unit	BGP291	Yes
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	LED35	1 unit	BGP291	Yes
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	LED35	1 unit	BGP291	Yes

Order Code	Full Product Name	Lamp family code	Number of gear units	Product family code	Service tag
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	LED45	1 unit	BGP291	Yes
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	LED45	1 unit	BGP291	Yes
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	LED51	1 unit	BGP291	Yes
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	LED51	1 unit	BGP291	Yes

Light Technical (1/2)

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925868720	BGP280	157° - 33° x	740	4000 K	>70
	LED50-1F/740 I	55°	neutral		
	DM10 48/60S		white		
910925868723	BGP280	157° - 33° x	740	4000 K	>70
	LED50-1F/740 II	55°	neutral		
	DM10 48/60S		white		
910925865664	BGP282	157° - 33° x	740	4000 K	70
	LED100-4S/740 II	55°	neutral		
	DM10 CLO-DDF2 D1		white		
910925865676	BGP282	157° - 33° x	740	4000 K	70
	LED120-4S/740 II	55°	neutral		
	DM10 CLO-DDF2 D1		white		
910925865678	BGP282	157° - 33° x	740	4000 K	70
	LED70-4S/740 II	55°	neutral		
	DM10 CLO-DDF2 D18		white		
910925866439	BGP282	160° - 42° x	740	4000 K	70
	LED120-4S/740 I	54°	neutral		
	DM11 48/60S		white		
910925866609	BGP282	154° - 31° x	740	4000 K	70
	LED59-4S/740 II	54°	neutral		
	DM50 D9 48/60S		white		
910925866677	BGP282	154° - 31° x	740	4000 K	70
	LED60-4S/740 I	54°	neutral		
	DM50 D948/60S		white		
910925866678	BGP282	154° - 31° x	740	4000 K	70
	LED120-4S/740 I	54°	neutral		
	DM50 D9 48/60S		white		
910925866691	BGP282	160° - 42° x	740	4000 K	70
	LED70-4S/740 I	54°	neutral		
	DM11 D948/60S		white		

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925866692	BGP282	160° - 42° x	740	4000 K	70
	LED80-4S/740 I	54°	neutral		
	DM11 D948/60S		white		
910925866693	BGP282	160° - 42° x	740	4000 K	70
	LED90-4S/740 I	54°	neutral		
	DM11 D948/60S		white		
910925866701	BGP282	157° - 33° x	740	4000 K	70
	LED80-4S/740 II	55°	neutral		
	DM10 CLO-DDF2 D18		white		
910925866706	BGP282	157° - 33° x	740	4000 K	70
	LED60-4S/740 II	55°	neutral		
	DM10 CLO-DDF2 D18		white		
910925866710	BGP282	154° - 31° x	740	4000 K	70
	LED70-4S/740 I	54°	neutral		
	DM50 D948/60S		white		
910925866741	BGP282	68° x 158°	740	4000 K	70
	LED54-4S/740 I		neutral		
	DN10 DDF2 D18 SRG1		white		
910925866752	BGP282	160° - 42° x	740	4000 K	70
	LED80-4S/740 I	54°	neutral		
	DM11 D948/60S		white		
910925866754	BGP282	68° x 158°	740	4000 K	70
	LED70-4S/740 I		neutral		
	DN10 48/60S		white		
910925866764	BGP282	68° x 158°	830	3000 K	80
	LED69-4S/830 II		warm		
	DN10 DDF2 D18 SRG		white		
910925866770	BGP282	160° - 42° x	740	4000 K	70
	LED120-4S/740 I	54°	neutral		
	DM11 D9 48/60S		white		

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925866790	BGP282 LED30-4S/740 I DW10 48/60S	61° x 150°	740 neutral white	4000 K	70
910925866794	BGP282 LED70-4S/830 II DM11 SRG10 48/60S	160° - 42° x 54°	830 warm white	3000 K	80
910925866803	BGP282 LED70-4S/740 I DM50 D948/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866806	BGP282 LED100-4S/740 I DM50 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866811	BGP282 LED64-4S/740 I DW10 DDF2 D18 SRG1	61° x 150°	740 neutral white	4000 K	70
910925866812	BGP282 LED74-4S/830 II DM11 DDF2 D18 SRG	160° - 42° x 54°	830 warm white	3000 K	80
910925866816	BGP282 LED100-4S/740 I DM11 DDF3 D18 48/	160° - 42° x 54°	740 neutral white	4000 K	70
910925866830	BGP282 LED69-4S/830 I DM11 DDF27 D18 SRG	160° - 42° x 54°	830 warm white	3000 K	80
910925868082	BGP292 LED35-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925868083	BGP292 LED35-4S/830 II DM11 CLO-DDF1 D18	160° - 42° x 54°	830 warm white	3000 K	80
910925868084	BGP292 LED45-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925868085	BGP292 LED45-4S/830 II DM11 CLO-DDF1 D18	160° - 42° x 54°	830 warm white	3000 K	80
910925868086	BGP292 LED54-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925868087	BGP292 LED64-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	154° - 31° x 54°	730 warm white	3000 K	70
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	154° - 31° x 54°	730 warm white	3000 K	70
910925865682	BGP283 LED149-4S/740 II DM10 CLO-DDF2 D1	157° - 33° x 55°	740 neutral white	4000 K	70
910925866440	BGP283 LED240-4S/740 I DM11 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866452	BGP283 LED240-4S/740 I DM11 SRT SRB SRG1	160° - 42° x 54°	740 neutral white	4000 K	70
910925866680	BGP283 LED70-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866681	BGP283 LED80-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866682	BGP283 LED90-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866683	BGP283 LED100-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866684	BGP283 LED120-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866685	BGP283 LED139-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866686	BGP283 LED149-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70
910925866695	BGP283 LED160-4S/740 I DM11 D9 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866732	BGP283 LED149-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	4000 K	70

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925866745	BGP283	154° - 31° x	740	4000 K	70
	LED149-4S/740 I	54°	neutral		
	DM50 D9 48/60S		white		
910925866746	BGP283	154° - 31° x	740	4000 K	70
	LED139-4S/740 I	54°	neutral		
	DM50 D9 48/60S		white		
910925866769	BGP283	53° x 71°	740	4000 K	70
	LED139-4S/740 I		neutral		
	DM12 DDF2 D18 SRG		white		
910925866774	BGP283	150° - 43° x	740	4000 K	70
	LED200-4S/740 I	67°	neutral		
	DX10 ALU 48/60S		white		
910925866775	BGP283	154° - 31° x	740	4000 K	70
	LED100-4S/740 I	54°	neutral		
	DM50 D9 48/60S		white		
910925866776	BGP283	68° x 158°	830	3000 K	80
	LED100-4S/830		warm		
	II DN10 DDF2 D18 SR		white		
910925866788	BGP283	154° - 31° x	740	4000 K	70
	LED120-4S/740 I	54°	neutral		
	DM50 D9 48/60S		white		
910925866807	BGP283	154° - 31° x	740	4000 K	70
	LED120-4S/740 II	54°	neutral		
	DM50 D9 48/60S		white		
910925867831	BGP283	160° - 42° x	830	3000 K	80
	LED190-4S/830 I	54°	warm		
	DM11 DDF27 D18 SR		white		
910925868089	BGP293	160° - 42° x	740	4000 K	70
	LED80-4S/740 II	54°	neutral		
	DM11 CLO-DDF1 D18		white		
910925868090	BGP293	160° - 42° x	740	4000 K	70
	LED100-4S/740 II	54°	neutral		
	DM11 CLO-DDF1 D1		white		
910925868091	BGP293	160° - 42° x	740	4000 K	70
	LED120-4S/740 II	54°	neutral		
	DM11 CLO-DDF1 D1		white		
910925868726	BGP280	157° - 33° x	740	4000 K	>70
	LED50-1F/740 I	55°	neutral		
	DM10 SRG10 SRT SRB		white		

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925866669	BGP284	160° - 42° x	740	4000 K	70
	LED180-4S/740 II	54°	neutral		
	DM11 D9 48/60S P		white		
910925866670	BGP284	160° - 42° x	740	4000 K	70
	LED240-4S/740 II	54°	neutral		
	DM11 D9 48/60S P		white		
910925866671	BGP284	160° - 42° x	740	4000 K	70
	LED280-4S/740 II	54°	neutral		
	DM11 D9 48/60S P		white		
910925866672	BGP284	160° - 42° x	740	4000 K	70
	LED340-4S/740 II	54°	neutral		
	DM11 D9 48/60S P		white		
910925867832	BGP284	160° - 42° x	830	3000 K	80
	LED320-4S/830 I	54°	warm		
	DM11 DDF27 D18 SR		white		
910925868071	BGP294	160° - 42° x	740	4000 K	70
	LED150-4S/740 II	54°	neutral		
	DM11 CLO S05Z1Z1		white		
910925868072	BGP294	160° - 42° x	740	4000 K	70
	LED300-4S/740 II	54°	neutral		
	DM11 CLO S05Z1Z1		white		
910925868073	BGP294	160° - 42° x	740	4000 K	70
	LED400-4S/740 II	54°	neutral		
	DM11 CLO S05Z1Z1		white		
910925868092	BGP294	160° - 42° x	740	4000 K	70
	LED150-4S/740 II	54°	neutral		
	DM11 CLO-DDF1 D1		white		
910925868093	BGP294	160° - 42° x	740	4000 K	70
	LED300-4S/740 II	54°	neutral		
	DM11 CLO-DDF1 D1		white		
910925868094	BGP294	160° - 42° x	740	4000 K	70
	LED400-4S/740 II	54°	neutral		
	DM11 CLO-DDF1 D1		white		
910925865663	BGP281	68° x 158°	740	4000 K	70
	LED25-4S/740 I		neutral		
	DN10 DDF2 D18 SRG1		white		

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925865665	BGP281	157° - 33° x	740	4000 K	70
	LED40-4S/740 II	55°	neutral		
	DM10 CLO-DDF2 D18		white		
910925865666	BGP281	157° - 33° x	740	4000 K	70
	LED50-4S/740 II	55°	neutral		
	DM10 CLO-DDF2 D18		white		
910925865667	BGP281	68° x 158°	740	4000 K	70
	LED25-4S/740 I		neutral		
	DN10 SRG10 48/60S		white		
910925865669	BGP281	157° - 33° x	740	4000 K	70
	LED60-4S/740 II	55°	neutral		
	DM10 CLO-DDF2 D18		white		
910925865674	BGP281	68° x 158°	740	4000 K	70
	LED25-4S/740 I		neutral		
	DN10 DDF2 D18 SRG1		white		
910925865675	BGP281	53° x 71°	740	4000 K	70
	LED45-4S/740 I		neutral		
	DM12 D9SRG10 48/60		white		
910925865687	BGP281	160° - 42° x	740	4000 K	70
	LED35-4S/740 I	54°	neutral		
	DM11 DDF2 D18 48/6		white		
910925865688	BGP281	68° x 158°	740	4000 K	70
	LED40-4S/740 II		neutral		
	DN10 DDF2 D18 SRG		white		
910925866438	BGP281	160° - 42° x	740	4000 K	70
	LED50-4S/740 I	54°	neutral		
	DM11 48/60S		white		
910925866450	BGP281	160° - 42° x	740	4000 K	70
	LED50-4S/740 I	54°	neutral		
	DM11 SRT SRB SRG10		white		
910925866673	BGP281	157° - 33° x	740	4000 K	70
	LED16-4S/740 I	55°	neutral		
	DM10 DDF27 D18 48/		white		
910925866674	BGP281	157° - 33° x	740	4000 K	70
	LED20-4S/740 I	55°	neutral		
	DM10 DDF27 D18 48/		white		

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925866675	BGP281	157° - 33° x	740	4000 K	70
	LED25-4S/740 I	55°	neutral		
	DM10 DDF27 D18 48/		white		
910925866676	BGP281	157° - 33° x	740	4000 K	70
	LED54-4S/740 I	55°	neutral		
	DM10 DDF27 D18 48/		white		
910925866687	BGP281	160° - 42° x	740	4000 K	70
	LED20-4S/740 I	54°	neutral		
	DM11 D948/60S		white		
910925866688	BGP281	160° - 42° x	740	4000 K	70
	LED30-4S/740 I	54°	neutral		
	DM11 D948/60S		white		
910925866689	BGP281	160° - 42° x	740	4000 K	70
	LED40-4S/740 I	54°	neutral		
	DM11 D948/60S		white		
910925866690	BGP281	160° - 42° x	740	4000 K	70
	LED60-4S/740 I	54°	neutral		
	DM11 D948/60S		white		
910925866708	BGP281	68° x 158°	830	3000 K	80
	LED40-4S/830 II		warm		
	DN10 DDF2 D18 SRG		white		
910925866709	BGP281	160° - 42° x	740	4000 K	70
	LED40-4S/740 I	54°	neutral		
	DM11 CLO-DDF2 D184		white		
910925866713	BGP281	68° x 158°	740	4000 K	70
	LED20-4S/740 I		neutral		
	DN10 SRG10 48/60S		white		
910925866714	BGP281	68° x 158°	830	3000 K	80
	LED45-4S/830 II		warm		
	DN10 DDF2 D18 SRG		white		
910925866719	BGP281	68° x 158°	830	3000 K	80
	LED45-4S/830 II		warm		
	DN10 DDF2 D18 SRG		white		
910925866725	BGP281	157° - 33° x	830	3000 K	80
	LED30-4S/830 II	55°	warm		
	DM10 DDF2 D18 SRG		white		
910925866736	BGP281	160° - 42° x	740	4000 K	70
	LED60-4S/740 I	54°	neutral		
	DM11 DDF3 D18 48/6		white		

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925866737	BGP281 LED54-4S/740 I DN10 DDF2 D18 SRG1	68° x 158°	740 neutral white	4000 K	70
910925866740	BGP281 LED20-4S/740 II DM10 CLO-DDF2 D18	157° - 33° x 55°	740 neutral white	4000 K	70
910925866743	BGP281 LED35-4S/740 I DN10 DDF2 D18 SRG1	68° x 158°	740 neutral white	4000 K	70
910925866744	BGP281 LED50-4S/830 II DN10 D9 SRG10 48/	68° x 158°	830 warm white	3000 K	80
910925866750	BGP281 LED40-4S/830 II DM11 D9 SRG10 48/	160° - 42° x 54°	830 warm white	3000 K	80
910925866763	BGP281 LED20-4S/740 I DM11 CLO D9 48/60S	160° - 42° x 54°	740 neutral white	4000 K	70
910925866768	BGP281 LED45-4S/740 I DN10 48/60S	68° x 158°	740 neutral white	4000 K	70
910925866782	BGP281 LED45-4S/740 I DM10 DDF2 D18 48/6	157° - 33° x 55°	740 neutral white	4000 K	70
910925866784	BGP281 LED60-4S/740 I DM11 CLO-DDF2 D184	160° - 42° x 54°	740 neutral white	4000 K	70
910925866785	BGP281 LED40-4S/740 I DN10 DDF2 D18 SRG1	68° x 158°	740 neutral white	4000 K	70
910925866815	BGP281 LED16-4S/740 I DM11 DDF2 D18 48/6	160° - 42° x 54°	740 neutral white	4000 K	70
910925866916	BGP291 LED22-4S/740 II DM10 MSP CLO SRTH	157° - 33° x 55°	740 neutral white	4000 K	70

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color Temperature (Nom)	Color rendering index (CRI)
910925867829	BGP281 LED50-4S/830 I DM11 DDF27 D18 SRG	160° - 42° x 54°	830 warm white	3000 K	80
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	160° - 42° x 54°	830 warm white	3000 K	80
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	160° - 42° x 54°	830 warm white	3000 K	80
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	160° - 42° x 54°	830 warm white	3000 K	80
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	4000 K	70
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	160° - 42° x 54°	830 warm white	3000 K	80
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	154° - 31° x 54°	730 warm white	3000 K	70
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	154° - 31° x 54°	730 warm white	3000 K	70

Light Technical (2/2)

Order Code	Full Product Name	Luminous Flux	Optic type outdoor
910925868720	BGP280 LED50-1F/740 I DM10 48/60S	4,250 lumen	Distribution medium 10
910925868723	BGP280 LED50-1F/740 II DM10 48/60S	4,250 lumen	Distribution medium 10
910925865664	BGP282 LED100-4S/740 II DM10 CLO-DDF2 D1	8,256 lumen	Distribution medium 10
910925865676	BGP282 LED120-4S/740 II DM10 CLO-DDF2 D1	9,890 lumen	Distribution medium 10
910925865678	BGP282 LED70-4S/740 II DM10 CLO-DDF2 D18	5,984 lumen	Distribution medium 10
910925866439	BGP282 LED120-4S/740 I DM11 48/60S	10,440 lumen	Distribution medium 11
910925866609	BGP282 LED59-4S/740 II DM50 D9 48/60S	5,160 lumen	Distribution medium 50
910925866677	BGP282 LED60-4S/740 I DM50 D948/60S	5,220 lumen	Distribution medium 50
910925866678	BGP282 LED120-4S/740 I DM50 D9 48/60S	10,200 lumen	Distribution medium 50
910925866691	BGP282 LED70-4S/740 I DM11 D948/60S	6,230 lumen	Distribution medium 11
910925866692	BGP282 LED80-4S/740 I DM11 D948/60S	7,040 lumen	Distribution medium 11
910925866693	BGP282 LED90-4S/740 I DM11 D948/60S	7,920 lumen	Distribution medium 11
910925866701	BGP282 LED80-4S/740 II DM10 CLO-DDF2 D18	6,612 lumen	Distribution medium 10
910925866706	BGP282 LED60-4S/740 II DM10 CLO-DDF2 D18	5,104 lumen	Distribution medium 10
910925866710	BGP282 LED70-4S/740 I DM50 D948/60S	6,090 lumen	Distribution medium 50
910925866741	BGP282 LED54-4S/740 I DN10 DDF2 D18 SRG1	4,806 lumen	Distribution narrow 10
910925866752	BGP282 LED80-4S/740 I DM11 D948/60S	7,040 lumen	Distribution medium 11
910925866754	BGP282 LED70-4S/740 I DN10 48/60S	6,230 lumen	Distribution narrow 10
910925866764	BGP282 LED69-4S/830 II DN10 DDF2 D18 SRG	6,160 lumen	Distribution narrow 10
910925866770	BGP282 LED120-4S/740 I DM11 D9 48/60S	10,440 lumen	Distribution medium 11
910925866790	BGP282 LED30-4S/740 I DW10 48/60S	2,670 lumen	Distribution wide 10
910925866794	BGP282 LED70-4S/830 II DM11 SRG10 48/60S	6,160 lumen	Distribution medium 11
910925866803	BGP282 LED70-4S/740 I DM50 D948/60S	6,090 lumen	Distribution medium 50
910925866806	BGP282 LED100-4S/740 I DM50 48/60S	8,500 lumen	Distribution medium 50
910925866811	BGP282 LED64-4S/740 I DW10 DDF2 D18 SRG1	5,632 lumen	Distribution wide 10
910925866812	BGP282 LED74-4S/830 II DM11 DDF2 D18 SRG	6,438 lumen	Distribution medium 11

Order Code	Full Product Name	Luminous Flux	Optic type outdoor
910925866816	BGP282 LED100-4S/740 I DM11 DDF3 D18 48/	8,700 lumen	Distribution medium 11
910925867830	BGP282 LED69-4S/830 I DM11 DDF27 D18 SRG	6,160 lumen	Distribution medium 11
910925868082	BGP292 LED35-4S/740 II DM11 CLO-DDF1 D18	3,026 lumen	Distribution medium 11
910925868083	BGP292 LED35-4S/830 II DM11 CLO-DDF1 D18	3,026 lumen	Distribution medium 11
910925868084	BGP292 LED45-4S/740 II DM11 CLO-DDF1 D18	3,916 lumen	Distribution medium 11
910925868085	BGP292 LED45-4S/830 II DM11 CLO-DDF1 D18	3,827 lumen	Distribution medium 11
910925868086	BGP292 LED54-4S/740 II DM11 CLO-DDF1 D18	4,628 lumen	Distribution medium 11
910925868087	BGP292 LED64-4S/740 II DM11 CLO-DDF1 D18	5,518 lumen	Distribution medium 11
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	8,600 lumen	Distribution medium 50
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	8,600 lumen	Distribution medium 50
910925865682	BGP283 LED149-4S/740 II DM10 CLO-DDF2 D1	12,615 lumen	Distribution medium 10
910925866440	BGP283 LED240-4S/740 I DM11 48/60S	20,640 lumen	Distribution medium 11
910925866452	BGP283 LED240-4S/740 I DM11 SRT SRB SRG1	20,640 lumen	Distribution medium 11
910925866680	BGP283 LED70-4S/740 II DM50 D9 48/60S	6,160 lumen	Distribution medium 50
910925866681	BGP283 LED80-4S/740 II DM50 D9 48/60S	7,040 lumen	Distribution medium 50
910925866682	BGP283 LED90-4S/740 II DM50 D9 48/60S	7,830 lumen	Distribution medium 50
910925866683	BGP283 LED100-4S/740 II DM50 D9 48/60S	8,700 lumen	Distribution medium 50
910925866684	BGP283 LED120-4S/740 II DM50 D9 48/60S	10,440 lumen	Distribution medium 50
910925866685	BGP283 LED139-4S/740 II DM50 D9 48/60S	12,040 lumen	Distribution medium 50
910925866686	BGP283 LED149-4S/740 II DM50 D9 48/60S	12,900 lumen	Distribution medium 50
910925866695	BGP283 LED160-4S/740 I DM11 D9 48/60S	14,080 lumen	Distribution medium 11
910925866732	BGP283 LED149-4S/740 II DM50 D9 48/60S	12,900 lumen	Distribution medium 50
910925866745	BGP283 LED149-4S/740 I DM50 D9 48/60S	12,900 lumen	Distribution medium 50
910925866746	BGP283 LED139-4S/740 I DM50 D9 48/60S	12,040 lumen	Distribution medium 50
910925866769	BGP283 LED139-4S/740 I DM12 DDF2 D18 SRG	12,320 lumen	Distribution medium 12
910925866774	BGP283 LED200-4S/740 I DX10 ALU 48/60S	16,800 lumen	Distribution extra wide 10

Order Code	Full Product Name	Luminous Flux	Optic type outdoor
910925866775	BGP283 LED100-4S/740 I DM50 D9 48/60S	8,700 lumen	Distribution medium 50
910925866776	BGP283 LED100-4S/830 II DN10 DDF2 D18 SR	8,900 lumen	Distribution narrow 10
910925866788	BGP283 LED120-4S/740 I DM50 D9 48/60S	10,440 lumen	Distribution medium 50
910925866807	BGP283 LED120-4S/740 II DM50 D9 48/60S	10,440 lumen	Distribution medium 50
910925867831	BGP283 LED190-4S/830 I DM11 DDF27 D18 SR	16,340 lumen	Distribution medium 11
910925868089	BGP293 LED80-4S/740 II DM11 CLO-DDF1 D18	6,942 lumen	Distribution medium 11
910925868090	BGP293 LED100-4S/740 II DM11 CLO-DDF1 D1	8,722 lumen	Distribution medium 11
910925868091	BGP293 LED120-4S/740 II DM11 CLO-DDF1 D1	10,235 lumen	Distribution medium 11
910925868726	BGP280 LED50-1F/740 I DM10 SRG10 SRT SRB	4,250 lumen	Distribution medium 10
910925866669	BGP284 LED180-4S/740 II DM11 D9 48/60S P	16,020 lumen	Distribution medium 11
910925866670	BGP284 LED240-4S/740 II DM11 D9 48/60S P	21,120 lumen	Distribution medium 11
910925866671	BGP284 LED280-4S/740 II DM11 D9 48/60S P	24,360 lumen	Distribution medium 11
910925866672	BGP284 LED340-4S/740 II DM11 D9 48/60S P	29,240 lumen	Distribution medium 11
910925867832	BGP284 LED320-4S/830 I DM11 DDF27 D18 SR	26,880 lumen	Distribution medium 11
910925868071	BGP294 LED150-4S/740 II DM11 CLO S05Z1Z1	13,350 lumen	Distribution medium 11
910925868072	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	25,230 lumen	Distribution medium 11
910925868073	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	32,300 lumen	Distribution medium 11
910925868092	BGP294 LED150-4S/740 II DM11 CLO-DDF1 D1	13,350 lumen	Distribution medium 11
910925868093	BGP294 LED300-4S/740 II DM11 CLO-DDF1 D1	25,230 lumen	Distribution medium 11
910925868094	BGP294 LED400-4S/740 II DM11 CLO-DDF1 D1	32,300 lumen	Distribution medium 11
910925865663	BGP281 LED25-4S/740 I DN10 DDF2 D18 SRG1	2,250 lumen	Distribution narrow 10
910925865665	BGP281 LED40-4S/740 II DM10 CLO-DDF2 D18	3,432 lumen	Distribution medium 10
910925865666	BGP281 LED50-4S/740 II DM10 CLO-DDF2 D18	4,312 lumen	Distribution medium 10
910925865667	BGP281 LED25-4S/740 I DN10 SRG10 48/60S	2,250 lumen	Distribution narrow 10
910925865669	BGP281 LED60-4S/740 II DM10 CLO-DDF2 D18	5,104 lumen	Distribution medium 10
910925865674	BGP281 LED25-4S/740 I DN10 DDF2 D18 SRG1	2,250 lumen	Distribution narrow 10

Order Code	Full Product Name	Luminous Flux	Optic type outdoor
910925865675	BGP281 LED45-4S/740 I DM12 D9SRG10 48/60	4,005 lumen	Distribution medium 12
910925865687	BGP281 LED35-4S/740 I DM11 DDF2 D18 48/6	3,115 lumen	Distribution medium 11
910925865688	BGP281 LED40-4S/740 II DN10 DDF2 D18 SRG	3,600 lumen	Distribution narrow 10
910925866438	BGP281 LED50-4S/740 I DM11 48/60S	4,450 lumen	Distribution medium 11
910925866450	BGP281 LED50-4S/740 I DM11 SRT SRB SRG10	4,450 lumen	Distribution medium 11
910925866673	BGP281 LED16-4S/740 I DM10 DDF27 D18 48/	1,424 lumen	Distribution medium 10
910925866674	BGP281 LED20-4S/740 I DM10 DDF27 D18 48/	1,760 lumen	Distribution medium 10
910925866675	BGP281 LED25-4S/740 I DM10 DDF27 D18 48/	2,225 lumen	Distribution medium 10
910925866676	BGP281 LED54-4S/740 I DM10 DDF27 D18 48/	4,752 lumen	Distribution medium 10
910925866687	BGP281 LED20-4S/740 I DM11 D948/60S	1,780 lumen	Distribution medium 11
910925866688	BGP281 LED30-4S/740 I DM11 D948/60S	2,670 lumen	Distribution medium 11
910925866689	BGP281 LED40-4S/740 I DM11 D948/60S	3,560 lumen	Distribution medium 11
910925866690	BGP281 LED60-4S/740 I DM11 D948/60S	5,280 lumen	Distribution medium 11
910925866708	BGP281 LED40-4S/830 II DN10 DDF2 D18 SRG	3,560 lumen	Distribution narrow 10
910925866709	BGP281 LED40-4S/740 I DM11 CLO-DDF2 D184	3,471 lumen	Distribution medium 11
910925866713	BGP281 LED20-4S/740 I DN10 SRG10 48/60S	1,780 lumen	Distribution narrow 10
910925866714	BGP281 LED45-4S/830 II DN10 DDF2 D18 SRG	3,960 lumen	Distribution narrow 10
910925866719	BGP281 LED45-4S/830 II DN10 DDF2 D18 SRG	3,960 lumen	Distribution narrow 10
910925866725	BGP281 LED30-4S/830 II DM10 DDF2 D18 SRG	2,670 lumen	Distribution medium 10
910925866736	BGP281 LED60-4S/740 I DM11 DDF3 D18 48/6	5,280 lumen	Distribution medium 11
910925866737	BGP281 LED54-4S/740 I DN10 DDF2 D18 SRG1	4,806 lumen	Distribution narrow 10
910925866740	BGP281 LED20-4S/740 II DM10 CLO-DDF2 D18	1,672 lumen	Distribution medium 10
910925866743	BGP281 LED35-4S/740 I DN10 DDF2 D18 SRG1	3,115 lumen	Distribution narrow 10
910925866744	BGP281 LED50-4S/830 II DN10 D9 SRG10 48/	4,400 lumen	Distribution narrow 10
910925866750	BGP281 LED40-4S/830 II DM11 D9 SRG10 48/	3,560 lumen	Distribution medium 11
910925866763	BGP281 LED20-4S/740 I DM11 CLO D9 48/60S	1,691 lumen	Distribution medium 11

Order Code	Full Product Name	Luminous Flux	Optic type outdoor
910925866768	BGP281 LED45-4S/740 I DN10 48/60S	4,005 lumen	Distribution narrow 10
910925866782	BGP281 LED45-4S/740 I DM10 DDF2 D18 48/6	3,960 lumen	Distribution medium 10
910925866784	BGP281 LED60-4S/740 I DM11 CLO-DDF2 D184	5,162 lumen	Distribution medium 11
910925866785	BGP281 LED40-4S/740 I DN10 DDF2 D18 SRG1	3,600 lumen	Distribution narrow 10
910925866815	BGP281 LED16-4S/740 I DM11 DDF2 D18 48/6	1,424 lumen	Distribution medium 11
910925866916	BGP291 LED22-4S/740 II DM10 MSP CLO SRTH	1,869 lumen	Distribution medium 10
910925867829	BGP281 LED50-4S/830 I DM11 DDF27 D18 SRG	4,400 lumen	Distribution medium 11
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	1,691 lumen	Distribution medium 11
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	1,735.5 lumen	Distribution medium 11

Operating and Electrical

Order Code	Full Product Name	Power Consumption
910925868720	BGP280 LED50-1F/740 I DM10 48/60S	31 W
910925868723	BGP280 LED50-1F/740 II DM10 48/60S	31 W
910925865664	BGP282 LED100-4S/740 II DM10 CLO-DDF2 D1	60 W
910925865676	BGP282 LED120-4S/740 II DM10 CLO-DDF2 D1	70 W
910925865678	BGP282 LED70-4S/740 II DM10 CLO-DDF2 D18	41 W
910925866439	BGP282 LED120-4S/740 I DM11 48/60S	73 W
910925866609	BGP282 LED59-4S/740 II DM50 D9 48/60S	37 W
910925866677	BGP282 LED60-4S/740 I DM50 D948/60S	36 W
910925866678	BGP282 LED120-4S/740 I DM50 D9 48/60S	73 W
910925866691	BGP282 LED70-4S/740 I DM11 D948/60S	42.5 W
910925866692	BGP282 LED80-4S/740 I DM11 D948/60S	49 W
910925866693	BGP282 LED90-4S/740 I DM11 D948/60S	56 W
910925866701	BGP282 LED80-4S/740 II DM10 CLO-DDF2 D18	46.5 W
910925866706	BGP282 LED60-4S/740 II DM10 CLO-DDF2 D18	35 W
910925866710	BGP282 LED70-4S/740 I DM50 D948/60S	42.5 W
910925866741	BGP282 LED54-4S/740 I DN10 DDF2 D18 SRG1	33.5 W
910925866752	BGP282 LED80-4S/740 I DM11 D948/60S	49 W
910925866754	BGP282 LED70-4S/740 I DN10 48/60S	42.5 W
910925866764	BGP282 LED69-4S/830 II DN10 DDF2 D18 SRG	54 W
910925866770	BGP282 LED120-4S/740 I DM11 D9 48/60S	73 W
910925866790	BGP282 LED30-4S/740 I DW10 48/60S	18.6 W
910925866794	BGP282 LED70-4S/830 II DM11 SRG10 48/60S	55 W
910925866803	BGP282 LED70-4S/740 I DM50 D948/60S	42.5 W
910925866806	BGP282 LED100-4S/740 I DM50 48/60S	63 W
910925866811	BGP282 LED64-4S/740 I DW10 DDF2 D18 SRG1	38.5 W
910925866812	BGP282 LED74-4S/830 II DM11 DDF2 D18 SRG	59 W
910925866816	BGP282 LED100-4S/740 I DM11 DDF3 D18 48/	63 W
910925867830	BGP282 LED69-4S/830 I DM11 DDF27 D18 SRG	54 W
910925868082	BGP292 LED35-4S/740 II DM11 CLO-DDF1 D18	21.5 W
910925868083	BGP292 LED35-4S/830 II DM11 CLO-DDF1 D18	27 W

Order Code	Full Product Name	Luminous Flux	Optic type outdoor
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	2,136 lumen	Distribution medium 11
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	2,136 lumen	Distribution medium 11
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	3,026 lumen	Distribution medium 11
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	3,026 lumen	Distribution medium 11
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	3,916 lumen	Distribution medium 11
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	3,827 lumen	Distribution medium 11
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	4,524 lumen	Distribution medium 50
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	4,524 lumen	Distribution medium 50

Order Code	Full Product Name	Power Consumption
910925868084	BGP292 LED45-4S/740 II DM11 CLO-DDF1 D18	27 W
910925868085	BGP292 LED45-4S/830 II DM11 CLO-DDF1 D18	34.5 W
910925868086	BGP292 LED54-4S/740 II DM11 CLO-DDF1 D18	32.5 W
910925868087	BGP292 LED64-4S/740 II DM11 CLO-DDF1 D18	37.5 W
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	64 W
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	64 W
910925865682	BGP283 LED149-4S/740 II DM10 CLO-DDF2 D1	84 W
910925866440	BGP283 LED240-4S/740 I DM11 48/60S	142 W
910925866452	BGP283 LED240-4S/740 I DM11 SRT SRB SRG1	144 W
910925866680	BGP283 LED70-4S/740 II DM50 D9 48/60S	40.5 W
910925866681	BGP283 LED80-4S/740 II DM50 D9 48/60S	46 W
910925866682	BGP283 LED90-4S/740 II DM50 D9 48/60S	52 W
910925866683	BGP283 LED100-4S/740 II DM50 D9 48/60S	58 W
910925866684	BGP283 LED120-4S/740 II DM50 D9 48/60S	70 W
910925866685	BGP283 LED139-4S/740 II DM50 D9 48/60S	82 W
910925866686	BGP283 LED149-4S/740 II DM50 D9 48/60S	88 W
910925866695	BGP283 LED160-4S/740 I DM11 D9 48/60S	95 W
910925866732	BGP283 LED149-4S/740 II DM50 D9 48/60S	88 W
910925866745	BGP283 LED149-4S/740 I DM50 D9 48/60S	88 W
910925866746	BGP283 LED139-4S/740 I DM50 D9 48/60S	82 W
910925866769	BGP283 LED139-4S/740 I DM12 DDF2 D18 SRG	82 W
910925866774	BGP283 LED200-4S/740 I DX10 ALU 48/60S	116 W
910925866775	BGP283 LED100-4S/740 I DM50 D9 48/60S	58 W
910925866776	BGP283 LED100-4S/830 II DN10 DDF2 D18 SR	74 W
910925866788	BGP283 LED120-4S/740 I DM50 D9 48/60S	70 W
910925866807	BGP283 LED120-4S/740 II DM50 D9 48/60S	70 W
910925867831	BGP283 LED190-4S/830 I DM11 DDF27 D18 SR	144 W
910925868089	BGP293 LED80-4S/740 II DM11 CLO-DDF1 D18	45.5 W
910925868090	BGP293 LED100-4S/740 II DM11 CLO-DDF1 D1	56 W
910925868091	BGP293 LED120-4S/740 II DM11 CLO-DDF1 D1	68 W

Order Code	Full Product Name	Power Consumption
910925868726	BGP280 LED50-1F/740 I DM10 SRG10 SRT SRB	31 W
910925866669	BGP284 LED180-4S/740 II DM11 D9 48/60S P	104 W
910925866670	BGP284 LED240-4S/740 II DM11 D9 48/60S P	138 W
910925866671	BGP284 LED280-4S/740 II DM11 D9 48/60S P	164 W
910925866672	BGP284 LED340-4S/740 II DM11 D9 48/60S P	194 W
910925867832	BGP284 LED320-4S/830 I DM11 DDF27 D18 SR	235 W
910925868071	BGP294 LED150-4S/740 II DM11 CLO S05Z1Z1	85 W
910925868072	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	168 W
910925868073	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	220 W
910925868092	BGP294 LED150-4S/740 II DM11 CLO-DDF1 D1	85 W
910925868093	BGP294 LED300-4S/740 II DM11 CLO-DDF1 D1	168 W
910925868094	BGP294 LED400-4S/740 II DM11 CLO-DDF1 D1	220 W
910925865663	BGP281 LED25-4S/740 I DN10 DDF2 D18 SRG1	16.2 W
910925865665	BGP281 LED40-4S/740 II DM10 CLO-DDF2 D18	24 W
910925865666	BGP281 LED50-4S/740 II DM10 CLO-DDF2 D18	30 W
910925865667	BGP281 LED25-4S/740 I DN10 SRG10 48/60S	16.2 W
910925865669	BGP281 LED60-4S/740 II DM10 CLO-DDF2 D18	36 W
910925865674	BGP281 LED25-4S/740 I DN10 DDF2 D18 SRG1	16.2 W
910925865675	BGP281 LED45-4S/740 I DM12 D9SRG10 48/60	28 W
910925865687	BGP281 LED35-4S/740 I DM11 DDF2 D18 48/6	23 W
910925865688	BGP281 LED40-4S/740 II DN10 DDF2 D18 SRG	24.5 W
910925866438	BGP281 LED50-4S/740 I DM11 48/60S	31 W
910925866450	BGP281 LED50-4S/740 I DM11 SRT SRB SRG10	31 W
910925866673	BGP281 LED16-4S/740 I DM10 DDF27 D18 48/	11 W
910925866674	BGP281 LED20-4S/740 I DM10 DDF27 D18 48/	13.8 W
910925866675	BGP281 LED25-4S/740 I DM10 DDF27 D18 48/	16.2 W
910925866676	BGP281 LED54-4S/740 I DM10 DDF27 D18 48/	33.5 W
910925866687	BGP281 LED20-4S/740 I DM11 D948/60S	13.8 W
910925866688	BGP281 LED30-4S/740 I DM11 D948/60S	19.6 W
910925866689	BGP281 LED40-4S/740 I DM11 D948/60S	24.5 W
910925866690	BGP281 LED60-4S/740 I DM11 D948/60S	38 W

Controls and Dimming

Order Code	Full Product Name	Dimmable
910925868720	BGP280 LED50-1F/740 I DM10 48/60S	No
910925868723	BGP280 LED50-1F/740 II DM10 48/60S	No
910925865664	BGP282 LED100-4S/740 II DM10 CLO-DDF2 D1	Yes
910925865676	BGP282 LED120-4S/740 II DM10 CLO-DDF2 D1	Yes
910925865678	BGP282 LED70-4S/740 II DM10 CLO-DDF2 D18	Yes
910925866439	BGP282 LED120-4S/740 I DM11 48/60S	No
910925866609	BGP282 LED59-4S/740 II DM50 D9 48/60S	Yes
910925866677	BGP282 LED60-4S/740 I DM50 D948/60S	Yes
910925866678	BGP282 LED120-4S/740 I DM50 D9 48/60S	Yes
910925866691	BGP282 LED70-4S/740 I DM11 D948/60S	Yes
910925866692	BGP282 LED80-4S/740 I DM11 D948/60S	Yes
910925866693	BGP282 LED90-4S/740 I DM11 D948/60S	Yes
910925866701	BGP282 LED80-4S/740 II DM10 CLO-DDF2 D18	Yes
910925866706	BGP282 LED60-4S/740 II DM10 CLO-DDF2 D18	Yes
910925866710	BGP282 LED70-4S/740 I DM50 D948/60S	Yes
910925866741	BGP282 LED54-4S/740 I DN10 DDF2 D18 SRG1	Yes
910925866752	BGP282 LED80-4S/740 I DM11 D948/60S	Yes

Order Code	Full Product Name	Power Consumption
910925866708	BGP281 LED40-4S/830 II DN10 DDF2 D18 SRG	32 W
910925866709	BGP281 LED40-4S/740 I DM11 CLO-DDF2 D184	24 W
910925866713	BGP281 LED20-4S/740 I DN10 SRG10 48/60S	13.8 W
910925866714	BGP281 LED45-4S/830 II DN10 DDF2 D18 SRG	36 W
910925866719	BGP281 LED45-4S/830 II DN10 DDF2 D18 SRG	36 W
910925866725	BGP281 LED30-4S/830 II DM10 DDF2 D18 SRG	23.5 W
910925866736	BGP281 LED60-4S/740 I DM11 DDF3 D18 48/6	38 W
910925866737	BGP281 LED54-4S/740 I DN10 DDF2 D18 SRG1	33.5 W
910925866740	BGP281 LED20-4S/740 II DM10 CLO-DDF2 D18	13.2 W
910925866743	BGP281 LED35-4S/740 I DN10 DDF2 D18 SRG1	23 W
910925866744	BGP281 LED50-4S/830 II DN10 D9 SRG10 48/	40.5 W
910925866750	BGP281 LED40-4S/830 II DM11 D9 SRG10 48/	32 W
910925866763	BGP281 LED20-4S/740 I DM11 CLO D9 48/60S	13.2 W
910925866768	BGP281 LED45-4S/740 I DN10 48/60S	28 W
910925866782	BGP281 LED45-4S/740 I DM10 DDF2 D18 48/6	28 W
910925866784	BGP281 LED60-4S/740 I DM11 CLO-DDF2 D184	36 W
910925866785	BGP281 LED40-4S/740 I DN10 DDF2 D18 SRG1	24.5 W
910925866815	BGP281 LED16-4S/740 I DM11 DDF2 D18 48/6	11 W
910925866916	BGP291 LED22-4S/740 II DM10 MSP CLO SRTH	13.8 W
910925867829	BGP281 LED50-4S/830 I DM11 DDF27 D18 SRG	40.5 W
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	13.2 W
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	16 W
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	15.8 W
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	20 W
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	22 W
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	27 W
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	27 W
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	34.5 W
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	34 W
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	34 W

Order Code	Full Product Name	Dimmable
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	No
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	No
910925865682	BGP283 LED149-4S/740 II DM10 CLO-DDF2 D1	Yes
910925866440	BGP283 LED240-4S/740 I DM11 48/60S	No
910925866452	BGP283 LED240-4S/740 I DM11 SRT SRB SRG1	No
910925866680	BGP283 LED70-4S/740 II DM50 D9 48/60S	Yes
910925866681	BGP283 LED80-4S/740 II DM50 D9 48/60S	Yes
910925866682	BGP283 LED90-4S/740 II DM50 D9 48/60S	Yes
910925866683	BGP283 LED100-4S/740 II DM50 D9 48/60S	Yes
910925866684	BGP283 LED120-4S/740 II DM50 D9 48/60S	Yes
910925866685	BGP283 LED139-4S/740 II DM50 D9 48/60S	Yes
910925866686	BGP283 LED149-4S/740 II DM50 D9 48/60S	Yes
910925866695	BGP283 LED160-4S/740 I DM11 D9 48/60S	Yes
910925866732	BGP283 LED149-4S/740 II DM50 D9 48/60S	Yes
910925866745	BGP283 LED149-4S/740 I DM50 D9 48/60S	Yes
910925866746	BGP283 LED139-4S/740 I DM50 D9 48/60S	Yes
910925866769	BGP283 LED139-4S/740 I DM12 DDF2 D18 SRG	Yes
910925866774	BGP283 LED200-4S/740 I DX10 ALU 48/60S	No
910925866775	BGP283 LED100-4S/740 I DM50 D9 48/60S	Yes
910925866776	BGP283 LED100-4S/830 II DN10 DDF2 D18 SR	Yes
910925866788	BGP283 LED120-4S/740 I DM50 D9 48/60S	Yes
910925866807	BGP283 LED120-4S/740 II DM50 D9 48/60S	Yes
910925867831	BGP283 LED190-4S/830 I DM11 DDF27 D18 SR	Yes
910925868089	BGP293 LED80-4S/740 II DM11 CLO-DDF1 D18	Yes
910925868090	BGP293 LED100-4S/740 II DM11 CLO-DDF1 D1	Yes
910925868091	BGP293 LED120-4S/740 II DM11 CLO-DDF1 D1	Yes
910925868726	BGP280 LED50-1F/740 I DM10 SRG10 SRT SRB	No
910925866669	BGP284 LED180-4S/740 II DM11 D9 48/60S P	Yes
910925866670	BGP284 LED240-4S/740 II DM11 D9 48/60S P	Yes
910925866671	BGP284 LED280-4S/740 II DM11 D9 48/60S P	Yes
910925866672	BGP284 LED340-4S/740 II DM11 D9 48/60S P	Yes
910925867832	BGP284 LED320-4S/830 I DM11 DDF27 D18 SR	Yes
910925868071	BGP294 LED150-4S/740 II DM11 CLO S05Z1Z1	No
910925868072	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	Yes
910925868073	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	Yes
910925868092	BGP294 LED150-4S/740 II DM11 CLO-DDF1 D1	Yes
910925868093	BGP294 LED300-4S/740 II DM11 CLO-DDF1 D1	Yes
910925868094	BGP294 LED400-4S/740 II DM11 CLO-DDF1 D1	Yes
910925865663	BGP281 LED25-4S/740 I DN10 DDF2 D18 SRG1	Yes
910925865665	BGP281 LED40-4S/740 II DM10 CLO-DDF2 D18	Yes
910925865666	BGP281 LED50-4S/740 II DM10 CLO-DDF2 D18	Yes
910925865667	BGP281 LED25-4S/740 I DN10 SRG10 48/60S	No
910925865669	BGP281 LED60-4S/740 II DM10 CLO-DDF2 D18	Yes
910925865674	BGP281 LED25-4S/740 I DN10 DDF2 D18 SRG1	Yes

Order Code	Full Product Name	Dimmable
910925865675	BGP281 LED45-4S/740 I DM12 D9SRG10 48/60	Yes
910925865687	BGP281 LED35-4S/740 I DM11 DDF2 D18 48/6	Yes
910925865688	BGP281 LED40-4S/740 II DN10 DDF2 D18 SRG	Yes
910925866438	BGP281 LED50-4S/740 I DM11 48/60S	No
910925866450	BGP281 LED50-4S/740 I DM11 SRT SRB SRG10	No
910925866673	BGP281 LED16-4S/740 I DM10 DDF27 D18 48/	Yes
910925866674	BGP281 LED20-4S/740 I DM10 DDF27 D18 48/	Yes
910925866675	BGP281 LED25-4S/740 I DM10 DDF27 D18 48/	Yes
910925866676	BGP281 LED54-4S/740 I DM10 DDF27 D18 48/	Yes
910925866687	BGP281 LED20-4S/740 I DM11 D948/60S	Yes
910925866688	BGP281 LED30-4S/740 I DM11 D948/60S	Yes
910925866689	BGP281 LED40-4S/740 I DM11 D948/60S	Yes
910925866690	BGP281 LED60-4S/740 I DM11 D948/60S	Yes
910925866708	BGP281 LED40-4S/830 II DN10 DDF2 D18 SRG	Yes
910925866709	BGP281 LED40-4S/740 I DM11 CLO-DDF2 D184	Yes
910925866713	BGP281 LED20-4S/740 I DN10 SRG10 48/60S	No
910925866714	BGP281 LED45-4S/830 II DN10 DDF2 D18 SRG	Yes
910925866719	BGP281 LED45-4S/830 II DN10 DDF2 D18 SRG	Yes
910925866725	BGP281 LED30-4S/830 II DM10 DDF2 D18 SRG	Yes
910925866736	BGP281 LED60-4S/740 I DM11 DDF3 D18 48/6	Yes
910925866737	BGP281 LED54-4S/740 I DN10 DDF2 D18 SRG1	Yes
910925866740	BGP281 LED20-4S/740 II DM10 CLO-DDF2 D18	Yes
910925866743	BGP281 LED35-4S/740 I DN10 DDF2 D18 SRG1	Yes
910925866744	BGP281 LED50-4S/830 II DN10 D9 SRG10 48/	Yes
910925866750	BGP281 LED40-4S/830 II DM11 D9 SRG10 48/	Yes
910925866763	BGP281 LED20-4S/740 I DM11 CLO D9 48/60S	Yes
910925866768	BGP281 LED45-4S/740 I DN10 48/60S	No
910925866782	BGP281 LED45-4S/740 I DM10 DDF2 D18 48/6	Yes
910925866784	BGP281 LED60-4S/740 I DM11 CLO-DDF2 D184	Yes
910925866785	BGP281 LED40-4S/740 I DN10 DDF2 D18 SRG1	Yes
910925866815	BGP281 LED16-4S/740 I DM11 DDF2 D18 48/6	Yes
910925866916	BGP291 LED22-4S/740 II DM10 MSP CLO SRTH	No
910925867829	BGP281 LED50-4S/830 I DM11 DDF27 D18 SRG	Yes
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	Yes
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	Yes
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	Yes
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	Yes
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	Yes
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	Yes
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	Yes
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	Yes
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	No
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	No

Approval and Application

Order Code	Full Product Name	Surge Protection (Common/ Differential)
910925868720	BGP280 LED50-1F/740 I DM10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/ Differential)
910925868723	BGP280 LED50-1F/740 II DM10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/ Differential)
910925865664	BGP282 LED100-4S/740 II DM10 CLO-DDF2 D1	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925865676	BGP282 LED120-4S/740 II DM10 CLO-DDF2 D1	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925865678	BGP282 LED70-4S/740 II DM10 CLO-DDF2 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866439	BGP282 LED120-4S/740 I DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866609	BGP282 LED59-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866677	BGP282 LED60-4S/740 I DM50 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866678	BGP282 LED120-4S/740 I DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866691	BGP282 LED70-4S/740 I DM11 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866692	BGP282 LED80-4S/740 I DM11 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866693	BGP282 LED90-4S/740 I DM11 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866701	BGP282 LED80-4S/740 II DM10 CLO-DDF2 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866706	BGP282 LED60-4S/740 II DM10 CLO-DDF2 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866710	BGP282 LED70-4S/740 I DM50 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866741	BGP282 LED54-4S/740 I DN10 DDF2 D18 SRG1	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866752	BGP282 LED80-4S/740 I DM11 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866754	BGP282 LED70-4S/740 I DN10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866764	BGP282 LED69-4S/830 II DN10 DDF2 D18 SRG	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode

Order Code	Full Product Name	Surge Protection (Common/ Differential)
910925866770	BGP282 LED120-4S/740 I DM11 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866790	BGP282 LED30-4S/740 I DW10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866794	BGP282 LED70-4S/830 II DM11 SRG10 48/60S	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866803	BGP282 LED70-4S/740 I DM50 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866806	BGP282 LED100-4S/740 I DM50 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866811	BGP282 LED64-4S/740 I DW10 DDF2 D18 SRG1	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866812	BGP282 LED74-4S/830 II DM11 DDF2 D18 SRG	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866816	BGP282 LED100-4S/740 I DM11 DDF3 D18 48/	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867830	BGP282 LED69-4S/830 I DM11 DDF27 D18 SRG	Surge protection level until 10 kV
910925868082	BGP292 LED35-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868083	BGP292 LED35-4S/830 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868084	BGP292 LED45-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868085	BGP292 LED45-4S/830 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868086	BGP292 LED54-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868087	BGP292 LED64-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925865682	BGP283 LED149-4S/740 II DM10 CLO-DDF2 D1	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866440	BGP283 LED240-4S/740 I DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/ Differential)
910925866452	BGP283 LED240-4S/740 I DM11 SRT SRB SRG1	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866680	BGP283 LED70-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866681	BGP283 LED80-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866682	BGP283 LED90-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866683	BGP283 LED100-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866684	BGP283 LED120-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866685	BGP283 LED139-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866686	BGP283 LED149-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866695	BGP283 LED160-4S/740 I DM11 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866732	BGP283 LED149-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866745	BGP283 LED149-4S/740 I DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866746	BGP283 LED139-4S/740 I DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866769	BGP283 LED139-4S/740 I DM12 DDF2 D18 SRG	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866774	BGP283 LED200-4S/740 I DX10 ALU 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866775	BGP283 LED100-4S/740 I DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866776	BGP283 LED100-4S/830 II DN10 DDF2 D18 SR	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866788	BGP283 LED120-4S/740 I DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/ Differential)
910925866807	BGP283 LED120-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867831	BGP283 LED190-4S/830 I DM11 DDF27 D18 SR	Surge protection level until 10 kV
910925868089	BGP293 LED80-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868090	BGP293 LED100-4S/740 II DM11 CLO-DDF1 D1	Philips standard surge protection level
910925868091	BGP293 LED120-4S/740 II DM11 CLO-DDF1 D1	Philips standard surge protection level
910925868726	BGP280 LED50-1F/740 I DM10 SRG10 SRT SRB	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866669	BGP284 LED180-4S/740 II DM11 D9 48/60S P	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866670	BGP284 LED240-4S/740 II DM11 D9 48/60S P	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866671	BGP284 LED280-4S/740 II DM11 D9 48/60S P	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866672	BGP284 LED340-4S/740 II DM11 D9 48/60S P	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867832	BGP284 LED320-4S/830 I DM11 DDF27 D18 SR	Surge protection level until 10 kV
910925868071	BGP294 LED150-4S/740 II DM11 CLO S05ZIZ1	Philips standard surge protection level
910925868072	BGP294 LED300-4S/740 II DM11 CLO S05ZIZ1	Philips standard surge protection level
910925868073	BGP294 LED400-4S/740 II DM11 CLO S05ZIZ1	Philips standard surge protection level
910925868092	BGP294 LED150-4S/740 II DM11 CLO-DDF1 D1	Philips standard surge protection level
910925868093	BGP294 LED300-4S/740 II DM11 CLO-DDF1 D1	Philips standard surge protection level
910925868094	BGP294 LED400-4S/740 II DM11 CLO-DDF1 D1	Philips standard surge protection level
910925865663	BGP281 LED25-4S/740 I DN10 DDF2 D18 SRG1	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925865665	BGP281 LED40-4S/740 II DM10 CLO-DDF2 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925865666	BGP281 LED50-4S/740 II DM10 CLO-DDF2 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/ Differential)
910925865667	BGP281 LED25-4S/740 I DN10 SRG10 48/60S	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925865669	BGP281 LED60-4S/740 II DM10 CLO-DDF2 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925865674	BGP281 LED25-4S/740 I DN10 DDF2 D18 SRG1	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925865675	BGP281 LED45-4S/740 I DM12 D9SRG10 48/60	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925865687	BGP281 LED35-4S/740 I DM11 DDF2 D18 48/6	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925865688	BGP281 LED40-4S/740 II DN10 DDF2 D18 SRG	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866438	BGP281 LED50-4S/740 I DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866450	BGP281 LED50-4S/740 I DM11 SRT SRB SRG10	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866673	BGP281 LED16-4S/740 I DM10 DDF27 D18 48/	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866674	BGP281 LED20-4S/740 I DM10 DDF27 D18 48/	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866675	BGP281 LED25-4S/740 I DM10 DDF27 D18 48/	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866676	BGP281 LED54-4S/740 I DM10 DDF27 D18 48/	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866687	BGP281 LED20-4S/740 I DM11 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866688	BGP281 LED30-4S/740 I DM11 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866689	BGP281 LED40-4S/740 I DM11 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866690	BGP281 LED60-4S/740 I DM11 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866708	BGP281 LED40-4S/830 II DN10 DDF2 D18 SRG	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode

Order Code	Full Product Name	Surge Protection (Common/ Differential)
910925866709	BGP281 LED40-4S/740 I DM11 CLO-DDF2 D184	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866713	BGP281 LED20-4S/740 I DN10 SRG10 48/60S	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866714	BGP281 LED45-4S/830 II DN10 DDF2 D18 SRG	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866719	BGP281 LED45-4S/830 II DN10 DDF2 D18 SRG	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866725	BGP281 LED30-4S/830 II DM10 DDF2 D18 SRG	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866736	BGP281 LED60-4S/740 I DM11 DDF3 D18 48/6	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866737	BGP281 LED54-4S/740 I DN10 DDF2 D18 SRG1	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866740	BGP281 LED20-4S/740 II DM10 CLO-DDF2 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866743	BGP281 LED35-4S/740 I DN10 DDF2 D18 SRG1	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866744	BGP281 LED50-4S/830 II DN10 D9 SRG10 48/	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866750	BGP281 LED40-4S/830 II DM11 D9 SRG10 48/	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866763	BGP281 LED20-4S/740 I DM11 CLO D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866768	BGP281 LED45-4S/740 I DN10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866782	BGP281 LED45-4S/740 I DM10 DDF2 D18 48/6	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866784	BGP281 LED60-4S/740 I DM11 CLO-DDF2 D184	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866785	BGP281 LED40-4S/740 I DN10 DDF2 D18 SRG1	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866815	BGP281 LED16-4S/740 I DM11 DDF2 D18 48/6	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/ Differential)
910925866916	BGP291 LED22-4S/740 II DM10 MSP CLO SRTH	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867829	BGP281 LED50-4S/830 I DM11 DDF27 D18 SRG	Surge protection level until 10 kV
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level

Over Time Performance (IEC Compliant)

Order Code	Full Product Name	Driver failure rate at 5000 h
910925868720	BGP280 LED50-1F/740 I DM10 48/60S	-
910925868723	BGP280 LED50-1F/740 II DM10 48/60S	-
910925865664	BGP282 LED100-4S/740 II DM10 CLO-DDF2 D1	0.5 %
910925865676	BGP282 LED120-4S/740 II DM10 CLO-DDF2 D1	0.5 %
910925865678	BGP282 LED70-4S/740 II DM10 CLO-DDF2 D18	0.5 %
910925866439	BGP282 LED120-4S/740 I DM11 48/60S	0.5 %
910925866609	BGP282 LED59-4S/740 II DM50 D9 48/60S	0.5 %
910925866677	BGP282 LED60-4S/740 I DM50 D948/60S	0.5 %
910925866678	BGP282 LED120-4S/740 I DM50 D9 48/60S	0.5 %
910925866691	BGP282 LED70-4S/740 I DM11 D948/60S	-
910925866692	BGP282 LED80-4S/740 I DM11 D948/60S	-
910925866693	BGP282 LED90-4S/740 I DM11 D948/60S	-
910925866701	BGP282 LED80-4S/740 II DM10 CLO-DDF2 D18	0.5 %
910925866706	BGP282 LED60-4S/740 II DM10 CLO-DDF2 D18	0.5 %
910925866710	BGP282 LED70-4S/740 I DM50 D948/60S	0.5 %
910925866741	BGP282 LED54-4S/740 I DN10 DDF2 D18 SRG1	0.5 %
910925866752	BGP282 LED80-4S/740 I DM11 D948/60S	0.5 %
910925866754	BGP282 LED70-4S/740 I DN10 48/60S	0.5 %
910925866764	BGP282 LED69-4S/830 II DN10 DDF2 D18 SRG	0.5 %
910925866770	BGP282 LED120-4S/740 I DM11 D9 48/60S	0.5 %
910925866790	BGP282 LED30-4S/740 I DW10 48/60S	0.5 %
910925866794	BGP282 LED70-4S/830 II DM11 SRG10 48/60S	0.5 %
910925866803	BGP282 LED70-4S/740 I DM50 D948/60S	0.5 %
910925866806	BGP282 LED100-4S/740 I DM50 48/60S	0.5 %
910925866811	BGP282 LED64-4S/740 I DW10 DDF2 D18 SRG1	0.5 %
910925866812	BGP282 LED74-4S/830 II DM11 DDF2 D18 SRG	0.5 %
910925866816	BGP282 LED100-4S/740 I DM11 DDF3 D18 48/	0.5 %
910925867830	BGP282 LED69-4S/830 I DM11 DDF27 D18 SRG	-
910925868082	BGP292 LED35-4S/740 II DM11 CLO-DDF1 D18	-
910925868083	BGP292 LED35-4S/830 II DM11 CLO-DDF1 D18	-
910925868084	BGP292 LED45-4S/740 II DM11 CLO-DDF1 D18	-

Order Code	Full Product Name	Surge Protection (Common/ Differential)
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	Philips standard surge protection level
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Driver failure rate at 5000 h
910925868085	BGP292 LED45-4S/830 II DM11 CLO-DDF1 D18	-
910925868086	BGP292 LED54-4S/740 II DM11 CLO-DDF1 D18	-
910925868087	BGP292 LED64-4S/740 II DM11 CLO-DDF1 D18	-
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	-
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	-
910925865682	BGP283 LED149-4S/740 II DM10 CLO-DDF2 D1	0.5 %
910925866440	BGP283 LED240-4S/740 I DM11 48/60S	0.5 %
910925866452	BGP283 LED240-4S/740 I DM11 SRT SRB SRG1	0.5 %
910925866680	BGP283 LED70-4S/740 II DM50 D9 48/60S	0.5 %
910925866681	BGP283 LED80-4S/740 II DM50 D9 48/60S	0.5 %
910925866682	BGP283 LED90-4S/740 II DM50 D9 48/60S	0.5 %
910925866683	BGP283 LED100-4S/740 II DM50 D9 48/60S	0.5 %
910925866684	BGP283 LED120-4S/740 II DM50 D9 48/60S	0.5 %
910925866685	BGP283 LED139-4S/740 II DM50 D9 48/60S	0.5 %
910925866686	BGP283 LED149-4S/740 II DM50 D9 48/60S	0.5 %
910925866695	BGP283 LED160-4S/740 I DM11 D9 48/60S	-
910925866732	BGP283 LED149-4S/740 II DM50 D9 48/60S	0.5 %
910925866745	BGP283 LED149-4S/740 I DM50 D9 48/60S	0.5 %
910925866746	BGP283 LED139-4S/740 I DM50 D9 48/60S	0.5 %
910925866769	BGP283 LED139-4S/740 I DM12 DDF2 D18 SRG	0.5 %
910925866774	BGP283 LED200-4S/740 I DX10 ALU 48/60S	0.5 %
910925866775	BGP283 LED100-4S/740 I DM50 D9 48/60S	0.5 %
910925866776	BGP283 LED100-4S/830 II DN10 DDF2 D18 SR	0.5 %
910925866788	BGP283 LED120-4S/740 I DM50 D9 48/60S	0.5 %
910925866807	BGP283 LED120-4S/740 II DM50 D9 48/60S	0.5 %
910925867831	BGP283 LED190-4S/830 I DM11 DDF27 D18 SR	-
910925868089	BGP293 LED80-4S/740 II DM11 CLO-DDF1 D18	-
910925868090	BGP293 LED100-4S/740 II DM11 CLO-DDF1 D1	-
910925868091	BGP293 LED120-4S/740 II DM11 CLO-DDF1 D1	-
910925868726	BGP280 LED50-1F/740 I DM10 SRG10 SRT SRB	-
910925866669	BGP284 LED180-4S/740 II DM11 D9 48/60S P	-

Order Code	Full Product Name	Driver failure rate at 5000 h
910925866670	BGP284 LED240-4S/740 II DM11 D9 48/60S P	-
910925866671	BGP284 LED280-4S/740 II DM11 D9 48/60S P	-
910925866672	BGP284 LED340-4S/740 II DM11 D9 48/60S P	-
910925867832	BGP284 LED320-4S/830 I DM11 DDF27 D18 SR	-
910925868071	BGP294 LED150-4S/740 II DM11 CLO S05Z1Z1	-
910925868072	BGP294 LED300-4S/740 II DM11 CLO S05Z1Z1	-
910925868073	BGP294 LED400-4S/740 II DM11 CLO S05Z1Z1	-
910925868092	BGP294 LED150-4S/740 II DM11 CLO-DDF1 D1	-
910925868093	BGP294 LED300-4S/740 II DM11 CLO-DDF1 D1	-
910925868094	BGP294 LED400-4S/740 II DM11 CLO-DDF1 D1	-
910925865663	BGP281 LED25-4S/740 I DN10 DDF2 D18 SRG1	0.5 %
910925865665	BGP281 LED40-4S/740 II DM10 CLO-DDF2 D18	0.5 %
910925865666	BGP281 LED50-4S/740 II DM10 CLO-DDF2 D18	0.5 %
910925865667	BGP281 LED25-4S/740 I DN10 SRG10 48/60S	0.5 %
910925865669	BGP281 LED60-4S/740 II DM10 CLO-DDF2 D18	0.5 %
910925865674	BGP281 LED25-4S/740 I DN10 DDF2 D18 SRG1	0.5 %
910925865675	BGP281 LED45-4S/740 I DM12 D9SRG10 48/60	0.5 %
910925865687	BGP281 LED35-4S/740 I DM11 DDF2 D18 48/6	0.5 %
910925865688	BGP281 LED40-4S/740 II DN10 DDF2 D18 SRG	0.5 %
910925866438	BGP281 LED50-4S/740 I DM11 48/60S	0.5 %
910925866450	BGP281 LED50-4S/740 I DM11 SRT SRB SRG10	0.5 %
910925866673	BGP281 LED16-4S/740 I DM10 DDF27 D18 48/	0.5 %
910925866674	BGP281 LED20-4S/740 I DM10 DDF27 D18 48/	0.5 %
910925866675	BGP281 LED25-4S/740 I DM10 DDF27 D18 48/	0.5 %
910925866676	BGP281 LED54-4S/740 I DM10 DDF27 D18 48/	0.5 %
910925866687	BGP281 LED20-4S/740 I DM11 D948/60S	-
910925866688	BGP281 LED30-4S/740 I DM11 D948/60S	-
910925866689	BGP281 LED40-4S/740 I DM11 D948/60S	-
910925866690	BGP281 LED60-4S/740 I DM11 D948/60S	-
910925866708	BGP281 LED40-4S/830 II DN10 DDF2 D18 SRG	0.5 %

Order Code	Full Product Name	Driver failure rate at 5000 h
910925866709	BGP281 LED40-4S/740 I DM11 CLO-DDF2 D184	0.5 %
910925866713	BGP281 LED20-4S/740 I DN10 SRG10 48/60S	0.5 %
910925866714	BGP281 LED45-4S/830 II DN10 DDF2 D18 SRG	0.5 %
910925866719	BGP281 LED45-4S/830 II DN10 DDF2 D18 SRG	0.5 %
910925866725	BGP281 LED30-4S/830 II DM10 DDF2 D18 SRG	0.5 %
910925866736	BGP281 LED60-4S/740 I DM11 DDF3 D18 48/6	0.5 %
910925866737	BGP281 LED54-4S/740 I DN10 DDF2 D18 SRG1	0.5 %
910925866740	BGP281 LED20-4S/740 II DM10 CLO-DDF2 D18	0.5 %
910925866743	BGP281 LED35-4S/740 I DN10 DDF2 D18 SRG1	0.5 %
910925866744	BGP281 LED50-4S/830 II DN10 D9 SRG10 48/	0.5 %
910925866750	BGP281 LED40-4S/830 II DM11 D9 SRG10 48/	0.5 %
910925866763	BGP281 LED20-4S/740 I DM11 CLO D9 48/60S	0.5 %
910925866768	BGP281 LED45-4S/740 I DN10 48/60S	0.5 %
910925866782	BGP281 LED45-4S/740 I DM10 DDF2 D18 48/6	0.5 %
910925866784	BGP281 LED60-4S/740 I DM11 CLO-DDF2 D184	0.5 %
910925866785	BGP281 LED40-4S/740 I DN10 DDF2 D18 SRG1	0.5 %
910925866815	BGP281 LED16-4S/740 I DM11 DDF2 D18 48/6	0.5 %
910925866916	BGP291 LED22-4S/740 II DM10 MSP CLO SRTH	-
910925867829	BGP281 LED50-4S/830 I DM11 DDF27 D18 SRG	-
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	-
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	-
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	-
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	-
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	-
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	-
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	-
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	-
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	-
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	-

Application Conditions

Order Code	Full Product Name	Maximum dim level
910925868720	BGP280 LED50-1F/740 I DM10 48/60S	0% (digital)
910925868723	BGP280 LED50-1F/740 II DM10 48/60S	0% (digital)
910925865664	BGP282 LED100-4S/740 II DM10 CLO-DDF2 D1	0% (digital)
910925865676	BGP282 LED120-4S/740 II DM10 CLO-DDF2 D1	0% (digital)
910925865678	BGP282 LED70-4S/740 II DM10 CLO-DDF2 D18	0% (digital)
910925866439	BGP282 LED120-4S/740 I DM11 48/60S	0% (digital)
910925866609	BGP282 LED59-4S/740 II DM50 D9 48/60S	0% (digital)
910925866677	BGP282 LED60-4S/740 I DM50 D948/60S	0% (digital)
910925866678	BGP282 LED120-4S/740 I DM50 D9 48/60S	0% (digital)
910925866691	BGP282 LED70-4S/740 I DM11 D948/60S	0% (digital)
910925866692	BGP282 LED80-4S/740 I DM11 D948/60S	0% (digital)
910925866693	BGP282 LED90-4S/740 I DM11 D948/60S	0% (digital)
910925866701	BGP282 LED80-4S/740 II DM10 CLO-DDF2 D18	0% (digital)
910925866706	BGP282 LED60-4S/740 II DM10 CLO-DDF2 D18	0% (digital)
910925866710	BGP282 LED70-4S/740 I DM50 D948/60S	0% (digital)
910925866741	BGP282 LED54-4S/740 I DN10 DDF2 D18 SRG1	0% (digital)
910925866752	BGP282 LED80-4S/740 I DM11 D948/60S	0% (digital)

Order Code	Full Product Name	Maximum dim level
910925866754	BGP282 LED70-4S/740 I DN10 48/60S	0% (digital)
910925866764	BGP282 LED69-4S/830 II DN10 DDF2 D18 SRG	0% (digital)
910925866770	BGP282 LED120-4S/740 I DM11 D9 48/60S	0% (digital)
910925866790	BGP282 LED30-4S/740 I DW10 48/60S	0% (digital)
910925866794	BGP282 LED70-4S/830 II DM11 SRG10 48/60S	0% (digital)
910925866803	BGP282 LED70-4S/740 I DM50 D948/60S	0% (digital)
910925866806	BGP282 LED100-4S/740 I DM50 48/60S	0% (digital)
910925866811	BGP282 LED64-4S/740 I DW10 DDF2 D18 SRG1	0% (digital)
910925866812	BGP282 LED74-4S/830 II DM11 DDF2 D18 SRG	0% (digital)
910925866816	BGP282 LED100-4S/740 I DM11 DDF3 D18 48/	0% (digital)
910925867830	BGP282 LED69-4S/830 I DM11 DDF27 D18 SRG	Programmable
910925868082	BGP292 LED35-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868083	BGP292 LED35-4S/830 II DM11 CLO-DDF1 D18	Programmable
910925868084	BGP292 LED45-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868085	BGP292 LED45-4S/830 II DM11 CLO-DDF1 D18	Programmable
910925868086	BGP292 LED54-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868087	BGP292 LED64-4S/740 II DM11 CLO-DDF1 D18	Programmable

Order Code	Full Product Name	Maximum dim level
910925868107	BGP292 LED100-4S/730 II DM50 MSP 48/60S	Programmable
910925868108	BGP292 LED100-4S/730 II DM50 48/60S	Programmable
910925865682	BGP283 LED149-4S/740 II DM10 CLO-DDF2 D1	0% (digital)
910925866440	BGP283 LED240-4S/740 I DM11 48/60S	0% (digital)
910925866452	BGP283 LED240-4S/740 I DM11 SRT SRB SRG1	0% (digital)
910925866680	BGP283 LED70-4S/740 II DM50 D9 48/60S	0% (digital)
910925866681	BGP283 LED80-4S/740 II DM50 D9 48/60S	0% (digital)
910925866682	BGP283 LED90-4S/740 II DM50 D9 48/60S	0% (digital)
910925866683	BGP283 LED100-4S/740 II DM50 D9 48/60S	0% (digital)
910925866684	BGP283 LED120-4S/740 II DM50 D9 48/60S	0% (digital)
910925866685	BGP283 LED139-4S/740 II DM50 D9 48/60S	0% (digital)
910925866686	BGP283 LED149-4S/740 II DM50 D9 48/60S	0% (digital)
910925866695	BGP283 LED160-4S/740 I DM11 D9 48/60S	0% (digital)
910925866732	BGP283 LED149-4S/740 II DM50 D9 48/60S	0% (digital)
910925866745	BGP283 LED149-4S/740 I DM50 D9 48/60S	0% (digital)
910925866746	BGP283 LED139-4S/740 I DM50 D9 48/60S	0% (digital)
910925866769	BGP283 LED139-4S/740 I DM12 DDF2 D18 SRG	0% (digital)
910925866774	BGP283 LED200-4S/740 I DX10 ALU 48/60S	0% (digital)
910925866775	BGP283 LED100-4S/740 I DM50 D9 48/60S	0% (digital)
910925866776	BGP283 LED100-4S/830 II DN10 DDF2 D18 SR	0% (digital)
910925866788	BGP283 LED120-4S/740 I DM50 D9 48/60S	0% (digital)
910925866807	BGP283 LED120-4S/740 II DM50 D9 48/60S	0% (digital)
910925867831	BGP283 LED190-4S/830 I DM11 DDF27 D18 SR	Programmable
910925868089	BGP293 LED80-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868090	BGP293 LED100-4S/740 II DM11 CLO-DDF1 D1	Programmable
910925868091	BGP293 LED120-4S/740 II DM11 CLO-DDF1 D1	Programmable
910925868726	BGP280 LED50-1F/740 I DM10 SRG10 SRT SRB	0% (digital)
910925866669	BGP284 LED180-4S/740 II DM11 D9 48/60S P	0% (digital)
910925866670	BGP284 LED240-4S/740 II DM11 D9 48/60S P	0% (digital)
910925866671	BGP284 LED280-4S/740 II DM11 D9 48/60S P	0% (digital)
910925866672	BGP284 LED340-4S/740 II DM11 D9 48/60S P	0% (digital)
910925867832	BGP284 LED320-4S/830 I DM11 DDF27 D18 SR	Programmable
910925868071	BGP294 LED150-4S/740 II DM11 CLO S05ZIZ1	Programmable
910925868072	BGP294 LED300-4S/740 II DM11 CLO S05ZIZ1	Programmable
910925868073	BGP294 LED400-4S/740 II DM11 CLO S05ZIZ1	Programmable
910925868092	BGP294 LED150-4S/740 II DM11 CLO-DDF1 D1	Programmable
910925868093	BGP294 LED300-4S/740 II DM11 CLO-DDF1 D1	Programmable
910925868094	BGP294 LED400-4S/740 II DM11 CLO-DDF1 D1	Programmable
910925865663	BGP281 LED25-4S/740 I DN10 DDF2 D18 SRG1	0% (digital)
910925865665	BGP281 LED40-4S/740 II DM10 CLO-DDF2 D18	0% (digital)
910925865666	BGP281 LED50-4S/740 II DM10 CLO-DDF2 D18	0% (digital)
910925865667	BGP281 LED25-4S/740 I DN10 SRG10 48/60S	0% (digital)
910925865669	BGP281 LED60-4S/740 II DM10 CLO-DDF2 D18	0% (digital)
910925865674	BGP281 LED25-4S/740 I DN10 DDF2 D18 SRG1	0% (digital)

Order Code	Full Product Name	Maximum dim level
910925865675	BGP281 LED45-4S/740 I DM12 D9SRG10 48/60	0% (digital)
910925865687	BGP281 LED35-4S/740 I DM11 DDF2 D18 48/6	0% (digital)
910925865688	BGP281 LED40-4S/740 II DN10 DDF2 D18 SRG	0% (digital)
910925866438	BGP281 LED50-4S/740 I DM11 48/60S	0% (digital)
910925866450	BGP281 LED50-4S/740 I DM11 SRT SRB SRG10	0% (digital)
910925866673	BGP281 LED16-4S/740 I DM10 DDF27 D18 48/	0% (digital)
910925866674	BGP281 LED20-4S/740 I DM10 DDF27 D18 48/	0% (digital)
910925866675	BGP281 LED25-4S/740 I DM10 DDF27 D18 48/	0% (digital)
910925866676	BGP281 LED54-4S/740 I DM10 DDF27 D18 48/	0% (digital)
910925866687	BGP281 LED20-4S/740 I DM11 D948/60S	0% (digital)
910925866688	BGP281 LED30-4S/740 I DM11 D948/60S	0% (digital)
910925866689	BGP281 LED40-4S/740 I DM11 D948/60S	0% (digital)
910925866690	BGP281 LED60-4S/740 I DM11 D948/60S	0% (digital)
910925866708	BGP281 LED40-4S/830 II DN10 DDF2 D18 SRG	0% (digital)
910925866709	BGP281 LED40-4S/740 I DM11 CLO-DDF2 D184	0% (digital)
910925866713	BGP281 LED20-4S/740 I DN10 SRG10 48/60S	0% (digital)
910925866714	BGP281 LED45-4S/830 II DN10 DDF2 D18 SRG	0% (digital)
910925866719	BGP281 LED45-4S/830 II DN10 DDF2 D18 SRG	0% (digital)
910925866725	BGP281 LED30-4S/830 II DM10 DDF2 D18 SRG	0% (digital)
910925866736	BGP281 LED60-4S/740 I DM11 DDF3 D18 48/6	0% (digital)
910925866737	BGP281 LED54-4S/740 I DN10 DDF2 D18 SRG1	0% (digital)
910925866740	BGP281 LED20-4S/740 II DM10 CLO-DDF2 D18	0% (digital)
910925866743	BGP281 LED35-4S/740 I DN10 DDF2 D18 SRG1	0% (digital)
910925866744	BGP281 LED50-4S/830 II DN10 D9 SRG10 48/	0% (digital)
910925866750	BGP281 LED40-4S/830 II DM11 D9 SRG10 48/	0% (digital)
910925866763	BGP281 LED20-4S/740 I DM11 CLO D9 48/60S	0% (digital)
910925866768	BGP281 LED45-4S/740 I DN10 48/60S	0% (digital)
910925866782	BGP281 LED45-4S/740 I DM10 DDF2 D18 48/6	0% (digital)
910925866784	BGP281 LED60-4S/740 I DM11 CLO-DDF2 D184	0% (digital)
910925866785	BGP281 LED40-4S/740 I DN10 DDF2 D18 SRG1	0% (digital)
910925866815	BGP281 LED16-4S/740 I DM11 DDF2 D18 48/6	0% (digital)
910925866916	BGP291 LED22-4S/740 II DM10 MSP CLO SRTH	0% (digital)
910925867829	BGP281 LED50-4S/830 I DM11 DDF27 D18 SRG	Programmable
910925868074	BGP291 LED20-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868075	BGP291 LED20-4S/830 II DM11 CLO-DDF1 D18	Programmable
910925868076	BGP291 LED25-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868077	BGP291 LED25-4S/830 II DM11 CLO-DDF1 D18	Programmable
910925868078	BGP291 LED35-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868079	BGP291 LED35-4S/830 II DM11 CLO-DDF1 D18	Programmable
910925868080	BGP291 LED45-4S/740 II DM11 CLO-DDF1 D18	Programmable
910925868081	BGP291 LED45-4S/830 II DM11 CLO-DDF1 D18	Programmable
910925868105	BGP291 LED51-4S/730 II DM50 MSP 48/60S	Programmable
910925868106	BGP291 LED51-4S/730 II DM50 48/60S	Programmable

