

Inglite bussipeatuse valgustus

Table of Contents

Cover 1
Table of Contents 2

Product data sheets

Vizulo - Micro Martin 10 W 8 LED (1x 8 LED MOD AA) 3

Site 1


Luminaire layout plan4
Luminaire list 6
Calculation objects / Light scene 1 7
BP / Light scene 1 / Horizontal illuminance9

Product data sheet

Vizulo - Micro Martin 10 W 8 LED




Article No.	6000943115 MRU 010 730 L04 AA008
P	10.0 W
Φ_{Lamp}	1201 lm
$\Phi_{Luminaire}$	1201 lm
η	100.00 %
Luminous efficacy	120.1 lm/W
CCT	3000 K
CRI	70



Polar LDC

Site 1

Luminaire layout plan



Manufacturer	Vizulo	P	10.0 W
Article No.	6000943115 MRU 010 730 L04 AA008	Φ _{Luminaire}	1201 lm
Article name	Micro Martin 10 W 8 LED		
Fitting	1x 8 LED MOD AA		

Individual luminaires

X	Y	Mounting height	Luminaire
36.628 m	37.651 m	6.098 m	1

Site 1

Luminaire list

Φ_{total} 1201 lm	P_{total} 10.0 W	Luminous efficacy 120.1 lm/W
---------------------------	-----------------------	---------------------------------

pcs.	Manufacturer	Article No.	Article name	P	Φ	Luminous efficacy
1	Vizulo	60009431 15 MRU 010 730 L04 AA008	Micro Martin 10 W 8 LED	10.0 W	1201 lm	120.1 lm/W

Site 1 (Light scene 1)

Calculation objects


Calculation surfaces

Properties	\bar{E}	E_{min}	E_{max}	$U_0 (g_1)$	g_2	Index
BP Horizontal illuminance Height: 0.000 m	5.61 lx	1.83 lx	12.0 lx	0.33	0.15	CG1

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))

Site 1 (Light scene 1)

BP



Properties	\bar{E}	E_{min}	E_{max}	$U_o (g_1)$	g_2	Index
BP Horizontal illuminance Height: 0.000 m	5.61 lx	1.83 lx	12.0 lx	0.33	0.15	CG1

Utilisation profile: DIALux presetting (5.1.4 Standard (outdoor transportation area))