



BG	Сертификат за съответствие	FI	Vaatimustenmukaisuustodistus	PL	Certyfikat zgodności
CS	Prohlášení o shodě	FR	Certificat de conformité	PT	Certificado de conformidade
DA	Typeattest	HU	Megfelelőségi nyilatkozat	RO	Certificatul de conformitate
DE	Übereinstimmungsbescheinigung	IT	Certificato di conformità	SK	Osvedčenie o zhode
EL	Πιστοποιητικό συμμόρφωσης	LT	Atitikties liudijimas	SL	Certifikat o skladnosti
EN	Certificate of conformity	LV	Atbilstības sertifikāts	SV	Intyg om överensstämmelse
ES	Certificado de conformidad	MT	Certifikat ta' konformità		
ET	Vastavustunnistus	NL	Certificaat van overeenstemming		

## CERTIFICATE OF CONFORMITY Complete Vehicles

Part 1

The undersigned H. Rihma (Sales Manager) hereby certifies that the vehicle:

0.1.	Make (Trade name of manufacturer)	RESPO
0.2.	Type	110DC
	- Variant	750M351L150
	- Version	2B
0.2.1.	Commercial name(s)	750M351L150
0.2.3.	Identifiers	N/A
0.4.	Vehicle category	O1
0.5.	Company name and address of manufacturer	RESPO HAAGISED AS Tamme 21, Tõrvandi Ülenurme vald 61715 Tartumaa ESTONIA
0.6.	Location and method of attachment of the statutory plates	Front right hand side by means of adhesion
	Location of the vehicle identification number	Front right hand side quadrant
0.9.	Name and address of the manufacturer's representative (if any)	N/A
0.10.	Vehicle identification number	V610110DCSE007804
0.11.	Date of manufacture of the vehicle	02 December 2025

conforms in all respects to the type described in approval e4\*2007/46\*0444\*03 granted on 23 February 2023 and can be permanently registered in Member States having left and right hand traffic and using metric or imperial units for the speedometer and metric or imperial units for the odometer

Place:	Tõrvandi, Estonia
Date:	07 January 2026
Signature:	 H. Rihma

Part 2

### General construction characteristics

1.	Number of axles	1
	Number of wheels	2
1.1.	Number and position of axles with twin wheels	N/A

<b>Main dimensions</b>				
4.	Wheelbase			3315 mm
4.1.	Axle spacing	0 - 1		3315 mm
		1 - 2		N/A mm
		2 - 3		N/A mm
5.	Length			5100 mm
6.	Width			1920 mm
7.	Height			973 mm
10.	Distance between the centre of the coupling device and the rear end of the vehicle			5065 mm
11.	Length of the loading area			3500 mm
12.	Rear overhang			1750 mm
<b>Masses</b>				
13.	Mass in running order			317 kg
13.1.	Distribution of this mass amongst the axles			1- 286 kg
13.2.	Actual mass of the vehicle			317 kg
16.	Technically permissible maximum masses			
16.1.	Technically permissible maximum laden mass			750 kg
16.2.	Technically permissible mass on each axle			1- 750 kg
16.3.	Technically permissible mass on each axle group			N/A kg
17.	Intended registration/in service maximum permissible masses in national/international traffic			96/53/EC
17.1.	Intended registration/in service maximum permissible laden mass			750 kg
17.2.	Intended registration/in service maximum permissible laden mass on each axle			1- 750 kg
17.3.	Intended registration/in service maximum permissible laden mass on each axle group			N/A kg
19.	Technically permissible maximum static mass on the coupling point of a semi-trailer or centre-axle trailer			75 kg
<b>Maximum speed</b>				
29.	Maximum speed			140 km/h
<b>Axles and suspension</b>				
30.1.	Track of each steered axle			N/A mm
30.2.	Track of all other axles			1735 mm
31.	Position of lift axle(s)			N/A
32.	Position of loadable axle(s)			N/A
33.	Drive axle(s) fitted with air suspension or equivalent			N/A
34.	Axle(s) fitted with air suspension or equivalent			No
35.	Tyre/wheel combination	Tyre		155/80R13 84N
		Wheel		4Jx13 H2 ET30
<b>Brakes</b>				
36.	Trailer brake connections			N/A
<b>Bodywork</b>				
38.	Code for bodywork			DC99
<b>Coupling device</b>				
44.	Number of the approval certificate or approval mark of coupling device			E1 010510
45.1.	Characteristic values	D	13,2	kN
		V	-	-
		S	100	kg
		U	-	t
<b>Miscellaneous</b>				
50.	Type-approved in accordance with the design requirements for transporting dangerous goods of UN Regulation No 105 of the Economic Commission for Europe of the United Nations			No
51.	For special purpose vehicles: designation in accordance with point 5 of Part A of Annex I to Regulation (EU) 2018/858 of the European Parliament and of the Council			N/A
52.	Remarks: Note to 35: LI min.79 and SS min.N, higher values are permissible. Alternative tyres: 145 R13 155 R13 155 R13 155R13C 155/80R13 175/70R13 185/70R13C 185R14C 225/75R15			

\*V610110DCSE007804\*