

Manufacturer's declaration of compliance with standards














We declare that following product

Family: Assa Modular Fire Approved Lock
Lock case: 565

has been successfully tested to:

SS-EN 12209:2004, SS-EN 12209:2004/AC:2005 – Building Hardware – Locks and latches – Mechanically operated locks, latches and locking plates - Requirements and test methods

with the following classification:

1	2	3	4	5	6	7	8	9	10	11
										
3	X	9	1	0	F	3	B	A	3	0

Box	Classification	Explanation of performance	Range
1	Category of use	For public use, high chance of misuse	(1-3)
2	Durability	200.000 cycles, 120N on latchbolt	(A-X)
3	Door mass and closing force	Above 200 kg door mass, 15N close force	(1-9)
4	Fire/smoke resistance	For use on fire/smoke resistant door	(0-1)
5	Safety	No safety requirement	(0)
6	Corrosion and temperature resistance	High corrosion resistance (96h saltspray).	(0,A-G)
7	Security and drill resistance	Medium security, no drill resistance	(1-7)
8	Field of door application	Hinged door	(A-R)
9	Type of key and locking operation	Cylinder lock or latch manually locking	(0,A-H)
10	Type of spindle operation	Lock or latch for heavy duty unsprung	(0-4)
11	Key identification requirement	Not applicable	(0,A-H)

Evidence of standards compliance:

- Type testing by Manufacturer
- Type testing by Manufacturer to SS-EN ISO/IEC 17025
- Type testing by Independent recognised laboratory
- Regular audit testing by Manufacturer
- Regular audit testing by Manufacturer to SS-EN ISO/IEC 17025
- Regular audit testing by Independent recognised laboratory
- Compliance to SS3522 grade 3
- Compliance to SS EN 12209:2004
- EC – Certificate of Conformity

Assa Test Lab Cert nr 1600

Det Norske Veritas (DNV)

1162-CPD-0232

Evidence of quality compliance:

- Manufacturer's quality system to EN 9001
- Manufacturer's quality system to EN 9002 with Independent quality assessment
- Manufacturer's quality system to EN 9001 with Independent quality assessment
- Manufacturer's system to EN 14001 with Independent quality assessment


DNV: 98-SKM-AQ-019

DNV: 98-SKM-AE-037

Evidence of marking compliance:

- None
 - CE marking compulsory
 - Quality label
 - Other
- CE marking not applicable

Eskilstuna, 5 May 2006



Productmanager Mechanical Lock case.
 Assa Industri AB