

LOODUSLIKU MATERJALI TERASTIKULINE KOOSTIS

Jrk nr	Kaeve nr	Proovi nr	Proovitud intervall, m		Proovi pikkus, m	Kruus, %	Liiv koos savi ja tolmuga, %	Täisjäägid sõeltel (mm), % kogu proovist														Kokku, %	Savi- ja tolmusisaldus (<0.063 mm), %	Maavara liik*			
			Osajäägid sõeltel (mm), % kogu proovist																								
			63	40				31.5	20	16	12.5	8	6.3	4	2	1	0.5	0.25	0.125	0.063	<0.063						
1	PA1	PA1-1	0.30	2.00	1.70	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	10.0	54.0	86.0	91.7	100.0	100.0	8.3	TL	
2		PA1-2	2.00	8.00	6.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	7.0	44.0	75.0	84.0	100.0	100.0	16.0	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0
3		PA1-3	8.00	14.00	6.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	30.0	71.0	83.0	100.0	100.0	17.0	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0
4		PA1-4	14.00	20.00	6.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	8.0	34.6	100.0	100.0	65.4	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0.0
PA1 kaalutud keskmine					19.70	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.6	27.8	54.3	69.3	100.0	100.0	30.7	TL	
5	PA2	PA2-1	0.20	1.00	0.80	0.0	100.0	0.0	0.0	0.0	0.0	1.0	1.0	3.0	4.0	6.0	8.0	11.0	17.0	28.0	48.0	63.2	100.0	100.0	36.8	TL	
								0.0	0.0	0.0	0.0	1.0	0.0	2.0	1.0	2.0	2.0	3.0	6.0	11.0	20.0	15.2	36.8				
6		PA2-2	1.00	6.00	5.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.0	13.0	49.0	76.7	100.0	100.0	23.3	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	11.0	36.0				27.7
7		PA2-3	6.00	12.00	6.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	2.0	3.0	5.0	29.0	65.7	100.0	100.0	34.3	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.0	1.0	2.0	4.0	15.0	37.2				100.0
8		PA2-4	12.00	17.00	5.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	2.0	11.0	22.2	62.8	100.0	62.8	TL
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	2.0	10.0	43.0	67.1	100.0			
9	PA2-5	17.00	20.00	3.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	8.0	33.0	24.1	32.9	100.0	32.9	TL	
							0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	8.0	33.0	24.1	32.9				
PA2 kaalutud keskmine					19.80	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.9	1.0	1.7	2.9	8.5	33.4	61.4	100.0	100.0	38.6	TL		
10	PA3	PA3-1	0.70	2.45	1.75	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	5.0	39.0	76.0	88.4	100.0	100.0	11.6	TL
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.0	34.0	37.0	12.4			
11		PA3-2	2.45	8.00	5.55	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.0	12.0	31.8	100.0	100.0	68.2	TL
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.0	8.0	19.8	68.2			
PA3 kaalutud keskmine					7.30	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.0	12.4	27.3	45.4	100.0	100.0	54.6	TL	
12	PA4	PA4-1	0.50	4.20	3.70	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	2.0	3.0	5.0	10.0	20.0	35.0	48.1	100.0	100.0	51.9	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.0	1.0	2.0	5.0	10.0	15.0	13.1	51.9				
13		PA4-2	4.20	8.00	3.80	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	2.0	9.0	62.0	83.0	87.3	100.0	100.0	12.7	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	7.0	53.0	21.0	4.3	12.7				
14		PA4-3	8.00	14.00	6.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.0	7.0	42.0	76.0	86.4	100.0	100.0	13.6	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	22.0	58.0				76.2
15		PA4-4	14.00	20.00	6.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	20.0	36.0	18.2	23.8	100.0	23.8	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	20.0	36.0	18.2				23.8
PA4 kaalutud keskmine					19.50	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.6	1.1	2.0	6.4	35.6	64.0	76.2	100.0	100.0	23.8	TL		
16	PA5	PA5-1	0.00	3.00	3.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	2.0	4.0	6.0	10.0	22.0	50.0	73.4	100.0	100.0	26.6	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.0	2.0	2.0	4.0	12.0	28.0	23.4	26.6				
18	PA6	PA6-1	1.70	5.50	3.80	0.0	100.0	0.0	0.0	0.0	0.0	1.0	1.0	2.0	2.0	3.0	5.0	8.0	16.0	39.0	74.0	83.8	100.0	100.0	16.2	TL	

Jrk nr	Kaeve nr	Proovi nr	Proovitud intervall, m		Proovi pikkus, m	Kruus, %	Liiv koos savi ja tolmuga, %	Täisjäägid sõeltel (mm), % kogu proovist														Kokku, %	Savi- ja tolmusisaldus (<0.063 mm), %	Maavara liik*			
			Osajäägid sõeltel (mm), % kogu proovist																								
			63	40				31.5	20	16	12.5	8	6.3	4	2	1	0.5	0.25	0.125	0.063	<0,063						
19	PA7	PA7-1	0.00	2.00	2.00	24.0	76.0	0.0	16.0	24.0	28.0	29.0	31.0	35.0	37.0	43.0	49.0	56.0	63.0	69.0	75.0	78.8	100.0	100.0	21.2	TL	
								0.0	16.0	8.0	4.0	1.0	2.0	4.0	2.0	6.0	6.0	7.0	7.0	6.0	6.0	3.8	21.2				
20		PA7-2	2.00	5.00	3.00	0.0	100.0	0.0	0.0	0.0	5.0	10.0	15.0	24.0	29.0	37.0	46.0	55.0	67.0	79.0	85.0	88.6	100.0	100.0	11.4	TL	
								0.0	0.0	0.0	5.0	5.0	5.0	9.0	5.0	8.0	9.0	9.0	12.0	12.0	6.0	3.6	11.4				
21		PA7-3	5.00	8.30	3.30	0.0	100.0	0.0	0.0	0.0	3.0	5.0	8.0	17.0	22.0	31.0	40.0	51.0	65.0	77.0	84.0	87.0	100.0	100.0	13.0	TL	
								0.0	0.0	0.0	3.0	2.0	3.0	9.0	5.0	9.0	9.0	11.0	14.0	12.0	7.0	3.0	13.0				
PA7 kaalutud keskmine					8.30	5.8	94.2	0.0	3.9	5.8	9.7	12.6	16.1	23.9	28.1	36.1	44.3	53.7	65.2	75.8	82.2	85.6	100.0	100.0	14.4	TL	
							0.0	3.9	1.9	4.0	2.8	3.5	7.8	4.3	7.9	8.3	9.3	11.6	10.6	6.4	3.4	14.4					
22	PA8	PA8-1	0.40	3.50	3.10	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	10.0	41.0	100.0	100.0	59.0	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	9.0	31.0	59.0				
23		PA8-2	3.50	8.00	4.50	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	30.0	67.0	81.9	100.0	100.0	18.1	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	24.0	37.0	14.9	18.1				
24		PA8-3	8.00	11.00	3.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	15.0	52.0	72.9	100.0	100.0	27.1	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	13.0	37.0	20.9	27.1				
25		PA8-4	11.00	13.00	2.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	2.0	7.0	22.0	49.0	100.0	100.0	51.0	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	5.0	15.0	27.0	51.0				
26		PA8-5	13.00	16.00	3.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	7.0	18.9	72.1	100.0	72.1	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	7.0	18.9	72.1				
27		PA8-6	16.00	19.20	3.20	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.0	6.0	17.0	36.2	100.0	100.0	63.8	TL
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.0	11.0	19.2	63.8				
PA8 kaalutud keskmine					18.80	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.3	2.5	11.8	32.7	53.8	100.0	100.0	46.2	TL	
							0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	2.2	9.4	20.8	21.2	46.2				
28	PA10	PA10-1	0.45	1.10	0.65	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.0	14.0	60.0	89.0	93.9	100.0	100.0	6.1	TL	
							0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.0	11.0	46.0	29.0	4.9	6.1				
30	PA13	PA13-1	0.30	5.20	4.90	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.0	17.0	51.0	78.0	100.0	100.0	22.0	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	3.0	13.0	34.0	27.0				22.0
31		PA13-2	5.20	6.60	1.40	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.0	4.0	7.0	11.0	15.0	21.0	35.0	54.2	100.0	100.0	45.8	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.0	1.0	3.0	4.0	4.0	6.0	14.0	19.2	45.8				
32		PA13-3	6.60	12.00	5.40	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	2.0	3.0	6.0	20.0	39.1	100.0	100.0	60.9	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	1.0	3.0	14.0	19.1	60.9				
33	PA13	PA13-4	12.00	16.00	4.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	2.0	8.0	34.0	59.5	100.0	100.0	40.5	TL	
							0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	6.0	26.0	25.5	40.5					
PA13 kaalutud keskmine					16.35	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.8	0.9	1.5	2.3	4.5	13.2	36.7	59.2	100.0	100.0	40.8	TL	
							0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.1	0.6	0.8	2.3	8.7	23.5	22.5	40.8					
34	PA14	PA14-1	0.60	3.00	2.40	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.0	17.0	50.0	75.6	100.0	100.0	24.4	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.0	13.0	33.0	25.6				24.4
35		PA14	PA14-2	3.00	6.00	3.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	7.0	29.0	29.1	33.9	100.0	33.9	TL	
							0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	7.0	29.0	29.1	33.9					
PA14 kaalutud keskmine					5.40	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.3	12.0	42.8	70.3	100.0	100.0	29.7	TL	
							0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.9	9.7	30.8	27.5	29.7				

Jrk nr	Kaeve nr	Proovi nr	Proovitud intervall, m		Proovi pikkus, m	Kruus, %	Liiv koos savi ja tolmuga, %	Täisjäädigid sõeltel (mm), % kogu proovist														Kokku, %	Savi- ja tolmusisaldus (<0.063 mm), %	Maavara liik*			
			Osajäädigid sõeltel (mm), % kogu proovist																								
			63	40				31.5	20	16	12.5	8	6.3	4	2	1	0.5	0.25	0.125	0.063	<0,063						
36	PA15	PA15-1	0.40	2.00	1.60	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.0	11.0	34.0	59.0	75.1	100.0	100.0	24.9	TL		
37		PA15-2	2.00	8.00	6.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	17.0	56.0	73.2	100.0	100.0	26.8	TL		
PA15 kaalutud keskmine					7.60	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.4	3.1	20.6	56.6	73.6	100.0	100.0	26.4	TL		
2009. aasta puuraukude andmed																											
38	PA-2	10	0.10	1.90	1.80	6.8	93.2	2.8	2.8	6.8	14.4	17.9	21.9	27.8	30.3	35.0	41.7	51.2	67.4	80.8	86.6	89.1	100.0	100.0	10.9	TL	
								2.8	0.0	4.0	7.6	3.5	3.9	5.9	2.6	4.6	6.7	9.6	16.1	13.4	5.8	2.5	10.9				
39		11	1.90	4.50	2.60	1.0	99.0	0.0	0.0	1.0	2.8	4.8	7.0	10.9	13.0	17.3	24.6	35.8	56.4	75.8	84.0	87.1	100.0	100.0	12.9	TL	
0.0								0.0	1.0	1.8	2.0	2.2	3.9	2.1	4.3	7.3	11.2	20.6	19.4	8.2	3.1	12.9					
40		12	4.50	7.50	3.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	1.1	1.6	2.4	8.7	40.5	86.0	91.2	100.0	100.0	8.8	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.5	0.5	0.9	6.3	31.8	45.5	5.2	8.8				
41		13	7.50	10.50	3.00	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.0	1.7	2.2	4.0	15.1	44.0	74.5	83.1	100.0	100.0	16.9	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.7	0.5	1.8	11.1	28.9	30.6	8.6	16.9				
42		14	10.50	12.90	2.40	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	3.6	16.5	34.3	18.3	26.8	100.0	26.8	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.6	0.9	1.4	4.7	20.5	55.8	73.8	100.0				
43		15	12.90	15.80	2.90	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.6	0.9	1.4	4.7	20.5	55.8	73.8	100.0	100.0	26.2	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.3	0.5	3.3	15.7	35.4	18.0	26.2				
PA-2 kaalutud keskmine					15.70	0.9	99.1	0.3	0.3	0.9	2.1	2.9	3.7	5.2	6.0	7.5	9.7	13.4	23.1	44.9	73.2	82.8	100.0	100.0	17.2	TL	
44	PA-10	62	0.10	2.20	2.10	8.2	91.8	4.8	7.7	8.2	9.2	10.5	11.9	14.2	15.3	17.4	20.4	24.2	31.0	41.6	58.7	69.3	100.0	100.0	30.7	TL	
								4.8	2.9	0.5	1.0	1.3	1.4	2.3	1.1	2.1	3.0	3.8	6.8	10.7	17.1	10.6	30.7				
45		63	2.20	4.70	2.50	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.9	4.1	28.7	53.9	100.0	100.0	46.1	TL	
0.0								0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.6	3.1	24.6	25.2	46.1					
46		64	4.70	7.10	2.40	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.5	1.1	2.9	18.4	37.2	100.0	100.0	62.8	TL	
0.0								0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.5	1.8	15.5	18.9	62.8						
47		65	7.10	10.80	3.70	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.9	3.3	4.5	15.3	48.3	78.4	87.3	90.0	100.0	100.0	10.0	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	1.3	1.3	10.7	33.0	30.0	8.9	2.7	10.0				
48		66	10.80	14.30	3.50	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.3	3.8	4.8	10.8	37.0	73.3	86.6	89.3	100.0	100.0	10.7	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.2	1.5	1.0	6.0	26.2	36.3	13.3	2.7	10.7				
49		67	14.30	17.80	3.50	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	9.5	15.3	19.1	28.0	52.1	79.3	88.8	91.2	100.0	100.0	8.8	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	4.6	4.9	5.9	3.7	8.9	24.1	27.2	9.5	2.4	8.8				
50		68	17.80	21.20	3.40	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.3	5.6	9.0	26.0	62.5	85.4	91.2	93.2	100.0	100.0	6.8	TL	
								0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.7	2.3	3.4	16.9	36.5	22.9	5.9	1.9	6.8				
PA-10 kaalutud keskmine					21.10	0.8	99.2	0.5	0.8	0.8	0.9	1.0	1.2	2.8	4.4	6.4	8.3	15.8	36.6	57.8	70.4	78.3	100.0	100.0	21.7	TL	
PA-10 kaalutud keskmine					21.10	0.8	99.2	0.5	0.3	0.1	0.1	0.1	0.1	1.6	1.6	2.0	1.9	7.5	20.8	21.1	12.7	7.8	21.7	100.0	21.7	TL	
Kogu maavara kaalutud keskmised omadused					167.00	0.5	99.5	0.1	0.3	0.5	0.8	1.1	1.3	2.2	2.8	3.7	4.8	7.0	13.2	29.7	53.1	69.3	100.0	100.0	30.7	TL	
Kogu maavara kaalutud keskmised omadused					167.00	0.5	99.5	0.1	0.2	0.2	0.3	0.3	0.3	0.9	0.6	0.9	1.1	2.3	6.1	16.5	23.3	16.3	30.7	100.0	30.7	TL	

Märkused: * Maavara liik: TL Täiteliiv