

Materjalide spetsifikatsioon. ICF ülesõidukoha seadmed

	Asukoht	Toote	Kirjeldus	Number	Tarnija	ICF kood	Lisa info
Seadmekapp							
1		Kaitseüliti 16A	Circuit braker EB60 2 poles 16A	2	Schneider	ML000106	Main PIA 16 A / Backup PIA 16 A
2		Kaitseüliti 16A	Circuit braker EB60 2 poles 16A	1	Schneider	ML000107	PIA 16 A
3		Kontaktor	Contactor model AF09-22-00-13	1	ABB	ML000108	AF09-22-00-13
4		Valgustuse kaitse	Combined discharger 1 + 2 ABB Ref. 2CTB815101R44 00	1	ABB	ML000034	OVR T1+2 1N
5		Toite väljund	220 V Din rail outlet	2	Schneider	ML000061	220 VAC Outlet 1 / 220 VAC Outlet 2
6		Kontaktor	Contactor model AF09-40-00-11	1	ABB	ML000109	AF09-40-00-11
7		Lisa klemm	Additional contact CA4-10	1	ABB	ML000112	CA4-10
8		Toiteplokk	48 V Power supply model CP10.481	1	PULS	ML000044	FA 220VAC/48VDC
9		Ülekormus ekaitse	Over current protection for SDE900 Axle sensor model KU4087.0031867	4	ICF	CL000104	PR-I / PR-II / PR-III / PR-IV
10		Termostaat	Thermostat contact NC model STO 011	1	STEGO	ML000105	Thermostat
11		Kütteseade	150 W heating resistance model CS 060	3	STEGO	ML000098	
12		Kaitse 32A	Kaitse 10x38 32 A	1	ICF	ML000051	FG

Ülesõitude moderniseerimine

Kood: -

Ref.: SPN900EST-LOM-LCE

Versioon: 01

Kuupäev: 19.10.2021

Leht 2 / 4

13		Kaitse 16A	Kaitse PMF 10x38 16A	2	ICF	ML000050	F3/F4
14		Kaitse 10A	Kaitse 5,2x20 cristal 10A	2	ICF	ML000048	F1 / F2
15		Kaitse 2A	Kaitse 5,2x20 cristal 2A	14	ICF	ML000049	F5-F18
16		Fsec10mm	Kaitse support terminal 10 mm	3	ABB	ML000111	FG / F3 / F4
17		Fsec4mm	Kaitse support terminal 4 mm 1SNK508410R00 00	16	ABB	ML000023	F1 / F2 / F5-F18
18		BPas10mm	Gate terminal 10 mm	12	ABB	ML000018	BG / B2 / B3 / B4 / 13 / 14 / 21-24 / 31 / 32
19		BPas4mm	Connection Terminal with clamp 4 mm	13	ABB	ML000020	B1 / B5-B16
20		BSec4 mm	Disconnectable terminal 4 mm	48	ABB	ML000022	1-12 / 15-20 / 25-30 / 33-56
21		Switch	Industrial switch for DIN rail with 8 GigaEthernet sockets and 2 SFP Mooduls for fiber connectivity model EX71802-OVB	1	Etherwan	ML000137	
22		FO kast	Distribution and connection mural box for 8 FO and tray for 16 connections.	1	COFITELE	ML000077	
23		12 V akud	Lead-Gel battery 12V model A512/85	2	Sonnensch ein	ML000014	
24		Anteen GPS/GSM	Antenna GPS/GSM	1	MATRIX	MR000001	
25		Moodul SPN-906	SPN-906 Power supply Moodul	1	ICF	PR000094	

25		Moodul SPN-909	SPN-909 Central processor Moodul	1	ICF	PR000096	
26		Moodul SPN-901	SPN-901 Road protection Moodul	1	ICF	PR000089	
28		Moodul SPN-904	SPN-904 3G/4G/Ethernet Register Moodul	1	ICF	PR000231	
29		Moodul ETHx2-900	ETHx2-900 Communication Moodul	1	ICF	PR000257	
30		Moodul SPN-918	SPN-918 Axle counter Moodul	1	ICF	PR000105	
Ülesõidufoor							
31		SPC901	SPC 901 Level crossing road protection signal support	1	ICF	MA000191	
32		Ülesõidu- foori mast	Squared mast 100x100x3mm for Road signal	1	ICF	CM000338	
33		SPC901 LED signaal	Red spotlight including box and contrast plate	2	ICF	ML000104	
34		Helisignaal karp	Aluminum Bell protection Box	1	ICF	CM000365	
35		Helisignaal	Bell 20W 8ohm	1	ICF	ML000059	
Tõkkepuu							
36		Moodul SPN-915/A	SPN-915 Barrier module	1	ICF	PR000182	
37		Tõkkepuu poom	Barrier boom of 6 meters	1	ICF	CM000531	
38		LED rambivalgu s	24V Red Led spotlight	3	ICF	PR000104	

39		Vastukaal	20 mm counterweight for barriers	6	ICF	CM000086	
Teljeloenduri ühenduskast							
40		BSec4 mm	Disconnectable terminal 4 mm	10	ABB	ML000022	
41		Maanduse terminaal	Grounding terminal 10 mm	1	ABB	ML000027	
42		Ülekormus ekaitse	Protection for field cables	1	ICF	CL000104	
43		Resiistor	Terminal resistance for CAN Bus	1		ML000096	
44		SDE 900 Teljeloendur	SDE-Axle Sensor with 2oo3 electronic control. Electromagnetic bidirectional speed detection and accelerometer	1	ICF	PR000288	
45		SDE 900 Clamp	Mechanical clamp for SDE900 support	1	ICF	CM000202	