



Mhor: 1:500
Mver: 1:50

| KAEVU TÄHIS | RK2-19 | | RK2-20 | | SK2-21 | | SKPY2-14 | | SK2-16 | |
|--|--------|------------------------|--------|-------|--------|--------------------------|----------|-------|--------|--|
| OLEMASOLEVA MAAPINNA KÕRGUS (m ABS) | | 43.05 | 43.10 | | 42.95 | | 43.10 | | 43.25 | |
| PROJEKTEERITUD MAAPINNA KÕRGUS (m ABS) | | 43.05 | 43.10 | | 42.95 | | 43.10 | | 43.25 | |
| TORU PÕHJA KÕRGUS SISEMINE (m ABS) | | 41.80 | 41.75 | 41.43 | 41.24 | | 41.04 | | 40.97 | |
| TORU RAJAMISSÜGAVUS | | 1.26 | 1.37 | 1.68 | 1.72 | | 2.08 | | 2.29 | |
| LANG | | 0.011 | 4.7m | 36.2m | 0.005 | 50.6m | 0.004 | 39.8m | 0.002 | |
| TORU MATERJAL | | PE/PP SN8 De200 - 4.7m | | | | PE/PP SN8 De250 - 126.6m | | | | |
| VAHEKAUGUSED (m) | | 4.7 | 36.2 | | | 50.6 | | | 39.8 | |
| SIRGESTATUD TRASSI PLAAN | | | | | | | | | | |