

Lõimiseanalüüside tulemused proovides ja kaalutud keskmisena Kalitsa II uuringuruumis, 3. plokis

Lisa 8

Kaevandi nr	Ka 1	Ka 2	Ka 3	Ka 4	Ka 5	Ka 6	Ka 7	Ka 8	Ka 9	Ka 9	Ka 10	Ka 11	Ka 12	Ka 13	Ka 14	Ka 15	Ka 15	Ka 16
Proovi number	1-1	2-1	3-1	4-1	5-1	6-1	7-1	8-1	9-1	9-2	10-1	11-1	12-1	13-1	14-1	15-1	15-2	16-1
Proovimise intervall, m	0,4-3,2	0,4-2,9	0,4-3,2	1,0-4,0	1,4-2,8	0,4-5,1	1,3-1,7	2,3-4,5	0,4-2,8	2,8-5,5	1,0-3,0	0,4-2,4	0,4-5,5	1,4-5,0	2,0-4,2	0,4-2,4	2,4-5,5	0,4-5,0
Intervalli pikkus, m	2,8	2,5	2,8	3,0	1,4	4,7	0,4	2,2	2,4	2,7	2,0	2,0	5,1	3,6	2,2	2,0	3,1	4,6
Fraktsioonid, mm	Fraktsioonide sisaldus, %																	
<0,063 mm	6,0	6,0	4,7	6,6	8,9	10,7	15,6	4,3	2,9	2,3	5,5	34,5	5,7	7,3	5,9	5,0	6,0	12,0
0,063-0,125 mm	1,0	2,0	1,3	1,4	1,1	2,3	2,4	1,7	1,1	0,7	1,5	13,5	0,3	1,7	2,1	1,0	1,0	30,0
0,125-0,25 mm	1,0	1,0	1,0	1,0	2,0	2,0	3,0	0,0	2,0	1,0	1,0	7,0	1,0	2,0	1,0	0,0	1,0	21,0
0,25-0,5 mm	1,0	0,0	1,0	2,0	2,0	3,0	2,0	2,0	5,0	2,0	1,0	2,0	1,0	2,0	4,0	1,0	2,0	3,0
0,5-1 mm	1,0	1,0	1,0	1,0	1,0	2,0	3,0	3,0	17,0	5,0	1,0	1,0	0,0	2,0	13,0	2,0	4,0	2,0
1-2 mm	1,0	1,0	1,0	1,0	1,0	2,0	4,0	2,0	37,0	14,0	2,0	0,0	2,0	3,0	17,0	4,0	18,0	1,0
2-4 mm	1,0	1,0	1,0	2,0	1,0	1,0	2,0	3,0	19,0	8,0	1,0	1,0	2,0	3,0	14,0	7,0	23,0	1,0
4-6,3 mm	1,0	1,0	1,0	2,0	0,0	0,0	2,0	3,0	7,0	5,0	1,0	0,0	2,0	1,0	12,0	5,0	11,0	0,0
6,3-8 mm	1,0	1,0	1,0	1,0	1,0	1,0	1,0	2,0	1,0	3,0	1,0	0,0	2,0	1,0	5,0	2,0	4,0	0,0
8-12,5 mm	2,0	1,0	2,0	2,0	1,0	1,0	2,0	4,0	3,0	4,0	2,0	1,0	5,0	3,0	9,0	4,0	5,0	1,0
12,5-16 mm	1,0	2,0	2,0	3,0	0,0	1,0	2,0	3,0	1,0	3,0	2,0	1,0	4,0	2,0	5,0	2,0	3,0	1,0
16-20 mm	2,0	0,0	1,0	3,0	1,0	2,0	2,0	4,0	1,0	3,0	2,0	0,0	2,0	7,0	4,0	1,0	2,0	1,0
20-31,5 mm	3,0	5,0	7,0	6,0	1,0	2,0	3,0	6,0	3,0	6,0	2,0	2,0	9,0	7,0	3,0	7,0	5,0	0,0
31,5-40 mm	5,0	3,0	3,0	8,0	2,0	2,0	5,0	6,0	0,0	0,0	7,0	1,0	6,0	8,0	5,0	4,0	4,0	0,0
40-63 mm	17,0	25,0	31,0	13,0	11,0	10,0	13,0	11,0	0,0	10,0	12,0	8,0	7,0	18,0	0,0	11,0	11,0	13,0
63-80 mm	14,0	9,0	16,0	16,0	21,0	17,0	19,0	20,0	0,0	5,0	19,0	15,0	29,0	8,0	0,0	15,0	0,0	14,0
80-125 mm	42,0	28,0	25,0	31,0	45,0	41,0	19,0	25,0	0,0	28,0	39,0	13,0	22,0	24,0	0,0	29,0	0,0	0,0
>125 mm	0,0	13,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Sõela ava, mm	Sõela läbinud, %																	
0,063	6,0	6,0	4,7	6,6	8,9	10,7	15,6	4,3	2,9	2,3	5,5	34,5	5,7	7,3	5,9	5,0	6,0	12,0
0,125	7,0	8,0	6,0	8,0	10,0	13,0	18,0	6,0	4,0	3,0	7,0	48,0	6,0	9,0	8,0	6,0	7,0	42,0
0,25	8,0	9,0	7,0	9,0	12,0	15,0	21,0	6,0	6,0	4,0	8,0	55,0	7,0	11,0	9,0	6,0	8,0	63,0
0,5	9,0	9,0	8,0	11,0	14,0	18,0	23,0	8,0	11,0	6,0	9,0	57,0	8,0	13,0	13,0	7,0	10,0	66,0
1	10,0	10,0	9,0	12,0	15,0	20,0	26,0	11,0	28,0	11,0	10,0	58,0	8,0	15,0	26,0	9,0	14,0	68,0
2	11,0	11,0	10,0	13,0	16,0	22,0	30,0	13,0	65,0	25,0	12,0	58,0	10,0	18,0	43,0	13,0	32,0	69,0
4	12,0	12,0	11,0	15,0	17,0	23,0	32,0	16,0	84,0	33,0	13,0	59,0	12,0	21,0	57,0	20,0	55,0	70,0
6,3	13,0	13,0	12,0	17,0	17,0	23,0	34,0	19,0	91,0	38,0	14,0	59,0	14,0	22,0	69,0	25,0	66,0	70,0
8	14,0	14,0	13,0	18,0	18,0	24,0	35,0	21,0	92,0	41,0	15,0	59,0	16,0	23,0	74,0	27,0	70,0	70,0
12,5	16,0	15,0	15,0	20,0	19,0	25,0	37,0	25,0	95,0	45,0	17,0	60,0	21,0	26,0	83,0	31,0	75,0	71,0
16	17,0	17,0	17,0	23,0	19,0	26,0	39,0	28,0	96,0	48,0	19,0	61,0	25,0	28,0	88,0	33,0	78,0	72,0
20	19,0	17,0	18,0	26,0	20,0	28,0	41,0	32,0	97,0	51,0	21,0	61,0	27,0	35,0	92,0	34,0	80,0	73,0
31,5	22,0	22,0	25,0	32,0	21,0	30,0	44,0	38,0	100,0	57,0	23,0	63,0	36,0	42,0	95,0	41,0	85,0	73,0
40	27,0	25,0	28,0	40,0	23,0	32,0	49,0	44,0	100,0	57,0	30,0	64,0	42,0	50,0	100,0	45,0	89,0	73,0
63	44,0	50,0	59,0	53,0	34,0	42,0	62,0	55,0	100,0	67,0	42,0	72,0	49,0	68,0	100,0	56,0	100,0	86,0
80	58,0	59,0	75,0	69,0	55,0	59,0	81,0	75,0	100,0	72,0	61,0	87,0	78,0	76,0	100,0	71,0	100,0	100,0
125	100,0	87,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
>125	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
KESKMINE:																		
Savi ja tolmu sisaldus (<0,063 mm)	6,0	6,0	4,7	6,6	8,9	10,7	15,6	4,3	2,9	2,3	5,5	34,5	5,7	7,3	5,9	5,0	6,0	12,0
Liiva sisaldus (0,063-2,0 mm)	5,0	5,0	5,3	6,4	7,1	11,3	14,4	8,7	62,1	22,7	6,5	23,5	4,3	10,7	37,1	8,0	26,0	57,0
Kruusa sisaldus (2,0-20 mm)	8,0	6,0	8,0	13,0	4,0	6,0	11,0	19,0	32,0	26,0	9,0	3,0	17,0	17,0	49,0	21,0	48,0	4,0
>20 mm sisaldus	81,0	83,0	82,0	74,0	80,0	72,0	59,0	68,0	3,0	49,0	79,0	39,0	73,0	65,0	8,0	66,0	20,0	27,0
>31,5 mm sisaldus	78,0	78,0	75,0	68,0	79,0	70,0	56,0	62,0	0,0	43,0	77,0	37,0	64,0	58,0	5,0	59,0	15,0	27,0

Lõimiseanalüüside tulemused proovides ja kaalutud keskmisena Kalitsa II uuringuruumis, 3. plokis

Kaevandi nr	Ka 17	Ka 18	Ka 19	Ka 19	Ka 20	Ka 21	Ka 22	Ka 23	Ka 24	Ka 25	Ka 26	Ka 27	Ka 28	Kaalutud keskmine
Proovi number	17-1	18-1	19-1	19-2	20-1	21-1	22-1	23-1	24-1	25-1	26-1	27-1	28-1	
Proovimise intervall, m	1,7-4,5	1,4-4,2	0,4-2,0	2,0-3,7	1,9-3,9	0,4-5,5	2,0-4,2	0,4-3,7	0,4-2,5	0,4-3,0	0,4-2,5	1,4-3,3	0,4-2,5	
Intervalli pikkus, m	2,8	2,8	1,6	1,7	2,0	5,1	2,2	3,3	2,1	2,6	2,1	1,9	2,1	81,8
Fraktsioonid, mm	Fraktsioonide sisaldus, %													
<0,063 mm	4,8	9,4	22,8	9,0	10,8	3,0	10,7	7,1	5,8	5,1	6,2	4,3	4,3	7,6
0,063-0,125 mm	1,2	2,6	66,2	8,0	3,2	1,0	4,3	0,9	1,2	1,9	1,8	1,7	0,7	4,8
0,125-0,25 mm	0,0	2,0	8,0	3,0	4,0	1,0	4,0	1,0	2,0	1,0	2,0	1,0	1,0	2,8
0,25-0,5 mm	1,0	3,0	1,0	1,0	3,0	0,0	3,0	2,0	2,0	2,0	2,0	2,0	1,0	1,9
0,5-1 mm	1,0	3,0	1,0	1,0	2,0	1,0	2,0	3,0	3,0	1,0	2,0	2,0	2,0	2,5
1-2 mm	3,0	5,0	1,0	0,0	3,0	3,0	2,0	6,0	2,0	2,0	3,0	2,0	1,0	4,6
2-4 mm	3,0	3,0	0,0	1,0	3,0	5,0	2,0	4,0	3,0	3,0	2,0	3,0	1,0	4,1
4-6,3 mm	3,0	3,0	0,0	1,0	2,0	5,0	2,0	2,0	2,0	2,0	2,0	2,0	1,0	2,6
6,3-8 mm	1,0	2,0	0,0	0,0	1,0	1,0	1,0	1,0	2,0	1,0	1,0	2,0	0,0	1,3
8-12,5 mm	2,0	3,0	0,0	2,0	3,0	3,0	2,0	2,0	4,0	3,0	2,0	4,0	1,0	2,7
12,5-16 mm	1,0	3,0	0,0	0,0	2,0	2,0	2,0	1,0	2,0	2,0	2,0	3,0	1,0	2,0
16-20 mm	1,0	2,0	0,0	1,0	2,0	2,0	1,0	1,0	2,0	2,0	1,0	3,0	1,0	1,9
20-31,5 mm	3,0	6,0	0,0	2,0	6,0	4,0	3,0	5,0	6,0	4,0	3,0	7,0	3,0	4,3
31,5-40 mm	4,0	7,0	0,0	3,0	6,0	1,0	6,0	3,0	9,0	8,0	3,0	5,0	3,0	4,0
40-63 mm	15,0	17,0	0,0	15,0	11,0	19,0	22,0	22,0	11,0	7,0	2,0	20,0	14,0	13,2
63-80 mm	21,0	16,0	0,0	24,0	4,0	16,0	17,0	29,0	21,0	10,0	8,0	14,0	8,0	14,2
80-125 mm	35,0	13,0	0,0	29,0	34,0	33,0	16,0	10,0	22,0	45,0	34,0	24,0	34,0	23,8
>125 mm	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	23,0	0,0	23,0	1,6
Sõela ava, mm	Sõela läbinud, %													
0,063	4,8	9,4	22,8	9,0	10,8	3,0	10,7	7,1	5,8	5,1	6,2	4,3	4,3	7,6
0,125	6,0	12,0	89,0	17,0	14,0	4,0	15,0	8,0	7,0	7,0	8,0	6,0	5,0	12,4
0,25	6,0	14,0	97,0	20,0	18,0	5,0	19,0	9,0	9,0	8,0	10,0	7,0	6,0	15,1
0,5	7,0	17,0	98,0	21,0	21,0	5,0	22,0	11,0	11,0	10,0	12,0	9,0	7,0	17,0
1	8,0	20,0	99,0	22,0	23,0	6,0	24,0	14,0	14,0	11,0	14,0	11,0	9,0	19,6
2	11,0	25,0	100,0	22,0	26,0	9,0	26,0	20,0	16,0	13,0	17,0	13,0	10,0	24,2
4	14,0	28,0	100,0	23,0	29,0	14,0	28,0	24,0	19,0	16,0	19,0	16,0	11,0	28,2
6,3	17,0	31,0	100,0	24,0	31,0	19,0	30,0	26,0	21,0	18,0	21,0	18,0	12,0	30,9
8	18,0	33,0	100,0	24,0	32,0	20,0	31,0	27,0	23,0	19,0	22,0	20,0	12,0	32,2
12,5	20,0	36,0	100,0	26,0	35,0	23,0	33,0	29,0	27,0	22,0	24,0	24,0	13,0	35,0
16	21,0	39,0	100,0	26,0	37,0	25,0	35,0	30,0	29,0	24,0	26,0	27,0	14,0	36,9
20	22,0	41,0	100,0	27,0	39,0	27,0	36,0	31,0	31,0	26,0	27,0	30,0	15,0	38,9
31,5	25,0	47,0	100,0	29,0	45,0	31,0	39,0	36,0	37,0	30,0	30,0	37,0	18,0	43,2
40	29,0	54,0	100,0	32,0	51,0	32,0	45,0	39,0	46,0	38,0	33,0	42,0	21,0	47,2
63	44,0	71,0	100,0	47,0	62,0	51,0	67,0	61,0	57,0	45,0	35,0	62,0	35,0	60,4
80	65,0	87,0	100,0	71,0	66,0	67,0	84,0	90,0	78,0	55,0	43,0	76,0	43,0	74,6
125	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	77,0	100,0	77,0	98,4
>125	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0
KESKMINE:														
Savi ja tolmu sisaldus (<0,063 mm)	4,8	9,4	22,8	9,0	10,8	3,0	10,7	7,1	5,8	5,1	6,2	4,3	4,3	7,6
Liiva sisaldus (0,063-2,0 mm)	6,2	15,6	77,2	13,0	15,2	6,0	15,3	12,9	10,2	7,9	10,8	8,7	5,7	16,6
Kruusa sisaldus (2,0-20 mm)	11,0	16,0	0,0	5,0	13,0	18,0	10,0	11,0	15,0	13,0	10,0	17,0	5,0	14,7
>20 mm sisaldus	78,0	59,0	0,0	73,0	61,0	73,0	64,0	69,0	69,0	74,0	73,0	70,0	85,0	61,1
>31,5 mm sisaldus	75,0	53,0	0,0	71,0	55,0	69,0	61,0	64,0	63,0	70,0	70,0	63,0	82,0	56,8