

Lisa 2 Paistu JP

kvartal	er	pindala	peapuuliik_	l_kkt	arenguklass_	metsakategooria_	l_boniteet
OI468		6	0,25 HB	ND	N	T	0
OI456		1	1,51 KS	JO	N	T	3
OI100		26	1,21 KS	SS	N	T	3
OI442		63	0,68 LV	ND	N	K	1
OI117		13	0,90 HB	JK	N	T	2
OI302		13	1,84 KS	JM	N	T	1
OI113		16	1,61 MA	JM	N	T	2
OI118		30	3,01 KS	ND	N	T	1
OI116		15	0,70 HB	ND	N	T	0
OI302		10	3,60 KS	ND	N	T	1
OI118		16	0,83 KU	JK	N	T	0
OI115		2	0,82 KU	JM	N	T	2
OI206		2	1,96 KU	SL	N	T	1
OI215		8	0,57 KU	JM	N	T	1
OI215		5	3,22 KU	JK	N	T	1
OI181		7	1,29 KS	ND	N	T	2
OI206		8	2,36 KU	SL	N	T	1
OI107		1	2,02 KU	MO	N	T	3
OI199		14	0,79 KU	KM	N	T	2
OI207		8	1,15 KU	JK	N	T	1
OI218		13	0,25 KU	MS	N	T	2
OI217		15	0,31 KU	JM	N	T	1
OI212		22	1,41 KU	JM	N	T	1
OI213		24	2,03 MA	MO	N	T	2
OI206		13	2,83 KU	SL	N	T	1
OI208		30	0,54 KU	SL	N	T	2
OI102		14	1,34 KS	AN	N	K	1
OI302		8	2,66 HB	ND	N	T	1
OI239		14	5,15 MA	JK	N	T	2
OI239		13	0,83 KU	JM	N	T	0
OI239		11	0,67 MA	JP	N	T	1
OI239		3	1,79 KU	JM	N	T	1
OI238		9	0,41 KS	JO	N	T	3
OI238		6	0,94 MA	SS	N	T	5
OI237		2	1,10 KU	JK	N	T	1
OI235		6	5,58 KS	MO	N	T	3
OI233		1	5,53 KS	JO	N	T	3
OI232		6	2,91 KS	MD	N	T	4
OI232		4	1,25 KS	JO	N	T	3
OI222		2	0,92 MA	RB	N	T	5
OI218		6	1,23 KU	JM	N	T	2
OI218		5	0,54 HB	AN	N	T	1
OI218		3	1,87 KU	JM	N	T	2
OI217		13	1,46 MA	KM	N	T	3
OI217		10	2,50 KS	JM	N	T	2
OI217		6	0,76 HB	JM	N	T	2
OI214		2	0,23 KU	JM	N	T	2

OI212	17	0,66 KU	JM	N	T	1
OI202	9	1,45 HB	ND	N	T	1
OI202	7	0,30 MA	JK	N	T	2
OI201	6	0,25 KS	KM	N	T	2
OI199	16	0,54 KU	JM	N	T	1
OI199	3	1,94 KU	JK	N	T	0
OI198	7	0,42 KU	JK	N	T	0
OI198	5	4,64 KU	JK	N	T	1
OI197	9	1,34 KS	ND	N	T	1
OI197	2	0,34 HB	ND	N	T	0
OI193	9	2,58 HB	ND	N	T	0
OI193	2	2,61 KU	ND	N	T	2
OI192	9	0,44 HB	AN	N	T	0
OI182	5	1,02 HB	AN	N	T	2
OI182	3	1,22 KU	ND	N	T	1
OI179	5	0,92 KU	AN	N	T	2
OI179	3	1,61 HB	ND	N	T	0
OI119	9	3,13 LV	ND	N	T	1
OI118	22	2,69 HB	ND	N	T	0
OI118	15	0,55 HB	ND	N	T	1
OI118	5	1,33 KS	JM	N	T	0
OI118	3	0,95 KU	ND	N	T	1
OI117	7	1,16 KU	JM	N	T	1
OI117	2	1,02 KU	JM	N	T	1
OI116	6	0,31 KU	JM	N	T	1
OI116	5	3,65 MA	JM	N	T	1
OI115	10	1,26 KU	JM	N	T	1
OI114	8	2,43 KS	AN	N	T	1
OI114	6	3,35 KS	JM	N	T	2
OI113	1	2,05 HB	JO	N	T	0
OI109	4	0,53 HB	AN	N	T	1
OI108	14	1,20 HB	ND	N	T	1
OI108	12	0,64 KU	ND	N	T	1
OI108	4	0,58 HB	JM	N	T	0
OI108	1	0,84 KS	AN	N	T	1
OI107	25	1,83 KS	ND	N	T	1
OI107	23	1,62 KU	JM	N	T	2
OI107	8	1,86 HB	ND	N	T	1
OI101	18	0,86 LV	AN	N	T	0
OI101	3	1,01 KU	AN	N	T	2
OI100	22	1,12 KS	ND	N	T	1
OI100	10	0,59 MA	MO	N	T	3
OI100	8	0,31 MA	SS	N	T	5
OI206	14	0,33 JA	JK	L	T	0
OI120	46	1,05 KS	SS	L	T	3
OI442	43	1,99 KS	JO	L	K	2
OI442	23	0,76 KS	ND	L	K	1
OI442	2	0,42 KS	TR	L	K	3
OI113	15	0,75 KU	JO	L	T	1
OI117	12	0,43 KS	JM	L	T	0

OI114	14	0,33 KU	JM	L	T	1
OI107	12	0,87 KU	AN	L	T	0
OI210	2	1,42 KU	JM	L	T	0
OI209	6	1,13 KU	JM	L	T	0
OI182	7	1,28 KU	ND	L	T	0
OI213	16	1,43 KU	JK	L	T	1
OI117	4	0,35 KU	JM	L	T	1
OI208	7	0,15 KU	JK	L	T	0
OI208	2	0,96 KU	JK	L	T	1
OI213	21	4,20 KU	JM	L	T	0
OI213	15	2,55 KU	JK	L	T	0
OI210	18	1,74 KU	JM	L	T	0
OI118	28	0,28 KS	AN	L	T	2
OI118	27	0,48 KS	JM	L	T	2
OI195	20	0,70 KU	ND	L	T	0
OI197	1	1,41 KU	JK	L	T	1
OI218	10	0,91 KS	JO	L	T	0
OI118	11	1,78 KS	ND	L	T	1
OI115	9	0,32 KU	JM	L	T	2
OI118	8	2,42 KU	JM	L	T	0
OI100	6	2,00 MA	SS	L	T	3
OI211	1	0,27 KU	JM	L	T	0
OI212	16	0,30 KU	JM	L	T	0
OI209	10	1,07 KS	JM	L	T	1
OI100	24	1,07 MA	MO	L	T	2
OI211	17	2,42 KU	JM	L	T	0
OI213	7	0,36 KS	JM	L	T	0
OI213	14	1,60 MA	MO	L	T	1
OI208	27	2,65 KU	SL	L	T	1
OI206	3	1,33 KU	SL	L	T	0
OI177	9	1,76 KU	JM	L	T	0
OI176	9	0,53 KU	JK	L	T	0
OI100	11	3,40 MA	SS	L	T	4
OI195	17	1,55 KU	ND	L	T	0
OI118	26	1,32 KS	ND	L	T	2
OI101	11	0,95 KU	JM	L	N	0
OI113	11	1,21 KU	AN	L	T	0
OI100	15	1,23 MA	MO	L	T	2
OI100	17	0,93 MA	MO	L	T	1
OI214	5	0,24 KU	JM	L	T	0
OI202	6	5,65 KU	JM	L	T	0
OI214	15	2,72 KU	JM	L	T	0
OI200	8	0,57 KU	JM	L	T	0
OI198	2	1,76 KU	JK	L	T	0
OI196	10	0,71 KU	JK	L	T	0
OI303	3	3,04 KS	ND	L	T	1
OI199	4	6,24 KU	JK	L	T	0
OI197	5	0,35 KU	JK	L	T	0
OI195	16	0,93 KU	ND	L	T	0
OI181	6	0,49 KU	ND	L	T	0

OI179	1	1,30 KU	JM	L	T	0
OI218	9	1,45 KU	JK	L	T	0
OI117	5	2,32 KU	AN	L	T	1
OI118	6	0,41 HB	JM	L	T	1
OI198	8	2,12 KU	JK	L	T	0
OI200	3	1,24 MA	KM	L	T	1
OI193	8	0,37 KU	ND	L	T	1
OI193	4	0,57 KU	ND	L	T	0
OI181	10	0,38 KU	AN	L	T	1
OI181	3	0,55 KU	ND	L	T	0
OI217	20	0,15 KU	JM	L	T	0
OI217	19	0,35 KU	JM	L	T	0
OI218	12	0,56 KU	JM	L	T	0
OI211	15	0,42 KU	JM	L	T	0
OI218	11	0,61 KU	JM	L	T	0
OI217	17	1,51 KU	JM	L	T	0
OI107	27	0,50 KU	ND	L	T	0
OI198	9	0,68 KU	JK	L	T	0
OI212	1	1,94 KU	MS	L	T	1
OI207	13	1,70 KU	JK	L	T	0
OI207	9	1,57 KU	SL	L	T	0
OI207	11	0,62 KU	SL	L	T	0
OI114	12	1,31 KU	AN	L	T	1
OI239	2	1,67 KS	ND	L	T	2
OI238	4	2,18 KU	JK	L	T	2
OI222	1	0,66 MA	SS	L	T	4
OI218	1	1,63 KU	JK	L	T	0
OI217	4	2,00 KU	JM	L	T	0
OI212	9	1,52 KS	JK	L	T	0
OI210	10	1,64 KU	JM	L	T	0
OI210	9	0,71 HB	JM	L	T	1
OI210	7	1,06 KS	JK	L	T	1
OI209	4	1,56 KU	JM	L	T	1
OI208	19	2,56 HB	JK	L	T	1
OI208	3	2,04 KU	SL	L	T	2
OI201	8	2,51 MA	MO	L	T	2
OI201	5	2,87 MA	KM	L	T	2
OI201	1	1,93 KU	JM	L	T	0
OI200	7	0,79 KU	JM	L	T	0
OI200	6	2,97 MA	MS	L	T	1
OI200	5	1,40 KU	JM	L	T	0
OI200	2	1,15 KU	KM	L	T	2
OI196	7	4,12 KU	JK	L	T	0
OI195	11	1,42 KU	JM	L	T	0
OI193	11	0,89 HB	ND	L	T	2
OI192	14	0,48 KU	JM	L	T	0
OI192	13	1,06 KU	JM	L	T	0
OI191	7	0,55 KU	JM	L	T	2
OI179	6	3,36 HB	ND	L	T	1
OI119	6	3,24 KS	ND	L	T	1

OI118	23	0,55 KU	ND	L	T	1
OI118	20	1,13 KU	ND	L	T	2
OI118	19	1,30 KU	JK	L	T	2
OI118	17	1,77 KS	ND	L	T	1
OI118	7	0,66 KU	JM	L	T	2
OI118	4	2,84 KS	ND	L	T	1
OI117	1	1,21 KU	JM	L	T	0
OI115	15	0,19 KU	MS	L	T	2
OI115	5	1,23 KU	JM	L	T	0
OI114	3	0,46 KS	AN	L	T	2
OI109	9	0,45 KU	JM	L	T	1
OI109	5	0,37 KS	ND	L	T	1
OI104	7	0,86 KU	JM	L	K	1
OI104	6	1,11 KU	SN	L	K	3
OI104	1	1,08 KU	JM	L	K	0
OI102	13	0,88 KU	JM	L	K	0
OI102	10	1,41 KS	ND	L	K	1
OI100	13	3,68 MA	SS	L	T	4
OI100	12	0,53 MA	MO	L	T	3
OI100	9	3,76 MA	SS	L	T	4
OI100	2	4,95 MA	SS	L	T	3
OI227	7	1,34 KS	MO	A	T	3
OI442	62	0,27 KS	ND	A	K	1
OI212	23	1,06 KU	JM	A	T	1
OI238	18	2,94 MA	JK	A	T	1
OI117	15	0,89 KU	ND	A	T	0
OI303	14	0,55 KS	ND	A	N	1
OI238	16	2,16 MA	SL	A	T	1
OI208	4	0,89 HB	SL	A	T	0
OI212	7	1,52 KS	JK	A	T	1
OI238	10	2,99 MA	JK	A	T	1
OI212	20	0,85 HB	JK	A	T	0
OI200	10	0,41 KU	KM	A	T	1
OI207	12	0,35 MA	SL	A	T	2
OI239	10	0,96 MA	SS	A	T	4
OI238	14	1,04 MA	SS	A	T	4
OI238	13	1,16 KU	JK	A	T	0
OI238	8	1,61 MA	SS	A	T	4
OI238	3	3,15 KU	JM	A	T	1
OI237	3	0,27 HB	JK	A	T	0
OI236	14	2,35 KS	JK	A	T	0
OI236	6	0,92 MA	JM	A	T	1
OI236	3	0,83 KU	JO	A	T	1
OI236	1	0,50 MA	JO	A	T	3
OI235	7	1,91 MA	JO	A	T	2
OI233	3	1,91 KS	JO	A	T	2
OI233	2	0,51 KU	MD	A	T	3
OI228	3	5,65 MA	MO	A	T	2
OI227	3	4,12 MA	SS	A	T	3
OI215	2	0,25 KU	JK	A	K	1

OI214	12	0,25 KU	JM	A	T	1
OI213	5	0,70 HB	JK	A	T	0
OI212	18	2,53 KU	JM	A	T	1
OI212	11	0,46 KU	JM	A	T	0
OI208	16	4,45 KU	JK	A	T	0
OI206	5	0,52 KU	SL	A	T	0
OI202	3	0,62 KS	JM	A	T	1
OI201	3	1,23 MA	JM	A	T	1
OI199	12	1,52 KS	JK	A	T	0
OI192	12	0,16 KS	ND	A	T	1
OI119	11	0,11 KU	ND	A	T	0
OI113	4	1,10 KU	JM	A	T	1
OI107	26	0,73 KU	ND	A	T	0
OI107	19	1,61 KS	JO	A	T	2
OI101	12	1,84 KS	AN	A	T	1
OI101	4	1,68 LM	AN	A	T	1
OI100	4	0,91 KU	JO	A	T	2
OI177	15	0,62 KS	ND	S	T	2
OI181	15	0,22 KU	ND	S	T	1
OI117	17	0,91 KS	AN	S	T	2
OI117	14	5,01 KU	JK	S	T	2
OI223	6	2,57 MA	MO	S	T	3
OI113	14	3,84 MA	MO	S	T	3
OI118	31	3,07 HB	ND	S	T	1
OI238	17	2,15 MA	JK	S	T	2
OI215	12	0,38 KU	JK	S	K	1
OI118	29	0,89 HB	JM	S	T	0
OI115	16	1,93 KU	JM	S	T	2
OI115	4	2,44 KU	JM	S	T	1
OI208	14	2,74 KU	SL	S	T	2
OI208	26	3,46 KU	JK	S	T	2
OI208	25	1,34 MA	JK	S	T	2
OI238	7	2,14 MA	SL	S	T	1
OI206	1	2,60 KU	SL	S	T	2
OI202	8	1,27 MA	SL	S	T	2
OI214	8	1,61 KU	JM	S	T	1
OI195	8	2,96 KU	JK	S	T	2
OI211	16	1,79 MA	JM	S	T	2
OI237	5	3,00 MA	JK	S	T	2
OI176	11	0,48 KU	JK	S	T	1
OI207	15	0,35 KU	SL	S	T	2
OI207	14	2,79 KU	SL	S	T	2
OI217	21	0,39 KU	JM	S	T	2
OI212	21	0,41 KU	JM	S	T	1
OI115	17	2,06 MA	MS	S	T	1
OI117	11	0,91 KU	ND	S	T	2
OI109	10	5,61 KU	JM	S	K	1
OI207	10	0,77 KU	SL	S	T	2
OI302	5	1,18 HB	ND	S	T	0
OI238	15	0,28 KU	JK	S	T	0

OI238	12	2,41 MA	JK	S	T	1
OI238	1	2,12 MA	JK	S	T	2
OI237	4	0,93 MA	JM	S	T	1
OI236	17	1,88 MA	JM	S	T	1
OI236	16	3,49 MA	JP	S	T	1
OI236	10	2,59 KU	JK	S	T	2
OI235	4	2,46 KS	JO	S	T	3
OI232	5	4,80 KS	JO	S	T	3
OI228	1	2,15 MA	MO	S	T	3
OI227	2	1,78 MA	MO	S	T	4
OI223	4	2,34 MA	MO	S	T	3
OI223	1	0,99 MA	MO	S	T	3
OI222	7	0,93 MA	MO	S	T	2
OI218	4	2,12 KS	MS	S	T	2
OI217	7	0,54 KU	JM	S	T	2
OI214	4	1,01 KU	JM	S	T	1
OI214	1	1,37 KU	JM	S	T	1
OI213	8	0,91 KU	JM	S	T	1
OI213	6	0,98 KU	JM	S	T	1
OI211	7	0,22 KU	JK	S	T	2
OI208	23	1,99 MA	JK	S	T	0
OI208	21	0,96 MA	JK	S	T	1
OI208	20	0,76 MA	JK	S	T	0
OI208	18	0,46 MA	JK	S	T	2
OI208	12	1,85 MA	JK	S	T	0
OI207	5	0,46 KU	JK	S	T	2
OI206	10	1,87 KU	SL	S	T	1
OI206	4	1,94 KU	SL	S	T	1
OI202	5	0,49 MA	JM	S	T	2
OI201	9	2,80 MA	SS	S	T	4
OI199	7	0,28 KS	MO	S	T	4
OI198	6	0,41 KU	JK	S	T	0
OI182	6	1,79 KU	ND	S	T	1
OI181	9	3,53 KU	ND	S	T	2
OI181	5	0,56 KU	MS	S	T	2
OI179	4	0,43 KU	JM	S	T	1
OI179	2	0,95 KU	AN	S	T	1
OI119	5	1,79 KU	JM	S	T	1
OI118	14	3,24 HB	ND	S	T	0
OI117	8	1,10 KS	ND	S	T	2
OI117	3	1,46 MA	JM	S	T	1
OI116	12	0,79 KU	JM	S	T	1
OI116	10	2,15 MA	JM	S	T	1
OI114	11	3,42 KU	JM	S	T	1
OI110	1	0,23 KU	JM	S	K	1
OI109	8	0,58 KU	JM	S	T	1
OI109	7	0,30 KU	JM	S	T	2
OI109	3	3,24 KU	JM	S	T	1
OI109	2	0,18 KU	JM	S	T	1
OI108	18	4,30 HB	AN	S	T	0

OI108	9	0,35 MA	JM	S	T	1
OI108	6	0,75 MA	JM	S	T	2
OI107	20	0,83 KU	JO	S	T	1
OI107	13	1,62 KU	ND	S	T	1
OI107	9	1,21 KU	JO	S	T	2
OI101	17	0,28 KU	JM	S	T	1
OI101	14	1,19 KU	JM	S	N	1
OI100	21	0,54 KS	ND	S	T	2
OI100	20	2,20 MA	MO	S	T	2
OI100	16	1,08 MA	SS	S	T	4
OI100	7	0,36 MA	SS	S	T	5
OI100	5	0,75 KU	JO	S	T	1
OI100	1	0,21 MA	SS	S	T	4

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]